

County: Ashland

Report Date: 5/2/2024

Summary

Conduent HCI's Data Scoring Tool provides a systematic ranking of your county's indicators to help set priorities for community health improvement. To read more about this tool, please see the Data Scoring Tool Methodology document. The Data Scoring Tool Report's summary includes the topics that are considered significant health needs, and indicators for which significant disparities were identified for your county. Following this summary you will find the full Data Scoring Tool results, including all indicator scores, all topic scores, and the indicators within each topic area that are considered a significant health need. Please keep in mind that this report is a snapshot in time, and only reflects the data that are current on Healthy Northeast Ohio as of the date the Data Scoring Tool was run. The findings from the Data Scoring Tool should be used, along with other considerations, such as community input, when prioritizing the health needs of your county.

Topic Scores

All indicator scores are averaged by topic area, to allow for a higher-level ranking of community needs. Resulting scores range from 0-3, where a higher score indicates a greater level of need. Below are the topic areas with scores of 1.50 or higher in your county. This is the cutoff used for a topic area to be considered a significant health need. Please see the results section below for the indicators that make up each of these topic areas.

Topic	Indicators	Score
Health Care Access & Quality	11	1.70
Mental Health & Mental Disorders	9	1.69
Oral Health	4	1.69
Wellness & Lifestyle	10	1.64
Cancer	18	1.59
Physical Activity	6	1.57
Health Information Technology	6	1.55
Environmental Health	17	1.54
Children's Health	5	1.53
Tobacco Use	6	1.53
Women's Health	6	1.52

Identified Disparities

The Data Scoring Tool allows for the identification of significant disparities that may exist by race/ethnicity, age, and gender. Below are the indicators where significant disparities were identified in your county.

Indicator	County Distribution		Value		Target			Trend	Score	Precision	Age
	State	US	State	US	HP2030	Local					
Persons with an Internet Subscription	2	2	2	2	1.5		1	1.69	High	65+	
Workers who Drive Alone to Work	1	2	2	3	1.5		0	1.42	High	45-54, 55-59	
Workers who Walk to Work	0	1	0	0	1.5		3	1.08	High	60-64	
People Living Below Poverty Level	1	1	0	1	3		0	0.67	High	12-17	

Indicator	County Distribution		Value		Target			Trend	Score	Precision	Race/Ethnicity
	State	US	State	US	HP2030	Local					
Per Capita Income	2	2	3	3	1.5		0	1.75	High	American Indian/Alaska Native, Hispanic/Latino, Two or More Races	
Median Household Income	2	1	2	3	1.5		0	1.42	High	Black/African American	
Workers who Drive Alone to Work	1	2	2	3	1.5		0	1.42	High	American Indian/Alaska Native, Black/African American, Native Hawaiian/Pacific Islander	
People 25+ with a High School Diploma or Higher	2	1	2	1	1.5		1	1.36	High	Hispanic/Latino	
People Living Below Poverty Level	1	1	0	1	3		0	0.67	High	American Indian/Alaska Native	
People 65+ Living Below Poverty Level	0	0	0	0	1.5		1	0.36	High	Hispanic/Latino	

Results

The remaining pages of this report include the full Data Scoring Tool results for your county, including indicator scores, topic scores, and scoring results by topic for topics with scores of 1.50 or higher.

Healthy Communities Institute Data Scoring Tool



County: Ashland
Cuyahoga (Northeast Ohio)
Total Indicators: 194
Thursday 2nd of May 2024 05:41:41 AM



Indicator	County Distribution		Value		Target		Trend	Score	Precision
	State	US	State	US	HP2030	Local			
Residential Segregation - Black/White	3	3	3	3	1.5		2	2.64	High
Age-Adjusted Death Rate due to Colorectal Cancer	3	3	3	3	3		1	2.44	High
Age-Adjusted Death Rate due to Alzheimer's Disease	3	1.5	3	1.5	1.5		3	2.42	Medium
Obesity: Medicare Population	3	1.5	3	3	1.5		2	2.39	Medium
Alcohol-Impaired Driving Deaths	2	3	3	3	1.5		1.5	2.33	High
Dentist Rate	2	2	3	3	1.5		2	2.31	High
Adults 65+ who Received Recommended Preventive Services: Males	3	3	1.5	3	1.5		1.5	2.25	Medium
Cervical Cancer Incidence Rate	1.5	3	3	3	1.5		1.5	2.25	Medium
Prostate Cancer Incidence Rate	2	2	2	2	1.5		3	2.25	High
Houses Built Prior to 1950	2	3	3	3	1.5		1	2.19	High
Access to Exercise Opportunities	2	2	3	3	1.5		1.5	2.17	Medium
Age-Adjusted Death Rate due to Cerebrovascular Disease (Stroke)	2	1.5	2	1.5	3		3	2.17	Medium
Blood Lead Levels in Children (>=5 micrograms per deciliter)	3	1.5	3	1.5	1.5		2	2.14	Medium
Mothers who Received Early Prenatal Care	3	1.5	3	1.5	1.5		2	2.14	Medium
Poor Mental Health: Average Number of Days	2	2	2	3	1.5		2	2.14	High
Primary Care Provider Rate	1	2	3	3	1.5		2	2.14	High
Student-to-Teacher Ratio	1	3	2	3	1.5		2	2.14	High
Colorectal Cancer Incidence Rate	3	3	3	3	1.5		0	2.08	High
Age-Adjusted Death Rate due to Coronary Heart Disease	2	1.5	3	1.5	3		2	2.06	Medium
Workers Commuting by Public Transportation	1	1	3	3	3		2	2.06	High
Poor Physical Health: Average Number of Days	2	2	3	3	1.5		1	2.03	High
All Cancer Incidence Rate	2	2	2	2	1.5		2	1.97	High
COPD: Medicare Population	1	2	2	3	1.5		2	1.97	High
Female Population 16+ in Civilian Labor Force	2	2	2	2	1.5		2	1.97	High
Unemployed Workers in Civilian Labor Force	2	2	2	2	1.5		2	1.97	High
Substantiated Child Abuse Rate	3	1.5	3	1.5	3		1	1.94	Medium
Adults Ever Diagnosed with Depression	2	2	1.5	3	1.5		1.5	1.92	Medium
Adults with COPD	2	2	1.5	3	1.5		1.5	1.92	Medium
Colon Cancer Screening: USPSTF Recommendation	3	2	1.5	2	1.5		1.5	1.92	Medium
Insufficient Sleep	1	2	2	3	3		1.5	1.92	High
Persons with Health Insurance	3	1	2	1.5	2		2	1.92	High
Poor Mental Health: 14+ Days	2	2	1.5	3	1.5		1.5	1.92	Medium
Poor Physical Health: 14+ Days	2	2	1.5	3	1.5		1.5	1.92	Medium
Overcrowded Households	3	1.5	3	0	1.5		2	1.89	Medium
Preventable Hospital Stays: Medicare Population	2	2	2	3	1.5		1	1.86	High
Access to Parks	2	1.5	3	1.5	1.5		1.5	1.83	Low
Adults who Smoke	1	2	1.5	3	3		1.5	1.83	Medium
Mammogram in Past 2 Years: 50-74	2	2	1.5	2	3		1.5	1.83	Medium
Adults who Visited a Dentist	2	1	2	2	1.5		2	1.81	High
Adults with Health Insurance: 18+	2	1	2	2	1.5		2	1.81	High
Daily Dose of UV Irradiance	2	1.5	2	1.5	1.5		2	1.81	Medium
Flu Vaccinations: Medicare Population	2	1	2	2	1.5		2	1.81	High
Hypertension: Medicare Population	1	2	2	2	1.5		2	1.81	High
Adults 65+ with Total Tooth Loss	2	2	1.5	2	1.5		1.5	1.75	Medium
Adults who Binge Drink	2	2	1.5	2	1.5		1.5	1.75	Medium
Adults who Drank Soft Drinks: Past 7 Days	2	1.5	2	2	1.5		1.5	1.75	Medium
Adults who Experienced Coronary Heart Disease	1	2	1.5	3	1.5		1.5	1.75	Medium
Adults who Follow a Regular Exercise Routine	2	1.5	2	2	1.5		1.5	1.75	Medium
Adults who Have Taken Medications for High Blood Pressure	3	2	1.5	1	1.5		1.5	1.75	Medium
Adults with Arthritis	1	2	1.5	3	1.5		1.5	1.75	Medium
Adults with Cancer	1	2	1.5	3	1.5		1.5	1.75	Medium
Adults with Current Asthma	2	2	1.5	2	1.5		1.5	1.75	Medium
Cervical Cancer Screening: 21-65	2	2	1.5	2	1.5		1.5	1.75	Medium
Cholesterol Test History	2	2	1.5	2	1.5		1.5	1.75	Medium
Per Capita Income	2	2	3	3	1.5		0	1.75	High
Adults Who Used Smokeless Tobacco: Past 30 Days	1	1	3	3	1.5		1	1.69	High
Chronic Kidney Disease: Medicare Population	2	2	2	2	1.5		1	1.69	High
Households with One or More Types of Computing Devices	2	2	2	2	1.5		1	1.69	High
People 25+ with a Bachelor's Degree or Higher	1	1	3	3	1.5		1	1.69	High
Persons with an Internet Subscription	2	2	2	2	1.5		1	1.69	High
Adults who Agree Vaccine Benefits Outweigh Possible Risks	2	1	2	2	1.5		1.5	1.67	Medium
Adults with Internet Access	2	1	2	2	1.5		1.5	1.67	High
Renters Spending 30% or More of Household Income on Rent	2	1	1	0	3		3	1.67	High
Age-Adjusted Death Rate due to Falls	2	1.5	1	1.5	1.5		2	1.64	Medium
Cancer: Medicare Population	2	2	1	1	1.5		2	1.64	High
Depression: Medicare Population	1	2	1	2	1.5		2	1.64	High
Infant Mortality Rate	2	1.5	0	2	3		2	1.64	High
Lung and Bronchus Cancer Incidence Rate	1	1	1	3	1.5		2	1.64	High
People 65+ Living Alone (Count)	1.5	1.5	1.5	1.5	1.5		2	1.64	Low
Recognized Carcinogens Released into Air	1.5	1.5	1.5	1.5	1.5		2	1.64	Low
Size of Labor Force	1.5	1.5	1.5	1.5	1.5		2	1.64	Low

Healthy Communities Institute Data Scoring Tool



County: Ashland
Cuyahoga (Northeast Ohio)
Total Indicators: 194
Thursday 2nd of May 2024 05:41:41 AM



Indicator	County Distribution		Value		Target		Trend	Score	Precision
	State	US	State	US	HP2030	Local			
Weeks of Moderate Drought or Worse	1.5	1.5	1.5	1.5	1.5		2	1.64	Low
Adults 65+ who Received Recommended Preventive Services: Females	1	2	1.5	2	1.5		1.5	1.58	Medium
Child Care Centers	2	1.5	2	1	1.5		1.5	1.58	Medium
Cigarette Spending-to-Income Ratio	2	1	2	1.5	1.5		1.5	1.58	Medium
Non-Physician Primary Care Provider Rate	1	2	3	3	1.5		0	1.58	High
Self-Reported General Health Assessment: Poor or Fair	1	1	1.5	3	1.5		1.5	1.58	Medium
Diabetes: Medicare Population	1	2	2	2	1.5		1	1.53	High
Households that are Asset Limited, Income Constrained, Employed (ALICE)	2	1.5	2	1.5	1.5		1	1.53	Medium
Adults 20+ who are Sedentary	1	2	1.5	1.5	1.5		1.5	1.50	Medium
High Blood Pressure Prevalence	1	1	1.5	3	0		1.5	1.50	Medium
Households with a Computer	1	1	2	2	1.5		1.5	1.50	High
Households with a Savings Account	1	1	2	2	1.5		1.5	1.50	Medium
Households with a Smartphone	1	1	2	2	1.5		1.5	1.50	High
Population 16+ in Civilian Labor Force	1	1	2	2	1.5		1.5	1.50	High
Premature Death	1	1	1	3	1.5		1.5	1.50	Medium
Self-Reported General Health Assessment: Good or Better	1	1	2	2	1.5		1.5	1.50	High
Hyperlipidemia: Medicare Population	1	2	1	1	1.5		2	1.47	High
Violent Crime Rate	2	1.5	0	1.5	1.5		2	1.47	Medium
Age-Adjusted Death Rate due to Cancer	1	2	1	2	3		1	1.44	High
Adults who Experienced a Stroke	1	1	1.5	2	1.5		1.5	1.42	Medium
Adults who have had a Routine Checkup	2	1	1.5	1	1.5		1.5	1.42	Medium
Adults with Kidney Disease	1	1	1.5	2	1.5		1.5	1.42	Medium
Age-Adjusted Death Rate due to Unintentional Poisonings	0	1.5	0	1.5	1.5		3	1.42	Medium
Gasoline and Other Fuels Spending-to-Income Ratio	1	1	2	1.5	1.5		1.5	1.42	Medium
Health Insurance Spending-to-Income Ratio	1	1	2	1.5	1.5		1.5	1.42	Medium
High Cholesterol Prevalence: Past 5 Years	1	1	1.5	2	1.5		1.5	1.42	Medium
Home Child Care Spending-to-Income Ratio	1	1	2	1.5	1.5		1.5	1.42	Medium
Median Household Income	2	1	2	3	1.5		0	1.42	High
Mental Health Provider Rate	1	1	3	3	1.5		0	1.42	High
Utilities Spending-to-Income Ratio	1	1	2	1.5	1.5		1.5	1.42	Medium
Workers who Drive Alone to Work	1	2	2	3	1.5		0	1.42	High
Adults with Disability Living in Poverty	1	2	1	2	1.5		1	1.36	High
Age-Adjusted Death Rate due to Influenza and Pneumonia	1	1.5	2	1.5	1.5		1	1.36	Medium
Number of Extreme Precipitation Days	1.5	1.5	1.5	1.5	1.5		1	1.36	Low
People 25+ with a High School Diploma or Higher	2	1	2	1	1.5		1	1.36	High
People 65+ Living Below Poverty Level (Count)	1.5	1.5	1.5	1.5	1.5		1	1.36	Low
Preterm Births	1	1.5	1	1.5	2		1.5	1.36	Medium
Adults who Drink Excessively	2	2	0	1	1.5		1.5	1.33	High
Life Expectancy	1	1	1	2	1.5		1.5	1.33	Medium
Proximity to Highways	2	1.5	0	1.5	1.5		1.5	1.33	Low
Gonorrhea Incidence Rate	1	1.5	0	1.5	1.5		2	1.31	Medium
Tobacco Use: Medicare Population	0	1.5	1	3	1.5		1	1.28	Medium
Households with an Internet Subscription	2	1	2	2	1.5		0	1.25	High
Median Household Income: Householders 65+	1	1	2	3	1.5		0	1.25	High
Student Loan Spending-to-Income Ratio	1	1	1	1.5	1.5		1.5	1.25	Medium
Vocational, Technical, and Other School Tuition Spending-to-Income Ratio	1	1	1	1.5	1.5		1.5	1.25	Medium
Median Household Gross Rent	2	1.5	0	0	1.5		2	1.22	Medium
Adults Who Frequently Used Quick Service Restaurants: Past 30 Days	1	2	1	1	1.5		1	1.19	High
Age-Adjusted Death Rate due to Heart Attack	1	1.5	1	1.5	1.5		1	1.19	Medium
Alzheimer's Disease or Dementia: Medicare Population	2	1	1	1	1.5		1	1.19	High
Children Living Below Poverty Level	1	1	1	2	1.5		1	1.19	High
Food Insecurity Rate	1	1	1	2	1.5		1	1.19	High
Households that are Above the Asset Limited, Income Constrained, Emplo	1	1.5	1	1.5	1.5		1	1.19	Medium
Households without a Vehicle	2	2	1	0	1.5		1	1.19	High
Students Eligible for the Free Lunch Program	2	0	3	0	1.5		1	1.19	High
8th Grade Students Proficient in English/Language Arts	1	1.5	0	1.5	1.5		1.5	1.17	Medium
Adults 20+ with Diabetes	0	1	1.5	1.5	1.5		1.5	1.17	Medium
Adults who Feel Overwhelmed by Financial Burdens	1	1	1	1	1.5		1.5	1.17	Medium
Adults Who Used Electronic Cigarettes: Past 30 Days	1	1	1	1	1.5		1.5	1.17	Medium
Breast Cancer Incidence Rate	1	1	1	1	1.5		1.5	1.17	High
Mortgaged Owners Median Monthly Household Costs	0	1.5	0	0	1.5		3	1.17	Medium
8th Grade Students Proficient in Math	0	1.5	0	1.5	1.5		2	1.14	Medium
Age-Adjusted Death Rate due to Kidney Disease	0	1.5	0	1.5	1.5		2	1.14	Medium
Asthma: Medicare Population	1	1	1	0	1.5		2	1.14	High
Atrial Fibrillation: Medicare Population	0	1	1	1	1.5		2	1.14	High
Households with Cash Public Assistance Income	1	2	0	0	1.5		2	1.14	High
Pneumonia Vaccinations: Medicare Population	1	0	1	1	1.5		2	1.14	High
Total Employment Change	1	2	0	0	1.5		2	1.14	High
Age-Adjusted Death Rate due to Breast Cancer	1	1	1	1	3		1	1.11	High
Adult Day Care Spending-to-Income Ratio	1	1	0	1.5	1.5		1.5	1.08	Medium
Adults 20+ Who Are Obese	0	1	1.5	1.5	0		1.5	1.08	Medium

Healthy Communities Institute Data Scoring Tool



County: Ashland
Cuyahoga (Northeast Ohio)
Total indicators: 194
Thursday 2nd of May 2024 05:41:41 AM



Indicator	County Distribution		Value		Target		Trend	Score	Precision
	State	US	State	US	HP2030	Local			
Adults without Health Insurance	1	1	1.5	0	1.5		1.5	1.08	Medium
Age-Adjusted Death Rate due to Chronic Lower Respiratory Diseases	1	1.5	2	1.5	1.5		0	1.08	Medium
College Tuition Spending-to-Income Ratio	1	1	0	1.5	1.5		1.5	1.08	Medium
Home Renter Spending-to-Income Ratio	1	1	0	1.5	1.5		1.5	1.08	Medium
Workers who Walk to Work	0	1	0	0	1.5		3	1.08	High
Median Monthly Owner Costs for Households without a Mortgage	1	1.5	0	0	1.5		2	1.06	Medium
Age-Adjusted Death Rate due to Suicide	0	1.5	0	1.5	2		1.5	1.03	Medium
Households Living Below Poverty Level	1	1.5	0	1.5	1.5		1	1.03	Medium
Mammography Screening: Medicare Population	1	1	1	1	1.5		1	1.03	High
Severe Housing Problems	2	1	1	0	1.5		1	1.03	High
4th Grade Students Proficient in Math	0	1.5	0	1.5	1.5		1.5	1.00	Medium
Age-Adjusted Drug and Opioid-Involved Overdose Death Rate	0	1	0	2	1.5		1.5	1.00	Medium
Chlamydia Incidence Rate	0	1.5	0	1.5	1.5		1.5	1.00	Medium
High School Graduation	0	1.5	1	1.5	1		1	1.00	Medium
Mean Travel Time to Work	1	1	1	0	1.5		1.5	1.00	High
Solo Drivers with a Long Commute	1	1	1	0	1.5		1.5	1.00	High
Stroke: Medicare Population	0	1	1	0	1.5		2	0.97	High
Age-Adjusted Death Rate due to Lung Cancer	0	1	0	2	1		3	0.94	High
Mothers who Smoked During Pregnancy	0	1.5	0	1.5	3		1	0.94	Medium
Death Rate due to Drug Poisoning	0	1	0	1	3		1.5	0.92	High
Homeowner Spending-to-Income Ratio	0	1	0	1.5	1.5		1.5	0.92	Medium
Oral Cavity and Pharynx Cancer Incidence Rate	0	0	0	0	1.5		3	0.92	High
4th Grade Students Proficient in English/Language Arts	0	1.5	0	1.5	1.5		1	0.86	Medium
Age-Adjusted Death Rate due to Diabetes	0	1.5	0	1.5	1.5		1	0.86	Medium
Babies with Low Birthweight	0	1.5	0	1.5	1.5		1	0.86	Medium
Babies with Very Low Birthweight	0	1.5	0	1.5	1.5		1	0.86	Medium
Heart Failure: Medicare Population	0	1	1	1	1.5		1	0.86	High
Liquor Store Density	1	0	2	0	1.5		1	0.86	High
Rheumatoid Arthritis or Osteoarthritis: Medicare Population	0	1	1	1	1.5		1	0.86	High
Teen Birth Rate: 15-17	0	1.5	0	1.5	1.5		1	0.86	Medium
People 65+ Living Alone	0	0	0	1	1.5		2	0.81	High
Day Care Center and Preschool Spending-to-Income Ratio	0	0	0	1.5	1.5		1.5	0.75	Medium
Youth not in School or Working	1	1	0	0	1.5		1	0.69	High
People Living Below Poverty Level	1	1	0	1	3		0	0.67	High
Voter Turnout: Presidential Election	0	1.5	1	1.5	0		0	0.67	Medium
Osteoporosis: Medicare Population	0	0	0	0	1.5		2	0.64	High
Social Associations	0	0	0	0	1.5		2	0.64	High
Age-Adjusted Death Rate due to Unintentional Injuries	0	0	0	0	1		2	0.61	High
Child Food Insecurity Rate	1	1	0	1	1.5		0	0.58	High
Ischemic Heart Disease: Medicare Population	0	1	1	1	1.5		0	0.58	High
Food Environment Index	0	0	0	1	1.5		1	0.53	High
Tuberculosis Incidence Rate	0	1.5	0	0	0		1	0.53	High
Young Children Living Below Poverty Level	0	1	0	0	1.5		1	0.53	High
Grandparents Who Are Responsible for Their Grandchildren	0	1.5	0	1	1.5		0	0.50	Medium
Income Inequality	0	0	0	0	1.5		1.5	0.50	High
Age-Adjusted Death Rate due to Prostate Cancer	0	0	0	0	1		1.5	0.47	High
Children in Single-Parent Households	0	0	0	0	1.5		1	0.36	High
People 65+ Living Below Poverty Level	0	0	0	0	1.5		1	0.36	High
Linguistic Isolation	1	0	0	0	1.5		0	0.25	High
Families Living Below Poverty Level	0	0	0	0	1.5		0	0.08	High
Homeowner Vacancy Rate	0	0	0	0	1.5		0	0.08	High
Homeownership	0	0	0	0	1.5		0	0.08	High

Healthy Communities Institute Data Scoring Tool



County: Ashland
Cuyahoga (Northeast Ohio)
Total indicators: 194
Thursday 2nd of May 2024 05:43:14 AM

Topic	Indicators	Score
Health Care Access & Quality	11	1.70
Mental Health & Mental Disorders	9	1.69
Oral Health	4	1.69
Wellness & Lifestyle	10	1.64
Cancer	18	1.59
Physical Activity	6	1.57
Health Information Technology	6	1.55
Environmental Health	17	1.54
Children's Health	5	1.53
Tobacco Use	6	1.53
Women's Health	6	1.52
Heart Disease & Stroke	15	1.46
Immunizations & Infectious Diseases	9	1.44
Respiratory Diseases	13	1.41
Mortality Data	23	1.40
Older Adults	28	1.38
Alcohol & Drug Use	7	1.31
Community	42	1.26
Education	14	1.26
Other Conditions	6	1.25
Maternal, Fetal & Infant Health	7	1.24
Diabetes	3	1.19
Economy	47	1.18
Nutrition & Healthy Eating	3	1.16
Prevention & Safety	5	1.12

Healthy Communities Institute
Data Scoring Tool

Scoring Results by Topic

County: Ashland
Cuyahoga (Northeast Ohio)
Total Indicators: 194
Thursday 2nd of May 2024 05:41:41 AM

Topic Selection: Health Care Access & Quality
Topic Score: 3.7 *****

Health Care Access & Quality in Ashland County

Indicator	County Distribution		Value		Target		Trend	Score	Precision	Disparity Exists
	State	US	State	US	HP2030	Local				
Dentist Rate	2	2	3	3	1.5		2	2.31	High	N/A
Primary Care Provider Rate	1	2	3	3	1.5		2	2.14	High	N/A
Persons with Health Insurance	3	1	2	1.5	2		2	1.92	High	N
Preventable Hospital Stays: Medicare Population	2	2	2	3	1.5		1	1.86	High	N/A
Adults who Visited a Dentist	2	1	2	2	1.5		2	1.81	High	N/A
Adults with Health Insurance: 18+	2	1	2	2	1.5		2	1.81	High	N/A
Non-Physician Primary Care Provider Rate	1	2	3	3	1.5		0	1.58	High	N/A
Adults who have had a Routine Checkup	2	1	1.5	1	1.5		1.5	1.42	Medium	N/A
Health Insurance Spending-to-Income Ratio	1	1	2	1.5	1.5		1.5	1.42	Medium	N/A
Mental Health Provider Rate	1	1	3	3	1.5		0	1.42	High	N/A
Adults without Health Insurance	1	1	1.5	0	1.5		1.5	1.08	Medium	N/A

Healthy Communities Institute
Data Scoring Tool

Scoring Results by Topic

County: Ashland
Cuyahoga (Northeast Ohio)
Total Indicators: 194
Thursday 2nd of May 2024 05:41:41 AM

Topic Selection: **Mental Health & Mental Disorders**
Topic Score: **3.69** *****

Mental Health & Mental Disorders in Ashland County

Indicator	County Distribution		Value		Target		Trend	Score	Precision	Disparity Exists
	State	US	State	US	HP2030	Local				
Age-Adjusted Death Rate due to Alzheimer's Disease	3	1.5	3	1.5	1.5		3	2.42	Medium	N/A
Poor Mental Health: Average Number of Days	2	2	2	3	1.5		2	2.14	High	N/A
Adults Ever Diagnosed with Depression	2	2	1.5	3	1.5		1.5	1.92	Medium	N/A
Poor Mental Health: 14+ Days	2	2	1.5	3	1.5		1.5	1.92	Medium	N/A
Depression: Medicare Population	1	2	1	2	1.5		2	1.64	High	N/A
Self-Reported General Health Assessment: Good or Better	1	1	2	2	1.5		1.5	1.5	High	N/A
Mental Health Provider Rate	1	1	3	3	1.5		0	1.42	High	N/A
Alzheimer's Disease or Dementia: Medicare Population	2	1	1	1	1.5		1	1.19	High	N/A
Age-Adjusted Death Rate due to Suicide	0	1.5	0	1.5	2		1.5	1.03	Medium	N/A

Healthy Communities Institute Data Scoring Tool

Scoring Results by Topic

County: Ashland
 Cuyahoga (Northeast Ohio)
 Total indicators: 194
 Thursday 2nd of May 2024 05:41:41 AM

Topic Selection: Oral Health ****
 Topic Score: 1.69

Oral Health in Ashland County

Indicator	County Distribution		Value		Target		Trend	Score	Precision
	State	US	State	US	HP2030	Local			
Dentist Rate	2	2	3	3	1.5		2	2.31	High
Adults who Visited a Dentist	2	1	2	2	1.5		2	1.81	High
Adults 65+ with Total Tooth Loss	2	2	1.5	2	1.5		1.5	1.75	Medium
Oral Cavity and Pharynx Cancer Incidence Rate	0	0	0	0	1.5		3	0.92	High

Healthy Communities Institute
Data Scoring Tool

Scoring Results by Topic

County: Ashland
Cuyahoga (Northeast Ohio)
Total Indicators: 194
Thursday 2nd of May 2024 05:41:41 AM

Topic Selection: Wellness & Lifestyle
Topic Score: 3.64 *****

Wellness & Lifestyle in Ashland County

Indicator	County Distribution		Value		Target		Trend	Score	Precision	Disparity Exists
	State	US	State	US	HP2030	Local				
Poor Physical Health: Average Number of Days	2	2	3	3	1.5		1	2.03	High	N/A
Insufficient Sleep	1	2	2	3	3		1.5	1.92	High	N/A
Poor Physical Health: 14+ Days	2	2	1.5	3	1.5		1.5	1.92	Medium	N/A
Adults who Follow a Regular Exercise Routine	2	1.5	2	2	1.5		1.5	1.75	Medium	N/A
Adults who Agree Vaccine Benefits Outweigh Possible Risks	2	1	2	2	1.5		1.5	1.67	Medium	N/A
Self-Reported General Health Assessment: Poor or Fair	1	1	1.5	3	1.5		1.5	1.58	Medium	N/A
High Blood Pressure Prevalence	1	1	1.5	3	0		1.5	1.5	Medium	N/A
Self-Reported General Health Assessment: Good or Better	1	1	2	2	1.5		1.5	1.5	High	N/A
Life Expectancy	1	1	1	2	1.5		1.5	1.33	Medium	N/A
Adults Who Frequently Used Quick Service Restaurants: Past 30 Days	1	2	1	1	1.5		1	1.19	High	N/A

Healthy Communities Institute
Data Scoring Tool

Scoring Results by Topic

County: Ashland
Cuyahoga (Northeast Ohio)
Total Indicators: 194
Thursday 2nd of May 2024 05:41:41 AM

Topic Selection: Cancer *****

Cancer in Ashland County

Indicator	County Distribution		Value		Target		Trend	Score	Precision	Disparity Exists
	State	US	State	US	HP2030	Local				
Age-Adjusted Death Rate due to Colorectal Cancer	3	3	3	3	3	3	1	2.44	High	N
Cervical Cancer Incidence Rate	1.5	3	3	3	1.5	1.5	1.5	2.25	Medium	N
Prostate Cancer Incidence Rate	2	2	2	2	1.5	1.5	3	2.25	High	N
Colorectal Cancer Incidence Rate	3	3	3	3	1.5	1.5	0	2.08	High	N
All Cancer Incidence Rate	2	2	2	2	1.5	1.5	2	1.97	High	N
Colon Cancer Screening: USPSTF Recommendation	3	2	1.5	2	1.5	1.5	1.5	1.92	Medium	N/A
Mammogram in Past 2 Years: 50-74	2	2	1.5	2	3	3	1.5	1.83	Medium	N/A
Adults with Cancer	1	2	1.5	3	1.5	1.5	1.5	1.75	Medium	N/A
Cervical Cancer Screening: 21-65	2	2	1.5	2	1.5	1.5	1.5	1.75	Medium	N/A
Cancer: Medicare Population	2	2	1	1	1.5	1.5	2	1.64	High	N/A
Lung and Bronchus Cancer Incidence Rate	1	1	1	3	1.5	1.5	2	1.64	High	N
Age-Adjusted Death Rate due to Cancer	1	2	1	2	3	3	1	1.44	High	N
Breast Cancer Incidence Rate	1	1	1	1	1.5	1.5	1.5	1.17	High	N
Age-Adjusted Death Rate due to Breast Cancer	1	1	1	1	3	3	1	1.11	High	N
Mammography Screening: Medicare Population	1	1	1	1	1.5	1.5	1	1.03	High	N/A
Age-Adjusted Death Rate due to Lung Cancer	0	1	0	2	3	3	1	0.94	High	N
Oral Cavity and Pharynx Cancer Incidence Rate	0	0	0	0	1.5	1.5	3	0.92	High	N
Age-Adjusted Death Rate due to Prostate Cancer	0	0	0	0	1	1	1.5	0.47	High	N

Healthy Communities Institute
Data Scoring Tool

Scoring Results by Topic

County: Ashland
Cuyahoga (Northeast Ohio)
Total Indicators: 194
Thursday 2nd of May 2024 05:41:41 AM

Topic Selection: **Physical Activity**
Topic Score: **3.57** *****

Physical Activity in Ashland County

Indicator	County Distribution		Value		Target		Trend	Score	Precision	Disparity Exists
	State	US	State	US	HP2030	Local				
Access to Exercise Opportunities	2	2	3	3	1.5		1.5	2.17	Medium	N/A
Access to Parks	2	1.5	3	1.5	1.5		1.5	1.83	Low	N/A
Adults who Follow a Regular Exercise Routine	2	1.5	2	2	1.5		1.5	1.75	Medium	N/A
Adults 20+ who are Sedentary	1	2	1.5	1.5	1.5		1.5	1.5	Medium	N
Adults 20+ Who Are Obese	0	1	1.5	1.5	0		1.5	1.08	Medium	N
Workers who Walk to Work	0	1	0	0	1.5		3	1.08	High	Y

Healthy Communities Institute
Data Scoring Tool

Scoring Results by Topic

County: Ashland
Cuyahoga (Northeast Ohio)
Total Indicators: 194
Thursday 2nd of May 2024 05:41:41 AM

Topic Selection: Health Information Technology *****

Health Information Technology in Ashland County

Indicator	County Distribution		Value		Target		Trend	Score	Precision	Disparity Exists
	State	US	State	US	HP2030	Local				
Households with One or More Types of Computing Devices	2	2	2	2	1.5		1	1.69	High	N/A
Persons with an Internet Subscription	2	2	2	2	1.5		1	1.69	High	Y
Adults with Internet Access	2	1	2	2	1.5		1.5	1.67	High	N/A
Households with a Computer	1	1	2	2	1.5		1.5	1.5	High	N/A
Households with a Smartphone	1	1	2	2	1.5		1.5	1.5	High	N/A
Households with an Internet Subscription	2	1	2	2	1.5		0	1.25	High	N/A

Healthy Communities Institute
Data Scoring Tool

Scoring Results by Topic

County: Ashland
Cuyahoga (Northeast Ohio)
Total Indicators: 194
Thursday 2nd of May 2024 05:41:41 AM

Topic Selection: Environmental Health
Topic Score: 3.54 *****

Environmental Health in Ashland County

Indicator	County Distribution		Value		Target		Trend	Score	Precision	Disparity Exists
	State	US	State	US	HP2030	Local				
Houses Built Prior to 1950	2	3	3	3	1.5		1	2.19	High	N/A
Access to Exercise Opportunities	2	2	3	3	1.5		1.5	2.17	Medium	N/A
Blood Lead Levels in Children (>=5 micrograms per deciliter)	3	1.5	3	1.5	1.5		2	2.14	Medium	N/A
Overcrowded Households	3	1.5	3	0	1.5		2	1.89	Medium	N/A
Access to Parks	2	1.5	3	1.5	1.5		1.5	1.83	Low	N/A
Daily Dose of UV Irradiance	2	1.5	2	1.5	1.5		2	1.81	Medium	N/A
Adults with Current Asthma	2	2	1.5	2	1.5		1.5	1.75	Medium	N/A
Recognized Carcinogens Released into Air	1.5	1.5	1.5	1.5	1.5		2	1.64	Low	N/A
Weeks of Moderate Drought or Worse	1.5	1.5	1.5	1.5	1.5		2	1.64	Low	N/A
Gasoline and Other Fuels Spending-to-Income Ratio	1	1	2	1.5	1.5		1.5	1.42	Medium	N/A
Utilities Spending-to-Income Ratio	1	1	2	1.5	1.5		1.5	1.42	Medium	N/A
Number of Extreme Precipitation Days	1.5	1.5	1.5	1.5	1.5		1	1.36	Low	N/A
Proximity to Highways	2	1.5	0	1.5	1.5		1.5	1.33	Low	N/A
Asthma: Medicare Population	1	1	1	0	1.5		2	1.14	High	N/A
Severe Housing Problems	2	1	1	0	1.5		1	1.03	High	N/A
Liquor Store Density	1	0	2	0	1.5		1	0.86	High	N/A
Food Environment Index	0	0	0	1	1.5		1	0.53	High	N/A

Healthy Communities Institute
Data Scoring Tool

Scoring Results by Topic

County: Ashland
Cuyahoga (Northeast Ohio)
Total Indicators: 194
Thursday 2nd of May 2024 05:41:41 AM

Topic Selection: Children's Health *****

Children's Health in Ashland County

Indicator	County Distribution		Value		Target		Trend	Score	Precision	Disparity Exists
	State	US	State	US	HP2030	Local				
Blood Lead Levels in Children (>=5 micrograms per deciliter)	3	1.5	3	1.5	1.5		2	2.14	Medium	N/A
Substantiated Child Abuse Rate	3	1.5	3	1.5	3		1	1.94	Medium	N/A
Child Care Centers	2	1.5	2	1	1.5		1.5	1.58	Medium	N/A
Home Child Care Spending-to-Income Ratio	1	1	2	1.5	1.5		1.5	1.42	Medium	N/A
Child Food Insecurity Rate	1	1	0	1	1.5		0	0.58	High	N/A

Healthy Communities Institute
Data Scoring Tool

Scoring Results by Topic

County: Ashland
Cuyahoga (Northeast Ohio)
Total Indicators: 194
Thursday 2nd of May 2024 05:41:41 AM

Topic Selection: Tobacco Use *****

Tobacco Use in Ashland County

Indicator	County Distribution		Value		Target		Trend	Score	Precision	Disparity Exists
	State	US	State	US	HP2030	Local				
Adults who Smoke	1	2	1.5	3	3		1.5	1.83	Medium	N/A
Adults Who Used Smokeless Tobacco: Past 30 Days	1	1	3	3	1.5		1	1.69	High	N/A
Lung and Bronchus Cancer Incidence Rate	1	1	1	3	1.5		2	1.64	High	N
Cigarette Spending-to-Income Ratio	2	1	2	1.5	1.5		1.5	1.58	Medium	N/A
Tobacco Use: Medicare Population	0	1.5	1	3	1.5		1	1.28	Medium	N/A
Adults Who Used Electronic Cigarettes: Past 30 Days	1	1	1	1	1.5		1.5	1.17	Medium	N/A

Healthy Communities Institute
Data Scoring Tool

Scoring Results by Topic

County: Ashland
Cuyahoga (Northeast Ohio)
Total Indicators: 194
Thursday 2nd of May 2024 05:41:41 AM

Topic Selection: Women's Health *****
Topic Score: 3.52

Women's Health in Ashland County

Indicator	County Distribution		Value		Target		Trend	Score	Precision	Disparity Exists
	State	US	State	US	HP2030	Local				
Cervical Cancer Incidence Rate	1.5	3	3	3	1.5		1.5	2.25	Medium	N
Mammogram in Past 2 Years: 50-74	2	2	1.5	2	3		1.5	1.83	Medium	N/A
Cervical Cancer Screening: 21-65	2	2	1.5	2	1.5		1.5	1.75	Medium	N/A
Breast Cancer Incidence Rate	1	1	1	1	1.5		1.5	1.17	High	N
Age-Adjusted Death Rate due to Breast Cancer	1	1	1	1	3		1	1.11	High	N
Mammography Screening: Medicare Population	1	1	1	1	1.5		1	1.03	High	N/A