

County: Ashtabula

Report Date: 5/2/2024

Summary

Conduent HCI's Data Scoring Tool provides a systematic ranking of your county's indicators to help set priorities for community health improvement. To read more about this tool, please see the Data Scoring Tool Methodology document. The Data Scoring Tool Report's summary includes the topics that are considered significant health needs, and indicators for which significant disparities were identified for your county. Following this summary you will find the full Data Scoring Tool results, including all indicator scores, all topic scores, and the indicators within each topic area that are considered a significant health need. Please keep in mind that this report is a snapshot in time, and only reflects the data that are current on Healthy Northeast Ohio as of the date the Data Scoring Tool was run. The findings from the Data Scoring Tool should be used, along with other considerations, such as community input, when prioritizing the health needs of your county.

Topic Scores

All indicator scores are averaged by topic area, to allow for a higher-level ranking of community needs. Resulting scores range from 0-3, where a higher score indicates a greater level of need. Below are the topic areas with scores of 1.50 or higher in your county. This is the cutoff used for a topic area to be considered a significant health need. Please see the results section below for the indicators that make up each of these topic areas.

Topic	Indicators	Score
Oral Health	4	2.47
Health Care Access & Quality	14	2.03
Tobacco Use	6	1.99
Wellness & Lifestyle	10	1.99
Heart Disease & Stroke	15	1.97
Economy	53	1.96
Physical Activity	6	1.96
Women's Health	6	1.92
Education	14	1.88
Respiratory Diseases	13	1.84
Prevention & Safety	6	1.82
Mortality Data	25	1.81
Other Conditions	6	1.77
Nutrition & Healthy Eating	3	1.75
Cancer	18	1.74
Community	44	1.74
Environmental Health	18	1.73
Health Information Technology	6	1.68
Mental Health & Mental Disorders	9	1.67
Older Adults	28	1.65
Children's Health	6	1.63
Diabetes	3	1.62
Immunizations & Infectious Diseases	9	1.56
Maternal, Fetal & Infant Health	7	1.54
Alcohol & Drug Use	7	1.52

Identified Disparities

The Data Scoring Tool allows for the identification of significant disparities that may exist by race/ethnicity, age, and gender. Below are the indicators where significant disparities were identified in your county.

Indicator	County Distribution		Value		Target		Trend	Score	Precision	Age
	State	US	State	US	HP2030	Local				
People Living Below Poverty Level	3	3	3	3	3		0	2.17	High	6-11, <6
Persons with an Internet Subscription	3	2	2	2	1.5		0	1.58	High	65+
Workers who Drive Alone to Work	1	2	2	3	1.5		0	1.42	High	60-64, 65+

Indicator	County Distribution		Value		Target		Trend	Score	Precision	Gender
	State	US	State	US	HP2030	Local				
Oral Cavity and Pharynx Cancer Incidence Rate	3	2	3	3	1.5		3	2.75	High	Male
Age-Adjusted Death Rate due to Cancer	2	3	2	3	3		1	2.11	High	Male
People 25+ with a Bachelor's Degree or Higher	3	3	3	3	1.5		0	2.08	High	Male
Mean Travel Time to Work	2	2	2	1	1.5		2	1.81	High	Male
All Cancer Incidence Rate	1	2	1	2	1.5		2	1.64	High	Male

Indicator	County Distribution		Value		Target		Trend	Score	Precision	Race/Ethnicity
	State	US	State	US	HP2030	Local				
Families Living Below Poverty Level	3	3	3	3	1.5		1	2.36	High	Hispanic/Latino, Two or More Races
People Living Below Poverty Level	3	3	3	3	3		0	2.17	High	Black/African American, Hispanic/Latino, Native Hawaiian/Pacific Islander, Two or More Races
People 25+ with a Bachelor's Degree or Higher	3	3	3	3	1.5		0	2.08	High	Black/African American, Hispanic/Latino
Young Children Living Below Poverty Level	3	3	3	3	1.5		0	2.08	High	Hispanic/Latino
Children Living Below Poverty Level	3	2	3	3	1.5		0	1.92	High	Hispanic/Latino, Two or More Races
Median Household Income	3	2	3	3	1.5		0	1.92	High	Black/African American, Hispanic/Latino
Per Capita Income	3	2	3	3	1.5		0	1.92	High	Black/African American, Other, Two or More Races
Life Expectancy	2	2	2	2	1.5		1.5	1.83	Medium	Black/African American, non-Hispanic
People 25+ with a High School Diploma or Higher	3	2	2	2	1.5		0	1.58	High	Black/African American, Hispanic/Latino, Other
Prostate Cancer Incidence Rate	1	1	0	0	1.5		3	1.25	High	Black/African American

Results

The remaining pages of this report include the full Data Scoring Tool results for your county, including indicator scores, topic scores, and scoring results by topic for topics with scores of 1.50 or higher.

Healthy Communities Institute Data Scoring Tool



County: Ashtabula
Cuyahoga (Northeast Ohio)
Total Indicators: 206
Thursday 2nd of May 2024 05:44:48 AM



Indicator	County Distribution		Value		Target		Trend	Score	Precision
	State	US	State	US	HP2030	Local			
Renters Spending 30% or More of Household Income on Rent	3	3	3	3	3	3	3	3.00	High
Adults with Disability Living in Poverty	3	3	3	3	1.5	3	3	2.92	High
People 65+ Living Below Poverty Level	3	3	3	3	1.5	3	3	2.92	High
Oral Cavity and Pharynx Cancer Incidence Rate	3	2	3	3	1.5	3	3	2.75	High
Age-Adjusted Death Rate due to Breast Cancer	3	3	3	3	3	3	2	2.72	High
Cervical Cancer Incidence Rate	1.5	3	3	3	1.5	3	3	2.67	Medium
Houses Built Prior to 1950	3	3	3	3	1.5	3	2	2.64	High
Poor Mental Health: Average Number of Days	3	3	3	3	1.5	3	2	2.64	High
Primary Care Provider Rate	3	3	3	3	1.5	3	2	2.64	High
Dentist Rate	2	2	3	3	1.5	3	3	2.58	High
Adults 20+ Who Are Obese	3	3	1.5	1.5	3	3	3	2.50	Medium
Age-Adjusted Death Rate due to Cerebrovascular Disease (Stroke)	3	1.5	3	1.5	3	3	3	2.50	Medium
Age-Adjusted Death Rate due to Coronary Heart Disease	3	1.5	3	1.5	3	3	3	2.50	Medium
COPD: Medicare Population	2	3	3	3	1.5	3	2	2.47	High
Food Environment Index	3	3	2	3	1.5	3	2	2.47	High
Student-to-Teacher Ratio	2	3	3	3	1.5	3	2	2.47	High
Unemployed Workers in Civilian Labor Force	2	3	3	3	1.5	3	2	2.47	High
Children in Single-Parent Households	3	2	2	2	1.5	3	3	2.42	High
Insufficient Sleep	3	3	2	3	3	3	1.5	2.42	High
People 65+ Living Alone	2	2	2	3	1.5	3	3	2.42	High
Families Living Below Poverty Level	3	3	3	3	1.5	3	1	2.36	High
Food Insecurity Rate	3	3	3	3	1.5	3	1	2.36	High
Heart Failure: Medicare Population	3	3	3	3	1.5	3	1	2.36	High
Persons with Health Insurance	3	2	2	1.5	2	3	3	2.36	High
Poor Physical Health: Average Number of Days	3	3	3	3	1.5	3	1	2.36	High
Preventable Hospital Stays: Medicare Population	3	3	3	3	1.5	3	1	2.36	High
Adults who Smoke	3	3	1.5	3	3	3	1.5	2.33	Medium
Adults who Visited a Dentist	2	2	3	3	1.5	3	2	2.31	High
Homeowner Vacancy Rate	2	2	3	3	1.5	3	2	2.31	High
Age-Adjusted Death Rate due to Lung Cancer	2	3	3	3	3	3	1	2.28	High
Adults 65+ with Total Tooth Loss	3	3	1.5	3	1.5	3	1.5	2.25	Medium
Adults Ever Diagnosed with Depression	3	3	1.5	3	1.5	3	1.5	2.25	Medium
Adults who Experienced a Stroke	3	3	1.5	3	1.5	3	1.5	2.25	Medium
Adults who Experienced Coronary Heart Disease	3	3	1.5	3	1.5	3	1.5	2.25	Medium
Adults with Arthritis	3	3	1.5	3	1.5	3	1.5	2.25	Medium
Adults with COPD	3	3	1.5	3	1.5	3	1.5	2.25	Medium
Cigarette Spending-to-Income Ratio	3	3	3	1.5	1.5	3	1.5	2.25	Medium
College Tuition Spending-to-Income Ratio	3	3	3	1.5	1.5	3	1.5	2.25	Medium
Families Living Below 200% of Poverty Level	1.5	3	3	3	1.5	3	1.5	2.25	Medium
Health Insurance Spending-to-Income Ratio	3	3	3	1.5	1.5	3	1.5	2.25	Medium
High Cholesterol Prevalence: Past 5 Years	3	3	1.5	3	1.5	3	1.5	2.25	Medium
People 65+ Living Below 200% of Poverty Level	1.5	3	3	3	1.5	3	1.5	2.25	Medium
Poor Physical Health: 14+ Days	3	3	1.5	3	1.5	3	1.5	2.25	Medium
Self-Reported General Health Assessment: Poor or Fair	3	3	1.5	3	1.5	3	1.5	2.25	Medium
Utilities Spending-to-Income Ratio	3	3	3	1.5	1.5	3	1.5	2.25	Medium
Age-Adjusted Death Rate due to Unintentional Injuries	2	2	2	3	3	3	2	2.22	High
High Blood Pressure Prevalence	3	3	1.5	3	1.5	3	1	2.22	Medium
Lung and Bronchus Cancer Incidence Rate	2	3	3	3	1.5	3	1	2.19	High
Non-Physician Primary Care Provider Rate	2	3	3	3	1.5	3	1	2.19	High
Mammogram in Past 2 Years: 50-74	3	2	1.5	3	3	3	1.5	2.17	Medium
People Living Below Poverty Level	3	3	3	3	3	3	0	2.17	High
Premature Death	2	2	3	3	1.5	3	1.5	2.17	Medium
8th Grade Students Proficient in Math	3	1.5	3	1.5	1.5	3	2	2.14	Medium
Age-Adjusted Death Rate due to Kidney Disease	3	1.5	3	1.5	1.5	3	2	2.14	Medium
Mothers who Received Early Prenatal Care	3	1.5	3	1.5	1.5	3	2	2.14	Medium
Self-Reported General Health Assessment: Good or Better	3	2	2	2	1.5	3	2	2.14	High
Workers who Walk to Work	1	2	3	3	1.5	3	2	2.14	High
Age-Adjusted Death Rate due to Cancer	2	3	2	3	3	3	1	2.11	High
Children Living Below 200% of Poverty Level	1.5	3	3	3	1.5	3	1	2.11	Medium
People Living Below 200% of Poverty Level	1.5	3	3	3	1.5	3	1	2.11	Medium
Adults with Current Asthma	3	2	1.5	3	1.5	3	1.5	2.08	Medium
Adults with Kidney Disease	3	2	1.5	3	1.5	3	1.5	2.08	Medium
Age-Adjusted Death Rate due to Suicide	3	1.5	3	1.5	3	3	1.5	2.08	Medium
Cervical Cancer Screening: 21-65	3	3	1.5	2	1.5	3	1.5	2.08	Medium
Colon Cancer Screening: USPSTF Recommendation	3	3	1.5	2	1.5	3	1.5	2.08	Medium
Death Rate due to Drug Poisoning	2	3	1	3	3	3	1.5	2.08	High
Gasoline and Other Fuels Spending-to-Income Ratio	3	2	3	1.5	1.5	3	1.5	2.08	Medium
Home Child Care Spending-to-Income Ratio	3	2	3	1.5	1.5	3	1.5	2.08	Medium
Home Renter Spending-to-Income Ratio	3	3	2	1.5	1.5	3	1.5	2.08	Medium
Homeowner Spending-to-Income Ratio	3	3	2	1.5	1.5	3	1.5	2.08	Medium
Mortgaged Owners Spending 30% or More of Household Income on Hous	1.5	2	3	2	2	3	2	2.08	High

Healthy Communities Institute Data Scoring Tool



County: Ashtabula
Cuyahoga (Northeast Ohio)
Total Indicators: 206
Thursday 2nd of May 2024 05:44:48 AM



Indicator	County Distribution		Value		Target		Trend	Score	Precision
	State	US	State	US	HP2030	Local			
People 25+ with a Bachelor's Degree or Higher	3	3	3	3	1.5		0	2.08	High
Poor Mental Health: 14+ Days	3	2	1.5	3	1.5		1.5	2.08	Medium
Student Loan Spending-to-Income Ratio	3	2	3	1.5	1.5		1.5	2.08	Medium
Vocational, Technical, and Other School Tuition Spending-to-Income Ratio	3	2	3	1.5	1.5		1.5	2.08	Medium
Young Children Living Below Poverty Level	3	3	3	3	1.5		0	2.08	High
Obesity: Medicare Population	2	1.5	2	3	1.5		2	2.06	Medium
Workers Commuting by Public Transportation	1	1	3	3	3		2	2.06	High
Alcohol-Impaired Driving Deaths	2	3	2	3	1.5		1	2.03	High
Access to Exercise Opportunities	2	1	3	3	1.5		1.5	2.00	Medium
Adults who Feel Overwhelmed by Financial Burdens	3	2	2	2	1.5		1.5	2.00	Medium
Blood Lead Levels in Children (>=5 micrograms per deciliter)	3	1.5	3	1.5	1.5		1.5	2.00	Medium
High School Graduation	3	1.5	2	1.5	2		2	2.00	Medium
Households with a Computer	3	2	2	2	1.5		1.5	2.00	High
Households with a Savings Account	3	2	2	2	1.5		1.5	2.00	Medium
Households with a Smartphone	3	2	2	2	1.5		1.5	2.00	High
4th Grade Students Proficient in English/Language Arts	3	1.5	2	1.5	1.5		2	1.97	Medium
Age-Adjusted Death Rate due to Diabetes	2	1.5	3	1.5	1.5		2	1.97	Medium
Hyperlipidemia: Medicare Population	2	2	2	2	1.5		2	1.97	High
Residential Segregation - Black/White	2	3	1	2	1.5		2	1.97	High
Severe Housing Problems	3	2	3	0	1.5		2	1.97	High
Solo Drivers with a Long Commute	2	2	3	1	1.5		2	1.97	High
Stroke: Medicare Population	2	2	3	1	1.5		2	1.97	High
Mothers who Smoked During Pregnancy	3	1.5	3	1.5	3		1	1.94	Medium
Tobacco Use: Medicare Population	2	1.5	3	3	1.5		1	1.94	Medium
Adult Day Care Spending-to-Income Ratio	3	2	2	1.5	1.5		1.5	1.92	Medium
Adults with Cancer	2	2	1.5	3	1.5		1.5	1.92	Medium
Age-Adjusted Death Rate due to Unintentional Poisonings	2	1.5	1	1.5	1.5		3	1.92	Medium
Child Food Insecurity Rate	3	2	3	3	1.5		0	1.92	High
Children Living Below Poverty Level	3	2	3	3	1.5		0	1.92	High
Cholesterol Test History	3	2	1.5	2	1.5		1.5	1.92	Medium
Households without a Vehicle	3	3	3	2	1.5		0	1.92	High
Median Household Income	3	2	3	3	1.5		0	1.92	High
Median Household Income: Householders 65+	3	2	3	3	1.5		0	1.92	High
People 65+ Living Alone (Count)	1.5	1.5	1.5	1.5	1.5		3	1.92	Low
People 65+ Living Below Poverty Level (Count)	1.5	1.5	1.5	1.5	1.5		3	1.92	Low
Per Capita Income	3	2	3	3	1.5		0	1.92	High
Population 16+ in Civilian Labor Force	3	2	3	3	1.5		0	1.92	High
Adults with Health Insurance	1.5	2	2	2	1.5		2	1.89	Medium
Households that are Above the Asset Limited, Income Constrained, Emplo	3	1.5	3	1.5	1.5		1	1.86	Medium
Households that are Asset Limited, Income Constrained, Employed (ALICE	3	1.5	3	1.5	1.5		1	1.86	Medium
Adults with Internet Access	3	1	2	2	1.5		1.5	1.83	High
Age-Adjusted Drug and Opioid-Involved Overdose Death Rate	1	3	1	3	1.5		1.5	1.83	Medium
Households Living Below Poverty Level	2	1.5	3	1.5	1.5		1.5	1.83	Medium
Life Expectancy	2	2	2	2	1.5		1.5	1.83	Medium
Adults with Health Insurance: 18+	2	1	2	2	1.5		2	1.81	High
Hypertension: Medicare Population	1	2	2	2	1.5		2	1.81	High
Mean Travel Time to Work	2	2	2	1	1.5		2	1.81	High
Children with Health Insurance	1.5	3	2	2	1.5		1	1.78	Medium
Adults 65+ who Received Recommended Preventive Services: Females	2	2	1.5	2	1.5		1.5	1.75	Medium
Adults 65+ who Received Recommended Preventive Services: Males	2	2	1.5	2	1.5		1.5	1.75	Medium
Adults who Drank Soft Drinks: Past 7 Days	2	1.5	2	2	1.5		1.5	1.75	Medium
Adults who Follow a Regular Exercise Routine	2	1.5	2	2	1.5		1.5	1.75	Medium
Adults without Health Insurance	3	2	1.5	1	1.5		1.5	1.75	Medium
Day Care Center and Preschool Spending-to-Income Ratio	3	2	1	1.5	1.5		1.5	1.75	Medium
Youth not in School or Working	2	2	3	3	1.5		0	1.75	High
Preterm Births	2	1.5	1	1.5	3		2	1.72	Medium
Adults 20+ who are Sedentary	2	3	1.5	1.5	1.5		1	1.69	Medium
Adults Who Used Smokeless Tobacco: Past 30 Days	1	1	3	3	1.5		1	1.69	High
Age-Adjusted Death Rate due to Homicide	1.5	1.5	3	1.5	3		1	1.69	Medium
Age-Adjusted Death Rate due to Influenza and Pneumonia	2	1.5	3	1.5	1.5		1	1.69	Medium
Female Population 16+ in Civilian Labor Force	2	2	2	2	1.5		1	1.69	High
Teen Birth Rate: 15-17	2	1.5	3	1.5	1.5		1	1.69	Medium
Access to Parks	1	1.5	3	1.5	1.5		1.5	1.67	Low
Adults who Agree Vaccine Benefits Outweigh Possible Risks	2	1	2	2	1.5		1.5	1.67	Medium
Total Employment Change	2	2	3	0	1.5		1.5	1.67	High
All Cancer Incidence Rate	1	2	1	2	1.5		2	1.64	High
Atrial Fibrillation: Medicare Population	1	2	1	2	1.5		2	1.64	High
Flu Vaccinations: Medicare Population	1	1	2	2	1.5		2	1.64	High
Osteoporosis: Medicare Population	2	2	1	1	1.5		2	1.64	High
Rheumatoid Arthritis or Osteoarthritis: Medicare Population	1	2	1	2	1.5		2	1.64	High
Size of Labor Force	1.5	1.5	1.5	1.5	1.5		2	1.64	Low
Weeks of Moderate Drought or Worse	1.5	1.5	1.5	1.5	1.5		2	1.64	Low

Healthy Communities Institute Data Scoring Tool



County: Ashtabula
Cuyahoga (Northeast Ohio)
Total Indicators: 206
Thursday 2nd of May 2024 05:44:48 AM



Indicator	County Distribution		Value		Target		Trend	Score	Precision
	State	US	State	US	HP2030	Local			
Persons without Health Insurance	1.5	1.5	3	1.5	1.5		1	1.61	Low
Voter Turnout: Presidential Election	3	1.5	2	1.5	0		1	1.61	Medium
People 25+ with a High School Diploma or Higher	3	2	2	2	1.5		0	1.58	High
Persons with an Internet Subscription	3	2	2	2	1.5		0	1.58	High
Diabetes: Medicare Population	1	2	2	2	1.5		1	1.53	High
Ischemic Heart Disease: Medicare Population	1	2	2	2	1.5		1	1.53	High
4th Grade Students Proficient in Math	2	1.5	1	1.5	1.5		1.5	1.50	Medium
Adults Who Used Electronic Cigarettes: Past 30 Days	2	2	1	1	1.5		1.5	1.50	Medium
Gonorrhea Incidence Rate	3	1.5	0	1.5	1.5		1.5	1.50	Medium
Income Inequality	2	2	1	1	1.5		1.5	1.50	High
Median Household Gross Rent	2	1.5	0	0	1.5		3	1.50	Medium
Proximity to Highways	3	1.5	0	1.5	1.5		1.5	1.50	Low
Daily Dose of UV Irradiance	1	1.5	1	1.5	1.5		2	1.47	Medium
Annual Ozone Air Quality	1.5	2	1.5	1.5	1.5		1	1.44	Low
Grandparents Who Are Responsible for Their Grandchildren	1	1.5	1	3	1.5		1	1.44	Medium
Overcrowded Households	2	1.5	3	0	1.5		1	1.44	Medium
Adults who have had a Routine Checkup	2	1	1.5	1	1.5		1.5	1.42	Medium
Age-Adjusted Death Rate due to Chronic Lower Respiratory Diseases	2	1.5	3	1.5	1.5		0	1.42	Medium
Age-Adjusted Death Rate due to Falls	0	1.5	0	1.5	1.5		3	1.42	Medium
Households with One or More Types of Computing Devices	2	2	2	2	1.5		0	1.42	High
Mental Health Provider Rate	1	1	3	3	1.5		0	1.42	High
Workers who Drive Alone to Work	1	2	2	3	1.5		0	1.42	High
8th Grade Students Proficient in English/Language Arts	2	1.5	1	1.5	1.5		1	1.36	Medium
Adults 20+ with Diabetes	1	2	1.5	1.5	1.5		1	1.36	Medium
Age-Adjusted Death Rate due to Heart Attack	1	1.5	2	1.5	1.5		1	1.36	Medium
Homeownership	3	1	1	1	1.5		1	1.36	High
Number of Extreme Precipitation Days	1.5	1.5	1.5	1.5	1.5		1	1.36	Low
PBT Released	1.5	1.5	1.5	1.5	1.5		1	1.36	Low
Students Eligible for the Free Lunch Program	3	0	3	0	1.5		1	1.36	High
Median Monthly Owner Costs for Households without a Mortgage	1	1.5	0	0	1.5		3	1.33	Medium
Age-Adjusted Death Rate due to Firearms	1.5	1	0	1	3		2	1.31	High
Babies with Low Birthweight	1	1.5	0	1.5	1.5		2	1.31	Medium
Babies with Very Low Birthweight	1	1.5	0	1.5	1.5		2	1.31	Medium
Tuberculosis Incidence Rate	3	1.5	0	0	0		2	1.31	High
Violent Crime Rate	1	1.5	0	1.5	1.5		2	1.31	Medium
Age-Adjusted Death Rate due to Colorectal Cancer	1	1	1	2	3		1	1.28	High
Adults who Binge Drink	1	1	1.5	1	1.5		1.5	1.25	Medium
Gender Pay Gap	1.5	1	1	1	1.5		1.5	1.25	Medium
Households with an Internet Subscription	2	1	2	2	1.5		0	1.25	High
Prostate Cancer Incidence Rate	1	1	0	0	1.5		3	1.25	High
Mammography Screening: Medicare Population	1	1	2	1	1.5		1	1.19	High
Depression: Medicare Population	1	1	1	1	1.5		1.5	1.17	High
Asthma: Medicare Population	1	1	1	0	1.5		2	1.14	High
Linguistic Isolation	2	1	0	0	1.5		2	1.14	High
Pneumonia Vaccinations: Medicare Population	1	0	1	1	1.5		2	1.14	High
Substantiated Child Abuse Rate	1	1.5	1	1.5	0		1	1.11	Medium
Adults who Have Taken Medications for High Blood Pressure	0	1	1.5	1	1.5		1.5	1.08	Medium
Age-Adjusted Death Rate due to Prostate Cancer	1	1	1	1	2		1	1.06	High
Adults Who Frequently Used Quick Service Restaurants: Past 30 Days	0	2	1	1	1.5		1	1.03	High
Chlamydia Incidence Rate	1	1.5	0	1.5	1.5		1	1.03	Medium
Social Associations	1	1	0	0	1.5		2	0.97	High
Child Care Centers	1	1.5	0	0	1.5		1.5	0.92	Medium
Mortgaged Owners Median Monthly Household Costs	0	1.5	0	0	1.5		2	0.89	Medium
Adults who Drink Excessively	1	1	0	1	1.5		1	0.86	High
Age-Adjusted Death Rate due to Alzheimer's Disease	0	1.5	0	1.5	1.5		1	0.86	Medium
Chronic Kidney Disease: Medicare Population	0	1	1	1	1.5		1	0.86	High
Households with Cash Public Assistance Income	1	2	0	0	1.5		1	0.86	High
Infant Mortality Rate	1	1.5	0	0	0		1	0.69	High
Breast Cancer Incidence Rate	0	1	0	0	1.5		1.5	0.67	High
Cancer: Medicare Population	0	0	0	0	1.5		2	0.64	High
Liquor Store Density	0	0	0	0	1.5		2	0.64	High
Colorectal Cancer Incidence Rate	0	1	1	1	1.5		0	0.58	High
Alzheimer's Disease or Dementia: Medicare Population	0	0	0	0	1.5		1	0.36	High

Healthy Communities Institute Data Scoring Tool



County: Ashtabula
Cuyahoga (Northeast Ohio)
Total indicators: 206
Thursday 2nd of May 2024 05:45:42 AM

Topic	Indicators	Score
Oral Health	4	2.47
Health Care Access & Quality	14	2.03
Tobacco Use	6	1.99
Wellness & Lifestyle	10	1.99
Heart Disease & Stroke	15	1.97
Economy	53	1.96
Physical Activity	6	1.96
Women's Health	6	1.92
Education	14	1.88
Respiratory Diseases	13	1.84
Prevention & Safety	6	1.82
Mortality Data	25	1.81
Other Conditions	6	1.77
Nutrition & Healthy Eating	3	1.75
Cancer	18	1.74
Community	44	1.74
Environmental Health	18	1.73
Health Information Technology	6	1.68
Mental Health & Mental Disorders	9	1.67
Older Adults	28	1.65
Children's Health	6	1.63
Diabetes	3	1.62
Immunizations & Infectious Diseases	9	1.56
Maternal, Fetal & Infant Health	7	1.54
Alcohol & Drug Use	7	1.52

Healthy Communities Institute
Data Scoring Tool

Scoring Results by Topic

County: Ashtabula
Cuyahoga (Northeast Ohio)
Total Indicators: 206
Thursday 2nd of May 2024 05:44:48 AM

Topic Selection: Oral Health
Topic Score: 2.47 *****

Oral Health in Ashtabula County

Indicator	County Distribution		Value		Target		Trend	Score	Precision	Disparity Exists
	State	US	State	US	HP2030	Local				
Oral Cavity and Pharynx Cancer Incidence Rate	3	2	3	3	1.5		3	2.75	High	Y
Dentist Rate	2	2	3	3	1.5		3	2.58	High	N/A
Adults who Visited a Dentist	2	2	3	3	1.5		2	2.31	High	N/A
Adults 65+ with Total Tooth Loss	3	3	1.5	3	1.5		1.5	2.25	Medium	N/A

Healthy Communities Institute
Data Scoring Tool

Scoring Results by Topic

County: Ashtabula
Cuyahoga (Northeast Ohio)
Total Indicators: 206
Thursday 2nd of May 2024 05:44:48 AM

Topic Selection: Health Care Access & Quality *****

Health Care Access & Quality in Ashtabula County

Indicator	County Distribution		Value		Target		Trend	Score	Precision	Disparity Exists
	State	US	State	US	HP2030	Local				
Primary Care Provider Rate	3	3	3	3	1.5		2	2.64	High	N/A
Dentist Rate	2	2	3	3	1.5		3	2.58	High	N/A
Persons with Health Insurance	3	2	2	1.5	2		3	2.36	High	N
Preventable Hospital Stays: Medicare Population	3	3	3	3	1.5		1	2.36	High	N/A
Adults who Visited a Dentist	2	2	3	3	1.5		2	2.31	High	N/A
Health Insurance Spending-to-Income Ratio	3	3	3	1.5	1.5		1.5	2.25	Medium	N/A
Non-Physician Primary Care Provider Rate	2	3	3	3	1.5		1	2.19	High	N/A
Adults with Health Insurance	1.5	2	2	2	1.5		2	1.89	Medium	N
Adults with Health Insurance: 18+	2	1	2	2	1.5		2	1.81	High	N/A
Children with Health Insurance	1.5	3	2	2	1.5		1	1.78	Medium	N
Adults without Health Insurance	3	2	1.5	1	1.5		1.5	1.75	Medium	N/A
Persons without Health Insurance	1.5	1.5	3	1.5	1.5		1	1.61	Low	N
Adults who have had a Routine Checkup	2	1	1.5	1	1.5		1.5	1.42	Medium	N/A
Mental Health Provider Rate	1	1	3	3	1.5		0	1.42	High	N/A

Healthy Communities Institute
Data Scoring Tool

Scoring Results by Topic

County: Ashtabula
Cuyahoga (Northeast Ohio)
Total Indicators: 206
Thursday 2nd of May 2024 05:44:48 AM

Topic Selection: Tobacco Use ****

Tobacco Use in Ashtabula County

Indicator	County Distribution		Value		Target		Trend	Score	Precision	Disparity Exists
	State	US	State	US	HP2030	Local				
Adults who Smoke	3	3	1.5	3	3		1.5	2.33	Medium	N/A
Cigarette Spending-to-Income Ratio	3	3	3	1.5	1.5		1.5	2.25	Medium	N/A
Lung and Bronchus Cancer Incidence Rate	2	3	3	3	1.5		1	2.19	High	N
Tobacco Use: Medicare Population	2	1.5	3	3	1.5		1	1.94	Medium	N/A
Adults Who Used Smokeless Tobacco: Past 30 Days	1	1	3	3	1.5		1	1.69	High	N/A
Adults Who Used Electronic Cigarettes: Past 30 Days	2	2	1	1	1.5		1.5	1.5	Medium	N/A

Healthy Communities Institute
Data Scoring Tool

Scoring Results by Topic

County: Ashtabula
Cuyahoga (Northeast Ohio)
Total Indicators: 206
Thursday 2nd of May 2024 05:44:48 AM

Topic Selection: Wellness & Lifestyle
Topic Score: 3.99 *****

Wellness & Lifestyle in Ashtabula County

Indicator	County Distribution		Value		Target		Trend	Score	Precision	Disparity Exists
	State	US	State	US	HP2030	Local				
Insufficient Sleep	3	3	2	3	3		1.5	2.42	High	N/A
Poor Physical Health: Average Number of Days	3	3	3	3	1.5		1	2.36	High	N/A
Poor Physical Health: 14+ Days	3	3	1.5	3	1.5		1.5	2.25	Medium	N/A
Self-Reported General Health Assessment: Poor or Fair	3	3	1.5	3	1.5		1.5	2.25	Medium	N/A
High Blood Pressure Prevalence	3	3	1.5	3	1		1.5	2.22	Medium	N/A
Self-Reported General Health Assessment: Good or Better	3	2	2	2	1.5		2	2.14	High	N/A
Life Expectancy	2	2	2	2	1.5		1.5	1.83	Medium	Y
Adults who Follow a Regular Exercise Routine	2	1.5	2	2	1.5		1.5	1.75	Medium	N/A
Adults who Agree Vaccine Benefits Outweigh Possible Risks	2	1	2	2	1.5		1.5	1.67	Medium	N/A
Adults Who Frequently Used Quick Service Restaurants: Past 30 Days	0	2	1	1	1.5		1	1.03	High	N/A

Healthy Communities Institute
Data Scoring Tool

Scoring Results by Topic

County: Ashtabula
Cuyahoga (Northeast Ohio)
Total Indicators: 206
Thursday 2nd of May 2024 05:44:48 AM

Topic Selection: Heart Disease & Stroke *****

Heart Disease & Stroke in Ashtabula County

Indicator	County Distribution		Value		Target		Trend	Score	Precision	Disparity Exists
	State	US	State	US	HP2030	Local				
Age-Adjusted Death Rate due to Cerebrovascular Disease (Stroke)	3	1.5	3	1.5	3		3	2.5	Medium	N/A
Age-Adjusted Death Rate due to Coronary Heart Disease	3	1.5	3	1.5	3		3	2.5	Medium	N/A
Heart Failure: Medicare Population	3	3	3	3	1.5		1	2.36	High	N/A
Adults who Experienced a Stroke	3	3	1.5	3	1.5		1.5	2.25	Medium	N/A
Adults who Experienced Coronary Heart Disease	3	3	1.5	3	1.5		1.5	2.25	Medium	N/A
High Cholesterol Prevalence: Past 5 Years	3	3	1.5	3	1.5		1.5	2.25	Medium	N/A
High Blood Pressure Prevalence	3	3	1.5	3	1		1.5	2.22	Medium	N/A
Hyperlipidemia: Medicare Population	2	2	2	2	1.5		2	1.97	High	N/A
Stroke: Medicare Population	2	2	3	1	1.5		2	1.97	High	N/A
Cholesterol Test History	3	2	1.5	2	1.5		1.5	1.92	Medium	N/A
Hypertension: Medicare Population	1	2	2	2	1.5		2	1.81	High	N/A
Atrial Fibrillation: Medicare Population	1	2	1	2	1.5		2	1.64	High	N/A
Ischemic Heart Disease: Medicare Population	1	2	2	2	1.5		1	1.53	High	N/A
Age-Adjusted Death Rate due to Heart Attack	1	1.5	2	1.5	1.5		1	1.36	Medium	N/A
Adults who Have Taken Medications for High Blood Pressure	0	1	1.5	1	1.5		1.5	1.08	Medium	N/A

Healthy Communities Institute
Data Scoring Tool

Scoring Results by Topic

County: Ashtabula
Cuyahoga (Northeast Ohio)
Total Indicators: 206
Thursday 2nd of May 2024 05:44:48 AM

Topic Selection: **Economy** ****

Economy in Ashtabula County

Indicator	County Distribution		Value		Target		Trend	Score	Precision	Disparity Exists
	State	US	State	US	HP2030	Local				
Renters Spending 30% or More of Household Income on Rent	3	3	3	3	3		3	3	High	N
Adults with Disability Living in Poverty	3	3	3	3	1.5		3	2.92	High	N/A
People 65+ Living Below Poverty Level	3	3	3	3	1.5		3	2.92	High	N
Unemployed Workers in Civilian Labor Force	2	3	3	3	1.5		2	2.47	High	N/A
Families Living Below Poverty Level	3	3	3	3	1.5		1	2.36	High	Y
Food Insecurity Rate	3	3	3	3	1.5		1	2.36	High	N/A
Homeowner Vacancy Rate	2	2	3	3	1.5		2	2.31	High	N/A
Cigarette Spending-to-Income Ratio	3	3	3	1.5	1.5		3	2.25	Medium	N/A
College Tuition Spending-to-Income Ratio	3	3	3	1.5	1.5		1.5	2.25	Medium	N/A
Families Living Below 200% of Poverty Level	1.5	3	3	3	1.5		1.5	2.25	Medium	N/A
Health Insurance Spending-to-Income Ratio	3	3	3	1.5	1.5		1.5	2.25	Medium	N/A
People 65+ Living Below 200% of Poverty Level	1.5	3	3	3	1.5		1.5	2.25	Medium	N/A
Utilities Spending-to-Income Ratio	3	3	3	1.5	1.5		1.5	2.25	Medium	N/A
People Living Below Poverty Level	3	3	3	3	3		0	2.17	High	Y
Children Living Below 200% of Poverty Level	1.5	3	3	3	1.5		1	2.11	Medium	N/A
People Living Below 200% of Poverty Level	1.5	3	3	3	1.5		1	2.11	Medium	N/A
Gasoline and Other Fuels Spending-to-Income Ratio	3	2	3	1.5	1.5		1.5	2.08	Medium	N/A
Home Child Care Spending-to-Income Ratio	3	2	3	1.5	1.5		1.5	2.08	Medium	N/A
Home Renter Spending-to-Income Ratio	3	3	2	1.5	1.5		1.5	2.08	Medium	N/A
Homeowner Spending-to-Income Ratio	3	3	2	1.5	1.5		1.5	2.08	Medium	N/A
Mortgaged Owners Spending 30% or More of Household Income on Housing	1.5	2	3	2	2		2	2.08	High	N/A
Student Loan Spending-to-Income Ratio	3	2	3	1.5	1.5		1.5	2.08	Medium	N/A
Vocational, Technical, and Other School Tuition Spending-to-Income Ratio	3	2	3	1.5	1.5		1.5	2.08	Medium	N/A
Young Children Living Below Poverty Level	3	3	3	3	1.5		0	2.08	High	Y
Adults who Feel Overwhelmed by Financial Burdens	3	2	2	2	1.5		1.5	2	Medium	N/A
Households with a Savings Account	3	2	2	2	1.5		1.5	2	Medium	N/A
Residential Segregation - Black/White	2	3	1	2	1.5		2	1.97	High	N/A
Severe Housing Problems	3	2	3	0	1.5		2	1.97	High	N/A
Adult Day Care Spending-to-Income Ratio	3	2	2	1.5	1.5		1.5	1.92	Medium	N/A
Child Food Insecurity Rate	3	2	3	3	1.5		0	1.92	High	N/A
Children Living Below Poverty Level	3	2	3	3	1.5		0	1.92	High	Y
Median Household Income	3	2	3	3	1.5		0	1.92	High	Y
Median Household Income: Householders 65+	3	2	3	3	1.5		0	1.92	High	N/A
People 65+ Living Below Poverty Level (Count)	1.5	1.5	1.5	1.5	1.5		3	1.92	Low	N
Per Capita Income	3	2	3	3	1.5		0	1.92	High	Y
Population 16+ in Civilian Labor Force	3	2	3	3	1.5		0	1.92	High	N/A
Households that are Above the Asset Limited, Income Constrained, Employed (ALICE) Threshold	3	1.5	3	1.5	1.5		1	1.86	Medium	N/A
Households that are Asset Limited, Income Constrained, Employed (ALICE)	3	1.5	3	1.5	1.5		1	1.86	Medium	N/A
Households Living Below Poverty Level	2	1.5	3	1.5	1.5		1.5	1.83	Medium	N/A
Day Care Center and Preschool Spending-to-Income Ratio	3	2	1	1.5	1.5		1.5	1.75	Medium	N/A
Youth not in School or Working	2	2	3	3	1.5		0	1.75	High	N
Female Population 16+ in Civilian Labor Force	2	2	2	2	1.5		1	1.69	High	N/A
Total Employment Change	2	2	3	0	1.5		1.5	1.67	High	N/A
Size of Labor Force	1.5	1.5	1.5	1.5	1.5		2	1.64	Low	N/A
Income Inequality	2	2	1	1	1.5		1.5	1.5	High	N/A
Median Household Gross Rent	2	1.5	0	0	1.5		3	1.5	Medium	N/A
Overcrowded Households	2	1.5	3	0	1.5		1	1.44	Medium	N/A
Homeownership	3	1	1	1	1.5		1	1.36	High	N/A
Students Eligible for the Free Lunch Program	3	0	3	0	1.5		1	1.36	High	N/A
Median Monthly Owner Costs for Households without a Mortgage	1	1.5	0	0	1.5		3	1.33	Medium	N/A
Gender Pay Gap	1.5	1	1	1	1.5		1.5	1.25	Medium	N/A
Mortgaged Owners Median Monthly Household Costs	0	1.5	0	0	1.5		2	0.89	Medium	N/A
Households with Cash Public Assistance Income	1	2	0	0	1.5		1	0.86	High	N/A

Healthy Communities Institute
Data Scoring Tool

Scoring Results by Topic

County: Ashtabula
Cuyahoga (Northeast Ohio)
Total Indicators: 206
Thursday 2nd of May 2024 05:44:48 AM

Topic Selection: Physical Activity ****

Physical Activity in Ashtabula County

Indicator	County Distribution		Value		Target		Trend	Score	Precision	Disparity Exists
	State	US	State	US	HP2030	Local				
Adults 20+ Who Are Obese	3	3	1.5	1.5	3		3	2.5	Medium	N
Workers who Walk to Work	1	2	3	3	1.5		2	2.14	High	N
Access to Exercise Opportunities	2	1	3	3	1.5		1.5	2	Medium	N/A
Adults who Follow a Regular Exercise Routine	2	1.5	2	2	1.5		1.5	1.75	Medium	N/A
Adults 20+ who are Sedentary	2	3	1.5	1.5	1.5		1	1.69	Medium	N
Access to Parks	1	1.5	3	1.5	1.5		1.5	1.67	Low	N/A

Healthy Communities Institute
Data Scoring Tool

Scoring Results by Topic

County: Ashtabula
Cuyahoga (Northeast Ohio)
Total Indicators: 206
Thursday 2nd of May 2024 05:44:48 AM

Topic Selection: Women's Health ****

Women's Health in Ashtabula County

Indicator	County Distribution		Value		Target		Trend	Score	Precision	Disparity Exists
	State	US	State	US	HP2030	Local				
Age-Adjusted Death Rate due to Breast Cancer	3	3	3	3	3		2	2.72	High	N
Cervical Cancer Incidence Rate	1.5	3	3	3	1.5		3	2.67	Medium	N
Mammogram in Past 2 Years: 50-74	3	2	1.5	3	3		1.5	2.17	Medium	N/A
Cervical Cancer Screening: 21-65	3	3	1.5	2	1.5		1.5	2.08	Medium	N/A
Mammography Screening: Medicare Population	1	1	2	1	1.5		1	1.19	High	N/A
Breast Cancer Incidence Rate	0	1	0	0	1.5		1.5	0.67	High	N

Healthy Communities Institute
Data Scoring Tool

Scoring Results by Topic

County: Ashtabula
Cuyahoga (Northeast Ohio)
Total Indicators: 206
Thursday 2nd of May 2024 05:44:48 AM

Topic Selection: Education 3.88 *****

Education in Ashtabula County

Indicator	County Distribution		Value		Target		Trend	Score	Precision	Disparity Exists
	State	US	State	US	HP2030	Local				
Student-to-Teacher Ratio	2	3	3	3	1.5		2	2.47	High	N/A
College Tuition Spending-to-Income Ratio	3	3	3	1.5	1.5		1.5	2.25	Medium	N/A
8th Grade Students Proficient in Math	3	1.5	3	1.5	1.5		2	2.14	Medium	N/A
Home Child Care Spending-to-Income Ratio	3	2	3	1.5	1.5		1.5	2.08	Medium	N/A
People 25+ with a Bachelor's Degree or Higher	3	3	3	3	1.5		0	2.08	High	Y
Student Loan Spending-to-Income Ratio	3	2	3	1.5	1.5		1.5	2.08	Medium	N/A
Vocational, Technical, and Other School Tuition Spending-to-Income Ratio	3	2	3	1.5	1.5		1.5	2.08	Medium	N/A
High School Graduation	3	1.5	2	1.5	2		2	2	Medium	N/A
4th Grade Students Proficient in English/Language Arts	3	1.5	2	1.5	1.5		2	1.97	Medium	N/A
Day Care Center and Preschool Spending-to-Income Ratio	3	2	1	1.5	1.5		1.5	1.75	Medium	N/A
People 25+ with a High School Diploma or Higher	3	2	2	2	1.5		0	1.58	High	Y
4th Grade Students Proficient in Math	2	1.5	1	1.5	1.5		1.5	1.5	Medium	N/A
8th Grade Students Proficient in English/Language Arts	2	1.5	1	1.5	1.5		1	1.36	Medium	N/A
Child Care Centers	1	1.5	0	0	1.5		1.5	0.92	Medium	N/A

Healthy Communities Institute
Data Scoring Tool

Scoring Results by Topic

County: Ashtabula
Cuyahoga (Northeast Ohio)
Total Indicators: 206
Thursday 2nd of May 2024 05:44:48 AM

Topic Selection: Respiratory Diseases ****

Respiratory Diseases in Ashtabula County

Indicator	County Distribution		Value		Target		Trend	Score	Precision	Disparity Exists
	State	US	State	US	HP2030	Local				
COPD: Medicare Population	2	3	3	3	1.5		2	2.47	High	N/A
Adults who Smoke	3	3	1.5	3	3		1.5	2.33	Medium	N/A
Age-Adjusted Death Rate due to Lung Cancer	2	3	3	3	3		1	2.28	High	N
Adults with COPD	3	3	1.5	3	1.5		1.5	2.25	Medium	N/A
Lung and Bronchus Cancer Incidence Rate	2	3	3	3	1.5		1	2.19	High	N
Adults with Current Asthma	3	2	1.5	3	1.5		1.5	2.08	Medium	N/A
Adults Who Used Smokeless Tobacco: Past 30 Days	1	1	3	3	1.5		1	1.69	High	N/A
Age-Adjusted Death Rate due to Influenza and Pneumonia	2	1.5	3	1.5	1.5		1	1.69	Medium	N/A
Adults Who Used Electronic Cigarettes: Past 30 Days	2	2	1	1	1.5		1.5	1.5	Medium	N/A
Proximity to Highways	3	1.5	0	1.5	1.5		1.5	1.5	Low	N/A
Age-Adjusted Death Rate due to Chronic Lower Respiratory Diseases	2	1.5	3	1.5	1.5		0	1.42	Medium	N/A
Tuberculosis Incidence Rate	3	1.5	0	0	0		2	1.31	High	N/A
Asthma: Medicare Population	1	1	1	0	1.5		2	1.14	High	N/A

Healthy Communities Institute
Data Scoring Tool

Scoring Results by Topic

County: Ashtabula
Cuyahoga (Northeast Ohio)
Total Indicators: 206
Thursday 2nd of May 2024 05:44:48 AM

Topic Selection: Prevention & Safety ****

Prevention & Safety in Ashtabula County

Indicator	County Distribution		Value		Target		Trend	Score	Precision	Disparity Exists
	State	US	State	US	HP2030	Local				
Age-Adjusted Death Rate due to Unintentional Injuries	2	2	2	3	3		2	2.22	High	N
Death Rate due to Drug Poisoning	2	3	1	3	3		1.5	2.08	High	N/A
Severe Housing Problems	3	2	3	0	1.5		2	1.97	High	N/A
Age-Adjusted Death Rate due to Unintentional Poisonings	2	1.5	1	1.5	1.5		3	1.92	Medium	N/A
Age-Adjusted Death Rate due to Falls	0	1.5	0	1.5	1.5		3	1.42	Medium	N/A
Age-Adjusted Death Rate due to Firearms	1.5	1	0	1	3		2	1.31	High	N

Healthy Communities Institute
Data Scoring Tool

Scoring Results by Topic

County: Ashtabula
Cuyahoga (Northeast Ohio)
Total Indicators: 206
Thursday 2nd of May 2024 05:44:48 AM

Topic Selection: Mortality Data
Topic Score: 3.81 *****

Mortality Data in Ashtabula County

Indicator	County Distribution		Value		Target		Trend	Score	Precision	Disparity Exists
	State	US	State	US	HP2030	Local				
Age-Adjusted Death Rate due to Breast Cancer	3	3	3	3	3		2	2.72	High	N
Age-Adjusted Death Rate due to Cerebrovascular Disease (Stroke)	3	1.5	3	1.5	3		3	2.5	Medium	N/A
Age-Adjusted Death Rate due to Coronary Heart Disease	3	1.5	3	1.5	3		3	2.5	Medium	N/A
Age-Adjusted Death Rate due to Lung Cancer	2	3	3	3	3		1	2.28	High	N
Age-Adjusted Death Rate due to Unintentional Injuries	2	2	2	3	3		2	2.22	High	N
Premature Death	2	2	3	3	1.5		1.5	2.17	Medium	N
Age-Adjusted Death Rate due to Kidney Disease	3	1.5	3	1.5	1.5		2	2.14	Medium	N/A
Age-Adjusted Death Rate due to Cancer	2	3	2	3	3		1	2.11	High	Y
Age-Adjusted Death Rate due to Suicide	3	1.5	3	1.5	3		1.5	2.08	Medium	N/A
Death Rate due to Drug Poisoning	2	3	1	3	3		1.5	2.08	High	N/A
Alcohol-impaired Driving Deaths	2	3	2	3	1.5		1	2.03	High	N/A
Age-Adjusted Death Rate due to Diabetes	2	1.5	3	1.5	1.5		2	1.97	Medium	N/A
Age-Adjusted Death Rate due to Unintentional Poisonings	2	1.5	1	1.5	1.5		3	1.92	Medium	N/A
Age-Adjusted Drug and Opioid-Involved Overdose Death Rate	1	3	1	3	1.5		1.5	1.83	Medium	N
Life Expectancy	2	2	2	2	1.5		1.5	1.83	Medium	Y
Age-Adjusted Death Rate due to Homicide	1.5	1.5	3	1.5	3		1	1.69	Medium	N/A
Age-Adjusted Death Rate due to Influenza and Pneumonia	2	1.5	3	1.5	1.5		1	1.69	Medium	N/A
Age-Adjusted Death Rate due to Chronic Lower Respiratory Diseases	2	1.5	3	1.5	1.5		0	1.42	Medium	N/A
Age-Adjusted Death Rate due to Falls	0	1.5	0	1.5	1.5		3	1.42	Medium	N/A
Age-Adjusted Death Rate due to Heart Attack	1	1.5	2	1.5	1.5		1	1.36	Medium	N/A
Age-Adjusted Death Rate due to Firearms	1.5	1	0	1	3		2	1.31	High	N
Age-Adjusted Death Rate due to Colorectal Cancer	1	1	1	2	3		1	1.28	High	N
Age-Adjusted Death Rate due to Prostate Cancer	1	1	1	1	2		1	1.06	High	N
Age-Adjusted Death Rate due to Alzheimer's Disease	0	1.5	0	1.5	1.5		1	0.86	Medium	N/A
Infant Mortality Rate	1	1.5	0	0	0		1	0.69	High	N/A

Healthy Communities Institute
Data Scoring Tool

Scoring Results by Topic

County: Ashtabula
Cuyahoga (Northeast Ohio)
Total Indicators: 206
Thursday 2nd of May 2024 05:44:48 AM

Topic Selection: Other Conditions ****
Topic Score: 3.77

Other Conditions in Ashtabula County

Indicator	County Distribution		Value		Target		Trend	Score	Precision	Disparity Exists
	State	US	State	US	HP2030	Local				
Adults with Arthritis	3	3	1.5	3	1.5		1.5	2.25	Medium	N/A
Age-Adjusted Death Rate due to Kidney Disease	3	1.5	3	1.5	1.5		2	2.14	Medium	N/A
Adults with Kidney Disease	3	2	1.5	3	1.5		1.5	2.08	Medium	N/A
Osteoporosis: Medicare Population	2	2	1	1	1.5		2	1.64	High	N/A
Rheumatoid Arthritis or Osteoarthritis: Medicare Population	1	2	1	2	1.5		2	1.64	High	N/A
Chronic Kidney Disease: Medicare Population	0	1	1	1	1.5		1	0.86	High	N/A

Healthy Communities Institute
Data Scoring Tool

Scoring Results by Topic

County: Ashtabula
Cuyahoga (Northeast Ohio)
Total Indicators: 206
Thursday 2nd of May 2024 05:44:48 AM

Topic Selection: Nutrition & Healthy Eating
Topic Score: 3.75 *****

Nutrition & Healthy Eating in Ashtabula County

Indicator	County Distribution		Value		Target		Trend	Score	Precision	Disparity Exists
	State	US	State	US	HP2030	Local				
Food Environment Index	3	3	2	3	1.5		2	2.47	High	N/A
Adults who Drank Soft Drinks: Past 7 Days	2	1.5	2	2	1.5		1.5	1.75	Medium	N/A
Adults Who Frequently Used Quick Service Restaurants: Past 30 Days	0	2	1	1	1.5		1	1.03	High	N/A

Healthy Communities Institute
Data Scoring Tool

Scoring Results by Topic

County: Ashtabula
Cuyahoga (Northeast Ohio)
Total Indicators: 206
Thursday 2nd of May 2024 05:44:48 AM

Topic Selection: Cancer
Topic Score: 3.74 *****

Cancer in Ashtabula County

Indicator	County Distribution		Value		Target		Trend	Score	Precision	Disparity Exists
	State	US	State	US	HP2030	Local				
Oral Cavity and Pharynx Cancer Incidence Rate	3	2	3	3	1.5		3	2.75	High	Y
Age-Adjusted Death Rate due to Breast Cancer	3	3	3	3	3		2	2.72	High	N
Cervical Cancer Incidence Rate	1.5	3	3	3	1.5		3	2.67	Medium	N
Age-Adjusted Death Rate due to Lung Cancer	2	3	3	3	3		1	2.28	High	N
Lung and Bronchus Cancer Incidence Rate	2	3	3	3	1.5		1	2.19	High	N
Mammogram in Past 2 Years: 50-74	3	2	1.5	3	3		1.5	2.17	Medium	N/A
Age-Adjusted Death Rate due to Cancer	2	3	2	3	3		1	2.11	High	Y
Cervical Cancer Screening: 21-65	3	3	1.5	2	1.5		1.5	2.08	Medium	N/A
Colon Cancer Screening: USPSTF Recommendation	3	3	1.5	2	1.5		1.5	2.08	Medium	N/A
Adults with Cancer	2	2	1.5	3	1.5		1.5	1.92	Medium	N/A
All Cancer Incidence Rate	1	2	1	2	1.5		2	1.64	High	Y
Age-Adjusted Death Rate due to Colorectal Cancer	1	1	1	2	3		1	1.28	High	N
Prostate Cancer Incidence Rate	1	1	0	0	1.5		3	1.25	High	Y
Mammography Screening: Medicare Population	1	1	2	1	1.5		1	1.19	High	N/A
Age-Adjusted Death Rate due to Prostate Cancer	1	1	1	1	2		1	1.06	High	N
Breast Cancer Incidence Rate	0	1	0	0	1.5		1.5	0.67	High	N
Cancer: Medicare Population	0	0	0	0	1.5		2	0.64	High	N/A
Colorectal Cancer Incidence Rate	0	1	1	1	1.5		0	0.58	High	N

Healthy Communities Institute
Data Scoring Tool

Scoring Results by Topic

County: Ashtabula
Cuyahoga (Northeast Ohio)
Total Indicators: 206
Thursday 2nd of May 2024 05:44:48 AM

Topic Selection: Community *****

Community in Ashtabula County

Indicator	County Distribution		Value		Target		Trend	Score	Precision	Disparity Exists
	State	US	State	US	HP2030	Local				
Children in Single-Parent Households	3	2	2	2	1.5		3	2.42	High	N/A
People 65+ Living Alone	2	2	2	3	1.5		3	2.42	High	N/A
Persons with Health Insurance	3	2	2	1.5	2		3	2.36	High	N
People Living Below Poverty Level	3	3	3	3	3		0	2.17	High	Y
Workers who Walk to Work	1	2	3	3	1.5		2	2.14	High	N
Gasoline and Other Fuels Spending-to-Income Ratio	3	2	3	1.5	1.5		1.5	2.08	Medium	N/A
People 25+ with a Bachelor's Degree or Higher	3	3	3	3	1.5		0	2.08	High	Y
Young Children Living Below Poverty Level	3	3	3	3	1.5		0	2.08	High	Y
Workers Commuting by Public Transportation	1	1	3	3	3		2	2.06	High	N
Alcohol-impaired Driving Deaths	2	3	2	3	1.5		1	2.03	High	N/A
Households with a Computer	3	2	2	2	1.5		1.5	2	High	N/A
Households with a Smartphone	3	2	2	2	1.5		1.5	2	High	N/A
Residential Segregation - Black/White	2	3	1	2	1.5		2	1.97	High	N/A
Solo Drivers with a Long Commute	2	2	3	1	1.5		2	1.97	High	N/A
Adult Day Care Spending-to-Income Ratio	3	2	2	1.5	1.5		1.5	1.92	Medium	N/A
Children Living Below Poverty Level	3	2	3	3	1.5		0	1.92	High	Y
Households without a Vehicle	3	3	3	2	1.5		0	1.92	High	N/A
Median Household Income	3	2	3	3	1.5		0	1.92	High	Y
People 65+ Living Alone (Count)	1.5	1.5	1.5	1.5	1.5		3	1.92	Low	N/A
Per Capita Income	3	2	3	3	1.5		0	1.92	High	Y
Population 16+ in Civilian Labor Force	3	2	3	3	1.5		0	1.92	High	N/A
Adults with Internet Access	3	1	2	2	1.5		1.5	1.83	High	N/A
Mean Travel Time to Work	2	2	2	1	1.5		2	1.81	High	Y
Day Care Center and Preschool Spending-to-Income Ratio	3	2	1	1.5	1.5		1.5	1.75	Medium	N/A
Youth not in School or Working	2	2	3	3	1.5		0	1.75	High	N
Age-Adjusted Death Rate due to Homicide	1.5	1.5	3	1.5	3		1	1.69	Medium	N/A
Female Population 16+ in Civilian Labor Force	2	2	2	2	1.5		1	1.69	High	N/A
Total Employment Change	2	2	3	0	1.5		1.5	1.67	High	N/A
Voter Turnout: Presidential Election	3	1.5	2	1.5	0		1	1.61	Medium	N/A
People 25+ with a High School Diploma or Higher	3	2	2	2	1.5		0	1.58	High	Y
Persons with an Internet Subscription	3	2	2	2	1.5		0	1.58	High	Y
Median Household Gross Rent	2	1.5	0	0	1.5		3	1.5	Medium	N/A
Grandparents Who Are Responsible for Their Grandchildren	1	1.5	1	3	1.5		1	1.44	Medium	N/A
Households with One or More Types of Computing Devices	2	2	2	2	1.5		0	1.42	High	N/A
Workers who Drive Alone to Work	1	2	2	3	1.5		0	1.42	High	Y
Homeownership	3	1	1	1	1.5		1	1.36	High	N/A
Median Monthly Owner Costs for Households without a Mortgage	1	1.5	0	0	1.5		3	1.33	Medium	N/A
Age-Adjusted Death Rate due to Firearms	1.5	1	0	1	3		2	1.31	High	N
Violent Crime Rate	1	1.5	0	1.5	1.5		2	1.31	Medium	N/A
Households with an Internet Subscription	2	1	2	2	1.5		0	1.25	High	N/A
Linguistic Isolation	2	1	0	0	1.5		2	1.14	High	N/A
Substantiated Child Abuse Rate	1	1.5	1	1.5	0		1	1.11	Medium	N/A
Social Associations	1	1	0	0	1.5		2	0.97	High	N/A
Mortgaged Owners Median Monthly Household Costs	0	1.5	0	0	1.5		2	0.89	Medium	N/A

Healthy Communities Institute
Data Scoring Tool

Scoring Results by Topic

County: Ashtabula
Cuyahoga (Northeast Ohio)
Total Indicators: 206
Thursday 2nd of May 2024 05:44:48 AM

Topic Selection: Environmental Health
Topic Score: 3.73 *****

Environmental Health in Ashtabula County

Indicator	County Distribution		Value		Target		Trend	Score	Precision	Disparity Exists
	State	US	State	US	HP2030	Local				
Houses Built Prior to 1950	3	3	3	3	1.5		2	2.64	High	N/A
Food Environment Index	3	3	2	3	1.5		2	2.47	High	N/A
Utilities Spending-to-Income Ratio	3	3	3	1.5	1.5		1.5	2.25	Medium	N/A
Adults with Current Asthma	3	2	1.5	3	1.5		1.5	2.08	Medium	N/A
Gasoline and Other Fuels Spending-to-Income Ratio	3	2	3	1.5	1.5		1.5	2.08	Medium	N/A
Access to Exercise Opportunities	2	1	3	3	1.5		1.5	2	Medium	N/A
Blood Lead Levels in Children (>=5 micrograms per deciliter)	3	1.5	3	1.5	1.5		1.5	2	Medium	N/A
Severe Housing Problems	3	2	3	0	1.5		2	1.97	High	N/A
Access to Parks	1	1.5	3	1.5	1.5		1.5	1.67	Low	N/A
Weeks of Moderate Drought or Worse	1.5	1.5	1.5	1.5	1.5		2	1.64	Low	N/A
Proximity to Highways	3	1.5	0	1.5	1.5		1.5	1.5	Low	N/A
Daily Dose of UV Irradiance	1	1.5	1	1.5	1.5		2	1.47	Medium	N/A
Annual Ozone Air Quality	1.5	2	1.5	1.5	1.5		1	1.44	Low	N/A
Overcrowded Households	2	1.5	3	0	1.5		1	1.44	Medium	N/A
Number of Extreme Precipitation Days	1.5	1.5	1.5	1.5	1.5		1	1.36	Low	N/A
PBT Released	1.5	1.5	1.5	1.5	1.5		1	1.36	Low	N/A
Asthma: Medicare Population	1	1	1	0	1.5		2	1.14	High	N/A
Liquor Store Density	0	0	0	0	1.5		2	0.64	High	N/A

Healthy Communities Institute
Data Scoring Tool

Scoring Results by Topic

County: Ashtabula
Cuyahoga (Northeast Ohio)
Total Indicators: 206
Thursday 2nd of May 2024 05:44:48 AM

Topic Selection: Health Information Technology *****

Health Information Technology in Ashtabula County

Indicator	County Distribution		Value		Target		Trend	Score	Precision	Disparity Exists
	State	US	State	US	HP2030	Local				
Households with a Computer	3	2	2	2	1.5		1.5	2	High	N/A
Households with a Smartphone	3	2	2	2	1.5		1.5	2	High	N/A
Adults with Internet Access	3	1	2	2	1.5		1.5	183	High	N/A
Persons with an Internet Subscription	3	2	2	2	1.5		0	158	High	Y
Households with One or More Types of Computing Devices	2	2	2	2	1.5		0	142	High	N/A
Households with an Internet Subscription	2	1	2	2	1.5		0	125	High	N/A

Healthy Communities Institute
Data Scoring Tool

Scoring Results by Topic

County: Ashtabula
Cuyahoga (Northeast Ohio)
Total Indicators: 206
Thursday 2nd of May 2024 05:44:48 AM

Topic Selection: Mental Health & Mental Disorders ****

Mental Health & Mental Disorders in Ashtabula County

Indicator	County Distribution		Value		Target		Trend	Score	Precision	Disparity Exists
	State	US	State	US	HP2030	Local				
Poor Mental Health: Average Number of Days	3	3	3	3	1.5		2	2.64	High	N/A
Adults Ever Diagnosed with Depression	3	3	1.5	3	1.5		1.5	2.25	Medium	N/A
Self-Reported General Health Assessment: Good or Better	3	2	2	2	1.5		2	2.14	High	N/A
Age-Adjusted Death Rate due to Suicide	3	1.5	3	1.5	3		1.5	2.08	Medium	N/A
Poor Mental Health: 14+ Days	3	2	1.5	3	1.5		1.5	2.08	Medium	N/A
Mental Health Provider Rate	1	1	3	3	1.5		0	1.42	High	N/A
Depression: Medicare Population	1	1	1	1	1.5		1.5	1.17	High	N/A
Age-Adjusted Death Rate due to Alzheimer's Disease	0	1.5	0	1.5	1.5		1	0.86	Medium	N/A
Alzheimer's Disease or Dementia: Medicare Population	0	0	0	0	1.5		1	0.36	High	N/A

Healthy Communities Institute
Data Scoring Tool

Scoring Results by Topic

County: Ashtabula
Cuyahoga (Northeast Ohio)
Total Indicators: 206
Thursday 2nd of May 2024 05:44:48 AM

Topic Selection: Older Adults
Topic Score: 3.65 *****

Older Adults in Ashtabula County

Indicator	County Distribution		Value		Target		Trend	Score	Precision	Disparity Exists
	State	US	State	US	HP2030	Local				
People 65+ Living Below Poverty Level	3	3	3	3	1.5		3	2.92	High	N
COPD: Medicare Population	2	3	3	3	1.5		2	2.47	High	N/A
People 65+ Living Alone	2	2	2	3	1.5		3	2.42	High	N/A
Heart Failure: Medicare Population	3	3	3	3	1.5		1	2.36	High	N/A
Adults 65+ with Total Tooth Loss	3	3	1.5	3	1.5		1.5	2.25	Medium	N/A
Hyperlipidemia: Medicare Population	2	2	2	2	1.5		2	1.97	High	N/A
Stroke: Medicare Population	2	2	3	1	1.5		2	1.97	High	N/A
Adult Day Care Spending-to-Income Ratio	3	2	2	1.5	1.5		1.5	1.92	Medium	N/A
Median Household Income: Householders 65+	3	2	3	3	1.5		0	1.92	High	N/A
People 65+ Living Alone (Count)	1.5	1.5	1.5	1.5	1.5		3	1.92	Low	N/A
People 65+ Living Below Poverty Level (Count)	1.5	1.5	1.5	1.5	1.5		3	1.92	Low	N
Hypertension: Medicare Population	1	2	2	2	1.5		2	1.81	High	N/A
Adults 65+ who Received Recommended Preventive Services: Females	2	2	1.5	2	1.5		1.5	1.75	Medium	N/A
Adults 65+ who Received Recommended Preventive Services: Males	2	2	1.5	2	1.5		1.5	1.75	Medium	N/A
Atrial Fibrillation: Medicare Population	1	2	1	2	1.5		2	1.64	High	N/A
Osteoporosis: Medicare Population	2	2	1	1	1.5		2	1.64	High	N/A
Rheumatoid Arthritis or Osteoarthritis: Medicare Population	1	2	1	2	1.5		2	1.64	High	N/A
Diabetes: Medicare Population	1	2	2	2	1.5		1	1.53	High	N/A
Ischemic Heart Disease: Medicare Population	1	2	2	2	1.5		1	1.53	High	N/A
Age-Adjusted Death Rate due to Falls	0	1.5	0	1.5	1.5		3	1.42	Medium	N/A
Prostate Cancer Incidence Rate	1	1	0	0	1.5		3	1.25	High	Y
Mammography Screening: Medicare Population	1	1	2	1	1.5		1	1.19	High	N/A
Depression: Medicare Population	1	1	1	1	1.5		1.5	1.17	High	N/A
Asthma: Medicare Population	1	1	1	0	1.5		2	1.14	High	N/A
Age-Adjusted Death Rate due to Alzheimer's Disease	0	1.5	0	1.5	1.5		1	0.86	Medium	N/A
Chronic Kidney Disease: Medicare Population	0	1	1	1	1.5		1	0.86	High	N/A
Cancer: Medicare Population	0	0	0	0	1.5		2	0.64	High	N/A
Alzheimer's Disease or Dementia: Medicare Population	0	0	0	0	1.5		1	0.36	High	N/A

Healthy Communities Institute
Data Scoring Tool

Scoring Results by Topic

County: Ashtabula
Cuyahoga (Northeast Ohio)
Total Indicators: 206
Thursday 2nd of May 2024 05:44:48 AM

Topic Selection: Children's Health
Topic Score: 3.63 *****

Children's Health in Ashtabula County

Indicator	County Distribution		Value		Target		Trend	Score	Precision	Disparity Exists
	State	US	State	US	HP2030	Local				
Home Child Care Spending-to-Income Ratio	3	2	3	1.5	1.5		1.5	2.08	Medium	N/A
Blood Lead Levels in Children (>=5 micrograms per deciliter)	3	1.5	3	1.5	1.5		1.5	2	Medium	N/A
Child Food Insecurity Rate	3	2	3	3	1.5		0	1.92	High	N/A
Children with Health Insurance	1.5	3	2	2	1.5		1	1.78	Medium	N
Substantiated Child Abuse Rate	1	1.5	1	1.5	0		1	1.11	Medium	N/A
Child Care Centers	1	1.5	0	0	1.5		1.5	0.92	Medium	N/A

Healthy Communities Institute
Data Scoring Tool

Scoring Results by Topic

County: Ashtabula
Cuyahoga (Northeast Ohio)
Total Indicators: 206
Thursday 2nd of May 2024 05:44:48 AM

Topic Selection: Diabetes
Topic Score: 3.62 *****

Diabetes in Ashtabula County

Indicator	County Distribution		Value		Target		Trend	Score	Precision	Disparity Exists
	State	US	State	US	HP2030	Local				
Age-Adjusted Death Rate due to Diabetes	2	1.5	3	1.5	1.5		2	1.97	Medium	N/A
Diabetes: Medicare Population	1	2	2	2	1.5		1	1.53	High	N/A
Adults 20+ with Diabetes	1	2	1.5	1.5	1.5		1	1.36	Medium	N

Healthy Communities Institute
Data Scoring Tool

Scoring Results by Topic

County: Ashtabula
Cuyahoga (Northeast Ohio)
Total Indicators: 206
Thursday 2nd of May 2024 05:44:48 AM

Topic Selection: **Immunizations & Infectious Diseases** 3.56 *****

Immunizations & Infectious Diseases in Ashtabula County

Indicator	County Distribution		Value		Target		Trend	Score	Precision	Disparity Exists
	State	US	State	US	HP2030	Local				
Cervical Cancer Incidence Rate	1.5	3	3	3	1.5		3	2.67	Medium	N
Age-Adjusted Death Rate due to Influenza and Pneumonia	2	1.5	3	1.5	1.5		1	1.69	Medium	N/A
Adults who Agree Vaccine Benefits Outweigh Possible Risks	2	1	2	2	1.5		1.5	1.67	Medium	N/A
Flu Vaccinations: Medicare Population	1	1	2	2	1.5		2	1.64	High	N/A
Gonorrhea Incidence Rate	3	1.5	0	1.5	1.5		1.5	1.5	Medium	N/A
Overcrowded Households	2	1.5	3	0	1.5		1	1.44	Medium	N/A
Tuberculosis Incidence Rate	3	1.5	0	0	0		2	1.31	High	N/A
Pneumonia Vaccinations: Medicare Population	1	0	1	1	1.5		2	1.14	High	N/A
Chlamydia Incidence Rate	1	1.5	0	1.5	1.5		1	1.03	Medium	N/A

Healthy Communities Institute
Data Scoring Tool

Scoring Results by Topic

County: Ashtabula
Cuyahoga (Northeast Ohio)
Total Indicators: 206
Thursday 2nd of May 2024 05:44:48 AM

Topic Selection: Maternal, Fetal & Infant Health *****

Maternal, Fetal & Infant Health in Ashtabula County

Indicator	County Distribution		Value		Target		Trend	Score	Precision	Disparity Exists
	State	US	State	US	HP2030	Local				
Mothers who Received Early Prenatal Care	3	1.5	3	1.5	1.5		2	2.14	Medium	N/A
Mothers who Smoked During Pregnancy	3	1.5	3	1.5	3		1	1.94	Medium	N/A
Preterm Births	2	1.5	1	1.5	3		2	1.72	Medium	N/A
Teen Birth Rate: 15-17	2	1.5	3	1.5	1.5		1	1.69	Medium	N/A
Babies with Low Birthweight	1	1.5	0	1.5	1.5		2	1.31	Medium	N/A
Babies with Very Low Birthweight	1	1.5	0	1.5	1.5		2	1.31	Medium	N/A
Infant Mortality Rate	1	1.5	0	0	0		1	0.69	High	N/A

Healthy Communities Institute
Data Scoring Tool

Scoring Results by Topic

County: Ashtabula
Cuyahoga (Northeast Ohio)
Total Indicators: 206
Thursday 2nd of May 2024 05:44:48 AM

Topic Selection: Alcohol & Drug Use *****

Alcohol & Drug Use in Ashtabula County

Indicator	County Distribution		Value		Target		Trend	Score	Precision	Disparity Exists
	State	US	State	US	HP2030	Local				
Death Rate due to Drug Poisoning	2	3	1	3	3		1.5	2.08	High	N/A
Alcohol-impaired Driving Deaths	2	3	2	3	1.5		1	2.03	High	N/A
Mothers who Smoked During Pregnancy	3	1.5	3	1.5	3		1	1.94	Medium	N/A
Age-Adjusted Drug and Opioid-Involved Overdose Death Rate	1	3	1	3	1.5		1.5	1.83	Medium	N
Adults who Binge Drink	1	1	1.5	1	1.5		1.5	1.25	Medium	N/A
Adults who Drink Excessively	1	1	0	1	1.5		1	0.86	High	N/A
Liquor Store Density	0	0	0	0	1.5		2	0.64	High	N/A