

County: Cuyahoga

Report Date: 5/2/2024

Summary

Conduent HCI's Data Scoring Tool provides a systematic ranking of your county's indicators to help set priorities for community health improvement. To read more about this tool, please see the Data Scoring Tool Methodology document. The Data Scoring Tool Report's summary includes the topics that are considered significant health needs, and indicators for which significant disparities were identified for your county. Following this summary you will find the full Data Scoring Tool results, including all indicator scores, all topic scores, and the indicators within each topic area that are considered a significant health need. Please keep in mind that this report is a snapshot in time, and only reflects the data that are current on Healthy Northeast Ohio as of the date the Data Scoring Tool was run. The findings from the Data Scoring Tool should be used, along with other considerations, such as community input, when prioritizing the health needs of your county.

Topic Scores

All indicator scores are averaged by topic area, to allow for a higher-level ranking of community needs. Resulting scores range from 0-3, where a higher score indicates a greater level of need. Below are the topic areas with scores of 1.50 or higher in your county. This is the cutoff used for a topic area to be considered a significant health need. Please see the results section below for the indicators that make up each of these topic areas.

Topic	Indicators	Score
Other Conditions	6	1.95
Prevention & Safety	7	1.91
Economy	53	1.80
Sexually Transmitted Infections	3	1.79
Education	19	1.70
Mortality Data	27	1.67
Community	45	1.66
Older Adults	28	1.66
Wellness & Lifestyle	10	1.63
Cancer	18	1.59
Children's Health	14	1.59
Alcohol & Drug Use	7	1.56
Maternal, Fetal & Infant Health	24	1.51

Identified Disparities

The Data Scoring Tool allows for the identification of significant disparities that may exist by race/ethnicity, age, and gender. Below are the indicators where significant disparities were identified in your county.

Indicator	County Distribution		Value		Target			Score	Precision	Age
	State	US	State	US	HP2030	Local	Trend			
Children Living Below Poverty Level	3	2	3	3			0	1.94	High	<6
People Living Below Poverty Level	3	2	3	3			0	1.94	High	12-17, 18-24, 6-11, <6
Renters Spending 30% or More of Household Income on Rent	3	2	2	1			1	1.71	High	15-24, 65+
Workers Commuting by Public Transportation	0	0	0	3			3	1.41	High	45-54
Persons without Health Insurance	1.5	1.5	1	1.5			1	1.26	Medium	35-44
Adults with Health Insurance	1.5	1	1	1			1	1.09	High	26-34
People 25+ with a High School Diploma or Higher	2	1	2	1			0	1.06	High	65+
Persons with an Internet Subscription	1	1	2	2			0	1.06	High	65+
Workers who Walk to Work	0	1	0	0			2	0.76	High	45-54, 55-59, 60-64, 65+
Workers who Drive Alone to Work	0	0	1	2			0	0.53	High	45-54, 55-59, 60-64, 65+
People 25+ with a Bachelor's Degree or Higher	0	0	0	1			0	0.18	High	45-64, 65+

Indicator	County Distribution		Value		Target			Score	Precision	Gender
	State	US	State	US	HP2030	Local	Trend			
People 65+ Living Below Poverty Level	3	2	3	3			3	2.82	High	Female
Age-Adjusted Death Rate due to Motor Vehicle Collisions	1.5	1.5	3	3			3	2.47	Medium	Male
Age-Adjusted Death Rate due to Firearms	1.5	3	3	3			2	2.44	High	Male
Age-Adjusted Drug and Opioid-Involved Overdose Death Rate	2	3	1	3			1.5	2.03	High	Male
People Living Below Poverty Level	3	2	3	3			0	1.94	High	Female
Colorectal Cancer Incidence Rate	2	2	2	3			1	1.88	High	Male
All Cancer Incidence Rate	2	2	2	2			1.5	1.85	High	Male
Age-Adjusted Death Rate due to Cancer	1	2	2	3			1	1.71	High	Male
Age-Adjusted Death Rate due to Unintentional Injuries	1	2	1	3			1.5	1.68	High	Male
Age-Adjusted Death Rate due to Lung Cancer	1	1	1	3			1	1.35	High	Male
Lung and Bronchus Cancer Incidence Rate	1	1	1	3			1	1.35	High	Male
Oral Cavity and Pharynx Cancer Incidence Rate	1	1	1	1			2	1.29	High	Male
Persons without Health Insurance	1.5	1.5	1	1.5			1	1.26	Medium	Male
Adults with Health Insurance	1.5	1	1	1			1	1.09	High	Male
Mean Travel Time to Work	1	1	2	0			1	1.00	High	Male

Indicator	County Distribution		Value		Target			Score	Precision	Income
	State	US	State	US	HP2030	Local	Trend			
Ever Breastfed New Infant	1.5	1.5	1	1.5			3	1.85	Medium	<=\$32,000
Chronic Health Condition(s) During Pregnancy	1.5	1.5	2	1.5			2	1.74	Medium	<=\$32,000
Prevalence of Unintended Pregnancy	1.5	1.5	2	1.5			1	1.44	Medium	<=\$32,000
Pre-Pregnancy Depression	1.5	1.5	0	1.5			2	1.38	Medium	<=\$32,000
Breastfeeding at 8 Weeks	1.5	1.5	1	1.5			1	1.26	Medium	<=\$32,000
Prevalence of Intended Pregnancy	1.5	1.5	2	1.5			0	1.15	Medium	<=\$32,000
Gestational Depression	1.5	1.5	0	1.5			1	1.09	Medium	<=\$32,000

Indicator	County Distribution		Value		Target					Insurance Type (Prenatal Period)
	State	US	State	US	HP2030	Local	Trend	Score	Precision	
Breastfeeding at 8 Weeks	1.5	1.5	1	1.5			1	1.26	Medium	Medicaid
Prevalence of Intended Pregnancy	1.5	1.5	2	1.5			0	1.15	Medium	Medicaid
Infant Sleeps in Crib, Bassinet, or Play Yard	1.5	1.5	1	1.5			0	0.97	Medium	Other
Infant Sleeps Without Objects in Bed	1.5	1.5	1	1.5			0	0.97	Medium	Medicaid

Indicator	State	US	State	US	HP2030	Local	Trend	Score	Precision	Maternal Age
Prevalence of Unintended Pregnancy	1.5	1.5	2	1.5			1	1.44	Medium	<=24
Breastfeeding at 8 Weeks	1.5	1.5	1	1.5			1	1.26	Medium	<=24
Prevalence of Intended Pregnancy	1.5	1.5	2	1.5			0	1.15	Medium	<=24
Infant Sleeps Without Objects in Bed	1.5	1.5	1	1.5			0	0.97	Medium	<=24

Indicator	State	US	State	US	HP2030	Local	Trend	Score	Precision	Race/Ethnicity
Prostate Cancer Incidence Rate	3	3	3	3			3	3.00	High	Black/African American
People 65+ Living Below Poverty Level	3	2	3	3			3	2.82	High	American Indian/Alaska Native, Black/African American, Hispanic/Latino, Two or More Races
Age-Adjusted Death Rate due to Prostate Cancer	3	3	3	3			2	2.71	High	Black/African American
Age-Adjusted Death Rate due to Motor Vehicle Collisions	1.5	1.5	3	3			3	2.47	Medium	Black/African American
Age-Adjusted Death Rate due to Firearms	1.5	3	3	3			2	2.44	High	Black/African American
Age-Adjusted Drug and Opioid-Involved Overdose Death Rate	2	3	1	3			1.5	2.03	High	White
Premature Death	2	2	2	3			1.5	2.03	High	Black/African American, non-Hispanic
Children Living Below Poverty Level	3	2	3	3			0	1.94	High	American Indian/Alaska Native, Black/African American, Hispanic/Latino, Other
Families Living Below Poverty Level	3	2	3	3			0	1.94	High	American Indian/Alaska Native, Black/African American, Hispanic/Latino, Other, Two or More Races
People Living Below Poverty Level	3	2	3	3			0	1.94	High	American Indian/Alaska Native, Black/African American, Hispanic/Latino, Other, Two or More Races
Age-Adjusted Death Rate due to Breast Cancer	2	2	2	3			1	1.88	High	Black/African American
Median Household Income	2	2	3	3			0	1.76	High	American Indian/Alaska Native, Black/African American, Hispanic/Latino, Other, Two or More Races
Young Children Living Below Poverty Level	2	2	3	3			0	1.76	High	Black/African American, Hispanic/Latino, Other
Age-Adjusted Death Rate due to Cancer	1	2	2	3			1	1.71	High	Black/African American
Life Expectancy	1	2	1	2			1.5	1.50	High	Black/African American, non-Hispanic
Prevalence of Unintended Pregnancy	1.5	1.5	2	1.5			1	1.44	Medium	Black/African American, non-Hispanic
Workers Commuting by Public Transportation	0	0	0	3			3	1.41	High	White, non-Hispanic
Age-Adjusted Death Rate due to Lung Cancer	1	1	1	3			1	1.35	High	Black/African American
Lung and Bronchus Cancer Incidence Rate	1	1	1	3			1	1.35	High	Black/African American
Persons without Health Insurance	1.5	1.5	1	1.5			1	1.26	Medium	Hispanic/Latino, Other
Age-Adjusted Death Rate due to Colorectal Cancer	1	1	1	2			1	1.18	High	Black/African American
Prevalence of Intended Pregnancy	1.5	1.5	2	1.5			0	1.15	Medium	Black/African American, non-Hispanic
Adults with Health Insurance	1.5	1	1	1			1	1.09	High	Black/African American, Hispanic/Latino, Other, Two or More Races
People 25+ with a High School Diploma or Higher	2	1	2	1			0	1.06	High	Black/African American
Persons with an Internet Subscription	1	1	2	2			0	1.06	High	Black/African American, Other
Infant Sleeps Without Objects in Bed	1.5	1.5	1	1.5			0	0.97	Medium	Black/African American, non-Hispanic, Other, non-Hispanic
Per Capita Income	0	0	1	2			0	0.53	High	American Indian/Alaska Native, Black/African American, Hispanic/Latino, Other, Two or More Races
Workers who Drive Alone to Work	0	0	1	2			0	0.53	High	Native Hawaiian/Pacific Islander, White, non-Hispanic
People 25+ with a Bachelor's Degree or Higher	0	0	0	1			0	0.18	High	American Indian/Alaska Native, Black/African American, Other, Two or More Races

Results

The remaining pages of this report include the full Data Scoring Tool results for your county, including indicator scores, topic scores, and scoring results by topic for topics with scores of 1.50 or higher.

Healthy Communities Institute Data Scoring Tool



County: Cuyahoga
Cuyahoga (Northeast Ohio)
Total Indicators: 236
Thursday 2nd of May 2024 05:59:08 AM



Indicator	County Distribution		Value		Target		Trend	Score	Precision
	State	US	State	US	HP2030	Local			
People 65+ Living Alone	3	3	3	3			3	3.00	High
Prostate Cancer Incidence Rate	3	3	3	3			3	3.00	High
People 65+ Living Below Poverty Level	3	2	3	3			3	2.82	High
Age-Adjusted Death Rate due to Prostate Cancer	3	3	3	3			2	2.71	High
Total Employment Change	3	3	3	3			2	2.71	High
Alcohol-Impaired Driving Deaths	3	3	3	3			1.5	2.56	High
Child Food Insecurity Rate	3	3	3	3			1.5	2.56	High
Children in Single-Parent Households	3	3	3	3			1.5	2.56	High
Median Monthly Owner Costs for Households without a Mortgage	3	1.5	3	2			3	2.56	High
Poor Mental Health: Average Number of Days	3	3	2	3			2	2.53	High
Age-Adjusted Death Rate due to Kidney Disease	3	1.5	3	1.5			3	2.47	Medium
Age-Adjusted Death Rate due to Motor Vehicle Collisions	1.5	1.5	3	3			3	2.47	Medium
Age-Adjusted Death Rate due to Firearms	1.5	3	3	3			2	2.44	High
Adults with Disability Living in Poverty	3	3	3	3			1	2.41	High
Households without a Vehicle	3	3	3	3			1	2.41	High
Preventable Hospital Stays: Medicare Population	3	3	3	3			1	2.41	High
Breast Cancer Incidence Rate	3	3	2	2			2	2.35	High
Cancer: Medicare Population	3	3	2	2			2	2.35	High
Osteoporosis: Medicare Population	3	3	2	2			2	2.35	High
Social Associations	3	2	3	2			2	2.35	High
Adult Day Care Spending-to-Income Ratio	3	3	3	1.5			1.5	2.29	Medium
College Tuition Spending-to-Income Ratio	3	3	3	1.5			1.5	2.29	Medium
Day Care Center and Preschool Spending-to-Income Ratio	3	3	3	1.5			1.5	2.29	Medium
Home Renter Spending-to-Income Ratio	3	3	3	1.5			1.5	2.29	Medium
Homeowner Spending-to-Income Ratio	3	3	3	1.5			1.5	2.29	Medium
Residential Segregation - Black/White	3	3	2	3			1	2.24	High
Age-Adjusted Death Rate due to Homicide	1.5	1.5	3	1.5			3	2.21	Medium
Death Rate due to Drug Poisoning	2	3	2	3			1.5	2.21	High
Income Inequality	3	3	2	2			1.5	2.21	High
Insufficient Sleep	2	3	2	3			1.5	2.21	High
Babies with Low Birthweight	3	1.5	3	1.5			2	2.18	Medium
Preterm Births	3	1.5	3	1.5			2	2.18	Medium
Student-to-Teacher Ratio	1	3	2	3			2	2.18	High
Home Child Care Spending-to-Income Ratio	3	2	3	1.5			1.5	2.12	Medium
Houses Built Prior to 1950	3	3	3	3			0	2.12	High
Student Loan Spending-to-Income Ratio	3	2	3	1.5			1.5	2.12	Medium
Vocational, Technical, and Other School Tuition Spending-to-Income Ratio	3	2	3	1.5			1.5	2.12	Medium
Households with Cash Public Assistance Income	2	2	3	3			1	2.06	High
Poor Physical Health: Average Number of Days	2	2	3	3			1	2.06	High
Youth not in School or Working	2	2	3	3			1	2.06	High
Age-Adjusted Drug and Opioid-Involved Overdose Death Rate	2	3	1	3			1.5	2.03	High
Median Household Gross Rent	3	1.5	2	0			3	2.03	High
Premature Death	2	2	2	3			1.5	2.03	High
Proximity to Highways	3	1.5	3	1.5			1.5	2.03	Medium
Adults 20+ with Diabetes	2	3	1.5	1.5			2	2.00	Medium
Asthma: Medicare Population	2	2	3	1			2	2.00	High
Daily Dose of UV Irradiance	3	1.5	2	1.5			2	2.00	Medium
High School Graduation	3	1.5	2	1.5			2	2.00	Medium
Stroke: Medicare Population	2	2	3	1			2	2.00	High
Teen Birth Rate: 15-17	2	1.5	3	1.5			2	2.00	Medium
Children Living Below 200% of Poverty Level	1.5	2	3	3			1	1.97	High
Families Living Below 200% of Poverty Level	1.5	2	3	3			1	1.97	High
Infant Mortality Rate	2	1.5	3	3			1	1.97	High
Adults who Experienced a Stroke	2	2	1.5	3			1.5	1.94	Medium
Children Living Below Poverty Level	3	2	3	3			0	1.94	High
Families Living Below Poverty Level	3	2	3	3			0	1.94	High
Homeownership	3	3	3	2			0	1.94	High
People 65+ Living Alone (Count)	1.5	1.5	1.5	1.5			3	1.94	Low
People 65+ Living Below Poverty Level (Count)	1.5	1.5	1.5	1.5			3	1.94	Low
People Living Below Poverty Level	3	2	3	3			0	1.94	High
Self-Reported General Health Assessment: Poor or Fair	2	2	1.5	3			1.5	1.94	Medium
Age-Adjusted Death Rate due to HIV	1.5	1.5	3	1.5			2	1.91	Medium
Gestational Hypertension	1.5	1.5	3	1.5			2	1.91	Medium
Pre-Pregnancy Diabetes	1.5	1.5	3	1.5			2	1.91	Medium
Stopped Breastfeeding Due to Resuming Work	1.5	1.5	3	1.5			2	1.91	Medium
Tuberculosis Incidence Rate	3	1.5	3	0			2	1.91	High
4th Grade Students Proficient in English/Language Arts	3	1.5	3	1.5			1	1.88	Medium
4th Grade Students Proficient in Math	3	1.5	3	1.5			1	1.88	Medium
8th Grade Students Proficient in Math	3	1.5	3	1.5			1	1.88	Medium
Age-Adjusted Death Rate due to Breast Cancer	2	2	2	3			1	1.88	High
Babies with Very Low Birthweight	3	1.5	3	1.5			1	1.88	Medium
Colorectal Cancer Incidence Rate	2	2	2	3			1	1.88	High

Healthy Communities Institute Data Scoring Tool



County: Cuyahoga
Cuyahoga (Northeast Ohio)
Total Indicators: 236
Thursday 2nd of May 2024 05:59:08 AM



Indicator	County Distribution		Value		Target		Trend	Score	Precision
	State	US	State	US	HP2030	Local			
Food Insecurity Rate	2	2	2	3			1	1.88	High
Gonorrhea Incidence Rate	3	1.5	3	1.5			1	1.88	Medium
Households Living Below Poverty Level	3	1.5	3	1.5			1	1.88	Medium
Linguistic Isolation	3	3	3	0			1	1.88	High
Violent Crime Rate	3	1.5	3	1.5			1	1.88	Medium
Adults who Feel Overwhelmed by Financial Burdens	2	2	2	2			1.5	1.85	High
Adults Who Used Electronic Cigarettes: Past 30 Days	2	2	2	2			1.5	1.85	High
All Cancer Incidence Rate	2	2	2	2			1.5	1.85	High
Ever Breastfed New Infant	1.5	1.5	1	1.5			3	1.85	Medium
Unemployed Workers in Civilian Labor Force	1	2	2	2			2	1.82	High
People 65+ Living Below 200% of Poverty Level	1.5	2	2	3			1	1.79	High
Adults 65+ who Received Recommended Preventive Services: Males	2	2	1.5	2			1.5	1.76	Medium
Adults 65+ with Total Tooth Loss	2	2	1.5	2			1.5	1.76	Medium
Adults Ever Diagnosed with Depression	1	2	1.5	3			1.5	1.76	Medium
Adults Who Frequently Used Quick Service Restaurants: Past 30 Days	3	3	2	2			0	1.76	High
Adults with Arthritis	1	2	1.5	3			1.5	1.76	Medium
Adults with Current Asthma	2	2	1.5	2			1.5	1.76	Medium
Adults with Kidney Disease	2	1	1.5	3			1.5	1.76	Medium
Age-Adjusted Death Rate due to Cerebrovascular Disease (Stroke)	2	1.5	0	1.5			3	1.76	Medium
Annual Ozone Air Quality	1.5	3	1.5	1.5			1.5	1.76	Medium
Median Household Income	2	2	3	3			0	1.76	High
Severe Housing Problems	3	3	3	1			0	1.76	High
Utilities Spending-to-Income Ratio	2	2	2	1.5			1.5	1.76	Medium
Young Children Living Below Poverty Level	2	2	3	3			0	1.76	High
Annual Particle Pollution	1.5	2	1.5	1.5			2	1.74	Medium
Chronic Health Condition(s) During Pregnancy	1.5	1.5	2	1.5			2	1.74	Medium
Mortgaged Owners Median Monthly Household Costs	3	1.5	2	0			2	1.74	High
Obesity: Medicare Population	1	1.5	1	3			2	1.74	High
Pre-Pregnancy Hypertension	1.5	1.5	2	1.5			2	1.74	Medium
Age-Adjusted Death Rate due to Cancer	1	2	2	3			1	1.71	High
Chronic Kidney Disease: Medicare Population	2	2	2	2			1	1.71	High
Renters Spending 30% or More of Household Income on Rent	3	2	2	1			1	1.71	High
Voter Turnout: Presidential Election	3	1.5	2	1.5			1	1.71	Medium
Age-Adjusted Death Rate due to Unintentional Injuries	1	2	1	3			1.5	1.68	High
Adults who Visited a Dentist	1	1	2	2			2	1.65	High
Adults with Health Insurance: 18+	1	1	2	2			2	1.65	High
Age-Adjusted Death Rate due to Unintentional Poisonings	2	1.5	1	1.5			2	1.65	Medium
Children Served by Designated Ohio Healthy Programs (Count)	1.5	1.5	1.5	1.5			2	1.65	Low
Designated Ohio Healthy Programs (Count)	1.5	1.5	1.5	1.5			2	1.65	Low
Families Served by Designated Ohio Healthy Programs (Count)	1.5	1.5	1.5	1.5			2	1.65	Low
Family Engagement Activities Supported by Designated Ohio Healthy Prog	1.5	1.5	1.5	1.5			2	1.65	Low
Healthy Policies Adopted by Designated Ohio Healthy Programs (Count)	1.5	1.5	1.5	1.5			2	1.65	Low
Rheumatoid Arthritis or Osteoarthritis: Medicare Population	1	2	1	2			2	1.65	High
Self-Reported General Health Assessment: Good or Better	1	1	2	2			2	1.65	High
Size of Labor Force	1.5	1.5	1.5	1.5			2	1.65	Low
Weeks of Moderate Drought or Worse	1.5	1.5	1.5	1.5			2	1.65	Low
Blood Lead Levels in Children (>=10 micrograms per deciliter)	1.5	1.5	3	1.5			1	1.62	Medium
Adults who Binge Drink	1	2	1.5	2			1.5	1.59	Medium
Adults who Smoke	0	2	1.5	3			1.5	1.59	Medium
Children with Health Insurance	1.5	2	2	1			1.5	1.59	High
Chlamydia Incidence Rate	3	1.5	3	1.5			0	1.59	Medium
Grandparents Who Are Responsible for Their Grandchildren	1	1.5	1	3			1.5	1.59	High
Health Insurance Spending-to-Income Ratio	2	1	2	1.5			1.5	1.59	Medium
High Blood Pressure Prevalence	1	1	1.5	3			1.5	1.59	Medium
Poor Physical Health: 14+ Days	1	1	1.5	3			1.5	1.59	Medium
Gestational Diabetes	1.5	1.5	1	1.5			2	1.56	Medium
Mortgaged Owners Spending 30% or More of Household Income on Hous	1.5	1	3	0			2	1.56	High
Households that are Above the Asset Limited, Income Constrained, Emplo	2	1.5	2	1.5			1	1.53	Medium
Households with a Computer	1	1	2	2			1.5	1.50	High
Households with a Savings Account	1	1	2	2			1.5	1.50	High
Life Expectancy	1	2	1	2			1.5	1.50	High
People Living Below 200% of Poverty Level	1.5	2	2	3			0	1.50	High
Hyperlipidemia: Medicare Population	1	2	1	1			2	1.47	High
Prevalence of Unintended Pregnancy	1.5	1.5	2	1.5			1	1.44	Medium
8th Grade Students Proficient in English/Language Arts	3	1.5	2	1.5			0	1.41	Medium
Adults who Experienced Coronary Heart Disease	0	1	1.5	3			1.5	1.41	Medium
Adults who Have Taken Medications for High Blood Pressure	2	1	1.5	1			1.5	1.41	Medium
Adults with COPD	0	1	1.5	3			1.5	1.41	Medium
Age-Adjusted Death Rate due to Diabetes	0	1.5	0	1.5			3	1.41	Medium
Cigarette Spending-to-Income Ratio	1	1	2	1.5			1.5	1.41	Medium
Gasoline and Other Fuels Spending-to-Income Ratio	1	1	2	1.5			1.5	1.41	Medium
Median Household Income: Householders 65+	2	1	2	3			0	1.41	High

Healthy Communities Institute Data Scoring Tool



County: Cuyahoga
Cuyahoga (Northeast Ohio)
Total Indicators: 236
Thursday 2nd of May 2024 05:59:08 AM



Indicator	County Distribution		Value		Target		Trend	Score	Precision
	State	US	State	US	HP2030	Local			
Poor Mental Health: 14+ Days	1	1	1.5	2			1.5	1.41	Medium
Substantiated Child Abuse Rate	2	1.5	3	1.5			0	1.41	Medium
Workers Commuting by Public Transportation	0	0	0	3			3	1.41	High
Pre-Pregnancy Depression	1.5	1.5	0	1.5			2	1.38	Medium
Age-Adjusted Death Rate due to Lung Cancer	1	1	1	3			1	1.35	High
Blood Lead Levels in Children (>=10 micrograms per deciliter; Count)	1.5	1.5	1.5	1.5			1	1.35	Low
Blood Lead Levels in Children (>=5 micrograms per deciliter; Count)	1.5	1.5	1.5	1.5			1	1.35	Low
Heart Failure: Medicare Population	1	2	1	2			1	1.35	High
Households that are Asset Limited, Income Constrained, Employed (ALICE)	1	1.5	2	1.5			1	1.35	Medium
Lung and Bronchus Cancer Incidence Rate	1	1	1	3			1	1.35	High
Number of Extreme Heat Days	1.5	1.5	1.5	1.5			1	1.35	Low
Number of Extreme Heat Events	1.5	1.5	1.5	1.5			1	1.35	Low
Adults 20+ Who Are Obese	0	2	1.5	1.5			1.5	1.32	Medium
Adults with Internet Access	1	0	2	2			1.5	1.32	High
Blood Lead Levels in Children (>=5 micrograms per deciliter)	1.5	1.5	3	1.5			0	1.32	Medium
Depression: Medicare Population	1	1	1	1			2	1.29	High
Hypertension: Medicare Population	0	1	1	2			2	1.29	High
Oral Cavity and Pharynx Cancer Incidence Rate	1	1	1	1			2	1.29	High
Breastfeeding at 8 Weeks	1.5	1.5	1	1.5			1	1.26	Medium
Infant Sleeps on Back	1.5	1.5	1	1.5			1	1.26	Medium
Persons without Health Insurance	1.5	1.5	1	1.5			1	1.26	Medium
Adults who Drank Soft Drinks: Past 7 Days	0	1.5	1	2			1.5	1.24	Medium
Adults who Follow a Regular Exercise Routine	0	1.5	1	2			1.5	1.24	Medium
Adults with Cancer	0	1	1.5	2			1.5	1.24	Medium
Cholesterol Test History	0	1	1.5	2			1.5	1.24	Medium
Gender Pay Gap	1.5	1	1	1			1.5	1.24	High
Homeowner Vacancy Rate	2	1	3	1			0	1.24	High
Adults 20+ who are Sedentary	0	2	1.5	1.5			1	1.18	Medium
Age-Adjusted Death Rate due to Colorectal Cancer	1	1	1	2			1	1.18	High
Age-Adjusted Death Rate due to Falls	1	1.5	1	1.5			1	1.18	Medium
Alzheimer's Disease or Dementia: Medicare Population	2	1	1	1			1	1.18	High
Mothers who Received Early Prenatal Care	1	1.5	1	1.5			1	1.18	Medium
Access to Parks	0	1.5	1	1.5			1.5	1.15	Medium
Infant Sleeps Alone	1.5	1.5	2	1.5			0	1.15	Medium
Prevalence of Intended Pregnancy	1.5	1.5	2	1.5			0	1.15	Medium
Age-Adjusted Death Rate due to Alzheimer's Disease	0	1.5	0	1.5			2	1.12	Medium
Atrial Fibrillation: Medicare Population	0	1	1	1			2	1.12	High
COPD: Medicare Population	0	1	1	1			2	1.12	High
Adults with Health Insurance	1.5	1	1	1			1	1.09	High
Gestational Depression	1.5	1.5	0	1.5			1	1.09	Medium
Adults 65+ who Received Recommended Preventive Services: Females	0	1	1.5	1			1.5	1.06	Medium
Adults without Health Insurance	1	1	1.5	0			1.5	1.06	Medium
Households with an Internet Subscription	1	1	2	2			0	1.06	High
Households with One or More Types of Computing Devices	1	1	2	2			0	1.06	High
Mammogram in Past 2 Years: 50-74	0	0	1.5	2			1.5	1.06	Medium
Number of Extreme Precipitation Days	1.5	1.5	1.5	1.5			0	1.06	Low
PBT Released	1.5	1.5	1.5	1.5			0	1.06	Low
People 25+ with a High School Diploma or Higher	2	1	2	1			0	1.06	High
Persons with an Internet Subscription	1	1	2	2			0	1.06	High
Population 16+ in Civilian Labor Force	1	1	2	2			0	1.06	High
Cervical Cancer Incidence Rate	1.5	1	0	0			2	1.03	High
Adults who Drink Excessively	1	2	0	1			1	1.00	High
Age-Adjusted Death Rate due to Suicide	0	1.5	1	1.5			1	1.00	Medium
Liquor Store Density	1	0	3	0			1	1.00	High
Mean Travel Time to Work	1	1	2	0			1	1.00	High
Households with a Smartphone	0	0	1	2			1.5	0.97	High
Infant Sleeps Alone on Recommended Surface	1.5	1.5	1	1.5			0	0.97	Medium
Infant Sleeps in Crib, Bassinet, or Play Yard	1.5	1.5	1	1.5			0	0.97	Medium
Infant Sleeps Without Objects in Bed	1.5	1.5	1	1.5			0	0.97	Medium
Adults who have had a Routine Checkup	0	0	1.5	1			1.5	0.88	Medium
Age-Adjusted Death Rate due to Coronary Heart Disease	1	1.5	1	1.5			0	0.88	Medium
Cervical Cancer Screening: 21-65	0	0	1.5	1			1.5	0.88	Medium
Colon Cancer Screening: USPSTF Recommendation	0	0	1.5	1			1.5	0.88	Medium
High Cholesterol Prevalence: Past 5 Years	0	0	1.5	1			1.5	0.88	Medium
Overcrowded Households	1	1.5	0	0			1.5	0.88	High
Age-Adjusted Death Rate due to Influenza and Pneumonia	0	1.5	0	1.5			1	0.82	Medium
Diabetes: Medicare Population	0	1	1	1			1	0.82	High
Food Environment Index	1	1	0	1			1	0.82	High
Ischemic Heart Disease: Medicare Population	0	1	1	1			1	0.82	High
Adults who Agree Vaccine Benefits Outweigh Possible Risks	0	0	1	1			1.5	0.79	High
Workers who Walk to Work	0	1	0	0			2	0.76	High
Persons with Health Insurance	0	0	1	1.5			1	0.74	High

Healthy Communities Institute Data Scoring Tool



County: Cuyahoga
Cuyahoga (Northeast Ohio)
Total indicators: 236
Thursday 2nd of May 2024 05:59:08 AM



Indicator	County Distribution		Value		Target		Trend	Score	Precision
	State	US	State	US	HP2030	Local			
Tobacco Use: Medicare Population	0	1.5	0	1			1	0.74	High
Child Care Centers	0	1.5	0	0			1.5	0.71	Medium
Solo Drivers with a Long Commute	1	1	2	0			0	0.71	High
Female Population 16+ in Civilian Labor Force	0	0	1	1			1	0.65	High
Mammography Screening: Medicare Population	0	0	1	1			1	0.65	High
Pneumonia Vaccinations: Medicare Population	0	0	0	0			2	0.59	High
Age-Adjusted Death Rate due to Chronic Lower Respiratory Diseases	0	1.5	0	1.5			0	0.53	Medium
Age-Adjusted Death Rate due to Heart Attack	0	1.5	0	1.5			0	0.53	Medium
Mothers who Smoked During Pregnancy	0	1.5	0	1.5			0	0.53	Medium
Per Capita Income	0	0	1	2			0	0.53	High
Workers who Drive Alone to Work	0	0	1	2			0	0.53	High
Flu Vaccinations: Medicare Population	0	0	1	0			1	0.47	High
Access to Exercise Opportunities	0	0	0	0			1.5	0.44	High
Primary Care Provider Rate	0	0	0	0			1.5	0.44	High
Adults Who Used Smokeless Tobacco: Past 30 Days	0	0	0	0			1	0.29	High
Dentist Rate	0	0	0	0			1	0.29	High
People 25+ with a Bachelor's Degree or Higher	0	0	0	1			0	0.18	High
Mental Health Provider Rate	0	0	0	0			0	0.00	High
Non-Physician Primary Care Provider Rate	0	0	0	0			0	0.00	High
Students Eligible for the Free Lunch Program	0	0	0	0			0	0.00	High

Healthy Communities Institute Data Scoring Tool



County: Cuyahoga
Cuyahoga (Northeast Ohio)
Total indicators: 236
Thursday 2nd of May 2024 05:59:50 AM

Topic	Indicators	Score
Other Conditions	6	1.95
Prevention & Safety	7	1.91
Economy	53	1.80
Sexually Transmitted Infections	3	1.79
Education	19	1.70
Mortality Data	27	1.67
Community	45	1.66
Older Adults	28	1.66
Wellness & Lifestyle	10	1.63
Cancer	18	1.59
Children's Health	14	1.59
Alcohol & Drug Use	7	1.56
Maternal, Fetal & Infant Health	24	1.51
Environmental Health	24	1.45
Diabetes	3	1.41
Respiratory Diseases	13	1.39
Mental Health & Mental Disorders	9	1.33
Heart Disease & Stroke	15	1.31
Women's Health	6	1.31
Nutrition & Healthy Eating	3	1.27
Oral Health	4	1.25
Tobacco Use	6	1.21
Immunizations & Infectious Diseases	10	1.19
Health Information Technology	6	1.16
Health Care Access & Quality	14	1.05
Physical Activity	6	1.01

Healthy Communities Institute
Data Scoring Tool

Scoring Results by Topic

County: Cuyahoga
Cuyahoga (Northeast Ohio)
Total Indicators: 236
Thursday 2nd of May 2024 05:59:08 AM

Topic Selection: Other Conditions
Topic Score: 3.95 *****

Other Conditions in Cuyahoga County

Indicator	County Distribution		Value		Target		Trend	Score	Precision	Disparity Exists
	State	US	State	US	HP2030	Local				
Age-Adjusted Death Rate due to Kidney Disease	3	1.5	3	1.5			3	2.47	Medium	N/A
Osteoporosis: Medicare Population	3	3	2	2			2	2.35	High	N/A
Adults with Arthritis	1	2	1.5	3			1.5	1.76	Medium	N/A
Adults with Kidney Disease	2	1	1.5	3			1.5	1.76	Medium	N/A
Chronic Kidney Disease: Medicare Population	2	2	2	2			1	1.71	High	N/A
Rheumatoid Arthritis or Osteoarthritis: Medicare Population	1	2	1	2			2	1.65	High	N/A

Healthy Communities Institute
Data Scoring Tool

Scoring Results by Topic

County: Cuyahoga
Cuyahoga (Northeast Ohio)
Total Indicators: 236
Thursday 2nd of May 2024 05:59:08 AM

Topic Selection: Prevention & Safety
Topic Score: 3.91 *****

Prevention & Safety in Cuyahoga County

Indicator	County Distribution		Value		Target		Trend	Score	Precision	Disparity Exists
	State	US	State	US	HP2030	Local				
Age-Adjusted Death Rate due to Motor Vehicle Collisions	1.5	1.5	3	3			3	2.47	Medium	Y
Age-Adjusted Death Rate due to Firearms	1.5	3	3	3			2	2.44	High	Y
Death Rate due to Drug Poisoning	2	3	2	3			1.5	2.21	High	N
Severe Housing Problems	3	3	3	1			0	1.76	High	N/A
Age-Adjusted Death Rate due to Unintentional Injuries	1	2	1	3			1.5	1.68	High	Y
Age-Adjusted Death Rate due to Unintentional Poisonings	2	1.5	1	1.5			2	1.65	Medium	N/A
Age-Adjusted Death Rate due to Falls	1	1.5	1	1.5			1	1.18	Medium	N/A

Healthy Communities Institute
Data Scoring Tool

Scoring Results by Topic

County: Cuyahoga
Cuyahoga (Northeast Ohio)
Total Indicators: 236
Thursday 2nd of May 2024 05:59:08 AM

Topic Selection: **Economy**
Topic Score: **3.8** *****

Economy in Cuyahoga County

Indicator	County Distribution		Value		Target		Trend	Score	Precision	Disparity Exists
	State	US	State	US	HP2030	Local				
People 65+ Living Below Poverty Level	3	2	3	3			3	2.82	High	Y
Total Employment Change	3	3	3	3			2	2.71	High	N/A
Child Food Insecurity Rate	3	3	3	3			1.5	2.56	High	N/A
Median Monthly Owner Costs for Households without a Mortgage	3	1.5	3	2			3	2.56	High	N/A
Adults with Disability Living in Poverty	3	3	3	3			1	2.41	High	N/A
Adult Day Care Spending-to-Income Ratio	3	3	3	1.5			1.5	2.29	Medium	N/A
College Tuition Spending-to-Income Ratio	3	3	3	1.5			1.5	2.29	Medium	N/A
Day Care Center and Preschool Spending-to-Income Ratio	3	3	3	1.5			1.5	2.29	Medium	N/A
Home Renter Spending-to-Income Ratio	3	3	3	1.5			1.5	2.29	Medium	N/A
Homeowner Spending-to-Income Ratio	3	3	3	1.5			1.5	2.29	Medium	N/A
Residential Segregation - Black/White	3	3	2	3			1	2.24	High	N/A
Income Inequality	3	3	2	2			1.5	2.21	High	N/A
Home Child Care Spending-to-Income Ratio	3	2	3	1.5			1.5	2.12	Medium	N/A
Student Loan Spending-to-Income Ratio	3	2	3	1.5			1.5	2.12	Medium	N/A
Vocational, Technical, and Other School Tuition Spending-to-Income Ratio	3	2	3	1.5			1.5	2.12	Medium	N/A
Households with Cash Public Assistance Income	2	2	3	3			1	2.06	High	N/A
Youth not in School or Working	2	2	3	3			1	2.06	High	N
Median Household Gross Rent	3	1.5	2	0			3	2.03	High	N/A
Children Living Below 200% of Poverty Level	1.5	2	3	3			1	1.97	High	N/A
Families Living Below 200% of Poverty Level	1.5	2	3	3			1	1.97	High	N/A
Children Living Below Poverty Level	3	2	3	3			0	1.94	High	Y
Families Living Below Poverty Level	3	2	3	3			0	1.94	High	Y
Homeownership	3	3	3	2			0	1.94	High	N/A
People 65+ Living Below Poverty Level (Count)	1.5	1.5	1.5	1.5			3	1.94	Low	N
People Living Below Poverty Level	3	2	3	3			0	1.94	High	Y
Food Insecurity Rate	2	2	2	3			1	1.88	High	N/A
Households Living Below Poverty Level	3	1.5	3	1.5			1	1.88	Medium	N/A
Adults who Feel Overwhelmed by Financial Burdens	2	2	2	2			1.5	1.85	High	N/A
Unemployed Workers in Civilian Labor Force	1	2	2	2			2	1.82	High	N/A
People 65+ Living Below 200% of Poverty Level	1.5	2	2	3			1	1.79	High	N/A
Median Household Income	2	2	3	3			0	1.76	High	Y
Severe Housing Problems	3	3	3	1			0	1.76	High	N/A
Utilities Spending-to-Income Ratio	2	2	2	1.5			1.5	1.76	Medium	N/A
Young Children Living Below Poverty Level	2	2	3	3			0	1.76	High	Y
Mortgaged Owners Median Monthly Household Costs	3	1.5	2	0			2	1.74	High	N/A
Renters Spending 30% or More of Household Income on Rent	3	2	2	1			1	1.71	High	Y
Size of Labor Force	1.5	1.5	1.5	1.5			2	1.65	Low	N/A
Health Insurance Spending-to-Income Ratio	2	1	2	1.5			1.5	1.59	Medium	N/A
Mortgaged Owners Spending 30% or More of Household Income on Housing	1.5	1	3	0			2	1.56	High	N/A
Households that are Above the Asset Limited, Income Constrained, Employed (ALICE) Threshold	2	1.5	2	1.5			1	1.53	Medium	N/A
Households with a Savings Account	1	1	2	2			1.5	1.5	High	N/A
People Living Below 200% of Poverty Level	1.5	2	2	3			0	1.5	High	N/A
Cigarette Spending-to-Income Ratio	1	1	2	1.5			1.5	1.41	Medium	N/A
Gasoline and Other Fuels Spending-to-Income Ratio	1	1	2	1.5			1.5	1.41	Medium	N/A
Median Household Income: Householders 65+	2	1	2	3			0	1.41	High	N/A
Households that are Asset Limited, Income Constrained, Employed (ALICE)	1	1.5	2	1.5			1	1.35	Medium	N/A
Gender Pay Gap	1.5	1	1	1			1.5	1.24	High	N/A
Homeowner Vacancy Rate	2	1	3	1			0	1.24	High	N/A
Population 16+ in Civilian Labor Force	1	1	2	2			0	1.06	High	N/A
Overcrowded Households	1	1.5	0	0			1.5	0.88	High	N/A
Female Population 16+ in Civilian Labor Force	0	0	1	1			1	0.65	High	N/A
Per Capita Income	0	0	1	2			0	0.53	High	Y
Students Eligible for the Free Lunch Program	0	0	0	0			0	0	High	N/A

Healthy Communities Institute
Data Scoring Tool

Scoring Results by Topic

County: Cuyahoga
Cuyahoga (Northeast Ohio)
Total Indicators: 236
Thursday 2nd of May 2024 05:59:08 AM

Topic Selection: Sexually Transmitted Infections
Topic Score: 1.79 *****

Sexually Transmitted Infections in Cuyahoga County

Indicator	County Distribution		Value		Target		Trend	Score	Precision	Disparity Exists
	State	US	State	US	HP2030	Local				
Age-Adjusted Death Rate due to HIV	1.5	1.5	3	1.5			2	1.91	Medium	N/A
Gonorrhea Incidence Rate	3	1.5	3	1.5			1	1.88	Medium	N/A
Chlamydia Incidence Rate	3	1.5	3	1.5			0	1.59	Medium	N/A

Healthy Communities Institute
Data Scoring Tool

Scoring Results by Topic

County: Cuyahoga
Cuyahoga (Northeast Ohio)
Total Indicators: 236
Thursday 2nd of May 2024 05:59:08 AM

Topic Selection: Education 1.7 *****

Education in Cuyahoga County

Indicator	County Distribution		Value		Target		Trend	Score	Precision	Disparity Exists
	State	US	State	US	HP2030	Local				
College Tuition Spending-to-Income Ratio	3	3	3	1.5			1.5	2.29	Medium	N/A
Day Care Center and Preschool Spending-to-Income Ratio	3	3	3	1.5			1.5	2.29	Medium	N/A
Student-to-Teacher Ratio	1	3	2	3			2	2.18	High	N/A
Home Child Care Spending-to-Income Ratio	3	2	3	1.5			1.5	2.12	Medium	N/A
Student Loan Spending-to-Income Ratio	3	2	3	1.5			1.5	2.12	Medium	N/A
Vocational, Technical, and Other School Tuition Spending-to-Income Ratio	3	2	3	1.5			1.5	2.12	Medium	N/A
High School Graduation	3	1.5	2	1.5			2	2	Medium	N/A
4th Grade Students Proficient in English/Language Arts	3	1.5	3	1.5			1	1.88	Medium	N/A
4th Grade Students Proficient in Math	3	1.5	3	1.5			1	1.88	Medium	N/A
8th Grade Students Proficient in Math	3	1.5	3	1.5			1	1.88	Medium	N/A
Children Served by Designated Ohio Healthy Programs (Count)	1.5	1.5	1.5	1.5			2	1.65	Low	N/A
Designated Ohio Healthy Programs (Count)	1.5	1.5	1.5	1.5			2	1.65	Low	N/A
Families Served by Designated Ohio Healthy Programs (Count)	1.5	1.5	1.5	1.5			2	1.65	Low	N/A
Family Engagement Activities Supported by Designated Ohio Healthy Programs (Count)	1.5	1.5	1.5	1.5			2	1.65	Low	N/A
Healthy Policies Adopted by Designated Ohio Healthy Programs (Count)	1.5	1.5	1.5	1.5			2	1.65	Low	N/A
8th Grade Students Proficient in English/Language Arts	3	1.5	2	1.5			0	1.41	Medium	N/A
People 25+ with a High School Diploma or Higher	2	1	2	1			0	1.06	High	Y
Child Care Centers	0	1.5	0	0			1.5	0.71	Medium	N/A
People 25+ with a Bachelor's Degree or Higher	0	0	0	1			0	0.18	High	Y

Healthy Communities Institute
Data Scoring Tool

Scoring Results by Topic

County: Cuyahoga
Cuyahoga (Northeast Ohio)
Total Indicators: 236
Thursday 2nd of May 2024 05:59:08 AM

Topic Selection: Mortality Data *****

Mortality Data in Cuyahoga County

Indicator	County Distribution		Value		Target		Trend	Score	Precision	Disparity Exists
	State	US	State	US	HP2030	Local				
Age-Adjusted Death Rate due to Prostate Cancer	3	3	3	3			2	2.71	High	Y
Alcohol-Impaired Driving Deaths	3	3	3	3			1.5	2.56	High	N/A
Age-Adjusted Death Rate due to Kidney Disease	3	1.5	3	1.5			3	2.47	Medium	N/A
Age-Adjusted Death Rate due to Motor Vehicle Collisions	1.5	1.5	3	3			3	2.47	Medium	Y
Age-Adjusted Death Rate due to Firearms	1.5	3	3	3			2	2.44	High	Y
Age-Adjusted Death Rate due to Homicide	1.5	1.5	3	1.5			3	2.21	Medium	N/A
Death Rate due to Drug Poisoning	2	3	2	3			1.5	2.21	High	N
Age-Adjusted Drug and Opioid-Involved Overdose Death Rate	2	3	1	3			1.5	2.03	High	Y
Premature Death	2	2	2	3			1.5	2.03	High	Y
Infant Mortality Rate	2	1.5	3	3			1	1.97	High	N/A
Age-Adjusted Death Rate due to HIV	1.5	1.5	3	1.5			2	1.91	Medium	N/A
Age-Adjusted Death Rate due to Breast Cancer	2	2	2	3			1	1.88	High	Y
Age-Adjusted Death Rate due to Cerebrovascular Disease (Stroke)	2	1.5	0	1.5			3	1.76	Medium	N/A
Age-Adjusted Death Rate due to Cancer	1	2	2	3			1	1.71	High	Y
Age-Adjusted Death Rate due to Unintentional Injuries	1	2	1	3			1.5	1.68	High	Y
Age-Adjusted Death Rate due to Unintentional Poisonings	2	1.5	1	1.5			2	1.65	Medium	N/A
Life Expectancy	1	2	1	2			1.5	1.5	High	Y
Age-Adjusted Death Rate due to Diabetes	0	1.5	0	1.5			3	1.41	Medium	N/A
Age-Adjusted Death Rate due to Lung Cancer	1	1	1	3			1	1.35	High	Y
Age-Adjusted Death Rate due to Colorectal Cancer	1	1	1	2			1	1.18	High	Y
Age-Adjusted Death Rate due to Falls	1	1.5	1	1.5			1	1.18	Medium	N/A
Age-Adjusted Death Rate due to Alzheimer's Disease	0	1.5	0	1.5			2	1.12	Medium	N/A
Age-Adjusted Death Rate due to Suicide	0	1.5	1	1.5			1	1	Medium	N/A
Age-Adjusted Death Rate due to Coronary Heart Disease	1	1.5	1	1.5			0	0.88	Medium	N/A
Age-Adjusted Death Rate due to Influenza and Pneumonia	0	1.5	0	1.5			1	0.82	Medium	N/A
Age-Adjusted Death Rate due to Chronic Lower Respiratory Diseases	0	1.5	0	1.5			0	0.53	Medium	N/A
Age-Adjusted Death Rate due to Heart Attack	0	1.5	0	1.5			0	0.53	Medium	N/A

Healthy Communities Institute
Data Scoring Tool

Scoring Results by Topic

County: Cuyahoga
Cuyahoga (Northeast Ohio)
Total Indicators: 236
Thursday 2nd of May 2024 05:59:08 AM

Topic Selection: Community
Topic Score: 1.66 *****

Community in Cuyahoga County

Indicator	County Distribution		Value		Target		Trend	Score	Precision	Disparity Exists
	State	US	State	US	HP2030	Local				
People 65+ Living Alone	3	3	3	3			3	3	High	N/A
Total Employment Change	3	3	3	3			2	2.71	High	N/A
Alcohol-impaired Driving Deaths	3	3	3	3			1.5	2.56	High	N/A
Children in Single-Parent Households	3	3	3	3			1.5	2.56	High	N/A
Median Monthly Owner Costs for Households without a Mortgage	3	1.5	3	2			3	2.56	High	N/A
Age-Adjusted Death Rate due to Motor Vehicle Collisions	1.5	1.5	3	3			3	2.47	Medium	Y
Age-Adjusted Death Rate due to Firearms Households without a Vehicle	1.5	3	3	3			2	2.44	High	Y
Households without a Vehicle	3	3	3	3			1	2.41	High	N/A
Social Associations	3	2	3	2			2	2.35	High	N/A
Adult Day Care Spending-to-Income Ratio	3	3	3	1.5			1.5	2.29	Medium	N/A
Day Care Center and Preschool Spending-to-Income Ratio	3	3	3	1.5			1.5	2.29	Medium	N/A
Residential Segregation - Black/White	3	3	2	3			1	2.24	High	N/A
Age-Adjusted Death Rate due to Homicide	1.5	1.5	3	1.5			3	2.21	Medium	N/A
Youth not in School or Working	2	2	3	3			1	2.06	High	N
Median Household Gross Rent	3	1.5	2	0			3	2.03	High	N/A
Children Living Below Poverty Level	3	2	3	3			0	1.94	High	Y
Homeownership	3	3	3	2			0	1.94	High	N/A
People 65+ Living Alone (Count)	1.5	1.5	1.5	1.5			3	1.94	Low	N/A
People Living Below Poverty Level	3	2	3	3			0	1.94	High	Y
Linguistic Isolation	3	3	3	0			1	1.88	High	N/A
Violent Crime Rate	3	1.5	3	1.5			1	1.88	Medium	N/A
Median Household Income	2	2	3	3			0	1.76	High	Y
Young Children Living Below Poverty Level	2	2	3	3			0	1.76	High	Y
Mortgaged Owners Median Monthly Household Costs	3	1.5	2	0			2	1.74	High	N/A
Voter Turnout: Presidential Election	3	1.5	2	1.5			1	1.71	Medium	N/A
Grandparents Who Are Responsible for Their Grandchildren	1	1.5	1	3			1.5	1.59	High	N/A
Households with a Computer	1	1	2	2			1.5	1.5	High	N/A
Gasoline and Other Fuels Spending-to-Income Ratio	1	1	2	1.5			1.5	1.41	Medium	N/A
Substantiated Child Abuse Rate	2	1.5	3	1.5			0	1.41	Medium	N/A
Workers Commuting by Public Transportation	0	0	0	3			3	1.41	High	Y
Adults with Internet Access	1	0	2	2			1.5	1.32	High	N/A
Households with an Internet Subscription	1	1	2	2			0	1.06	High	N/A
Households with One or More Types of Computing Devices	1	1	2	2			0	1.06	High	N/A
People 25+ with a High School Diploma or Higher	2	1	2	1			0	1.06	High	Y
Persons with an Internet Subscription	1	1	2	2			0	1.06	High	Y
Population 16+ in Civilian Labor Force	1	1	2	2			0	1.06	High	N/A
Mean Travel Time to Work	1	1	2	0			1	1	High	Y
Households with a Smartphone	0	0	1	2			1.5	0.97	High	N/A
Workers who Walk to Work	0	1	0	0			2	0.76	High	Y
Persons with Health Insurance	0	0	1	1.5			1	0.74	High	N
Solo Drivers with a Long Commute	1	1	2	0			0	0.71	High	N/A
Female Population 16+ in Civilian Labor Force	0	0	1	1			1	0.65	High	N/A
Per Capita Income	0	0	1	2			0	0.53	High	Y
Workers who Drive Alone to Work	0	0	1	2			0	0.53	High	Y
People 25+ with a Bachelor's Degree or Higher	0	0	0	1			0	0.18	High	Y

Healthy Communities Institute
Data Scoring Tool

Scoring Results by Topic

County: Cuyahoga
Cuyahoga (Northeast Ohio)
Total Indicators: 236
Thursday 2nd of May 2024 05:59:08 AM

Topic Selection: Older Adults
Topic Score: 1.66 *****

Older Adults in Cuyahoga County

Indicator	County Distribution		Value		Target		Trend	Score	Precision	Disparity Exists
	State	US	State	US	HP2030	Local				
People 65+ Living Alone	3	3	3	3			3	3	High	N/A
Prostate Cancer Incidence Rate	3	3	3	3			3	3	High	Y
People 65+ Living Below Poverty Level	3	2	3	3			3	2.82	High	Y
Cancer: Medicare Population	3	3	2	2			2	2.35	High	N/A
Osteoporosis: Medicare Population	3	3	2	2			2	2.35	High	N/A
Adult Day Care Spending-to-Income Ratio	3	3	3	1.5			1.5	2.29	Medium	N/A
Asthma: Medicare Population	2	2	3	1			2	2	High	N/A
Stroke: Medicare Population	2	2	3	1			2	2	High	N/A
People 65+ Living Alone (Count)	1.5	1.5	1.5	1.5			3	1.94	Low	N/A
People 65+ Living Below Poverty Level (Count)	1.5	1.5	1.5	1.5			3	1.94	Low	N
Adults 65+ who Received Recommended Preventive Services: Males	2	2	1.5	2			1.5	1.76	Medium	N/A
Adults 65+ with Total Tooth Loss	2	2	1.5	2			1.5	1.76	Medium	N/A
Chronic Kidney Disease: Medicare Population	2	2	2	2			1	1.71	High	N/A
Rheumatoid Arthritis or Osteoarthritis: Medicare Population	1	2	1	2			2	1.65	High	N/A
Hyperlipidemia: Medicare Population	1	2	1	1			2	1.47	High	N/A
Median Household Income: Householders 65+	2	1	2	3			0	1.41	High	N/A
Heart Failure: Medicare Population	1	2	1	2			1	1.35	High	N/A
Depression: Medicare Population	1	1	1	1			2	1.29	High	N/A
Hypertension: Medicare Population	0	1	1	2			2	1.29	High	N/A
Age-Adjusted Death Rate due to Falls	1	1.5	1	1.5			1	1.18	Medium	N/A
Alzheimer's Disease or Dementia: Medicare Population	2	1	1	1			1	1.18	High	N/A
Age-Adjusted Death Rate due to Alzheimer's Disease	0	1.5	0	1.5			2	1.12	Medium	N/A
Atrial Fibrillation: Medicare Population	0	1	1	1			2	1.12	High	N/A
COPD: Medicare Population	0	1	1	1			2	1.12	High	N/A
Adults 65+ who Received Recommended Preventive Services: Females	0	1	1.5	1			1.5	1.06	Medium	N/A
Diabetes: Medicare Population	0	1	1	1			1	0.82	High	N/A
Ischemic Heart Disease: Medicare Population	0	1	1	1			1	0.82	High	N/A
Mammography Screening: Medicare Population	0	0	1	1			1	0.65	High	N/A

Healthy Communities Institute
Data Scoring Tool

Scoring Results by Topic

County: Cuyahoga
Cuyahoga (Northeast Ohio)
Total Indicators: 236
Thursday 2nd of May 2024 05:59:08 AM

Topic Selection: Wellness & Lifestyle
Topic Score: 1.63 *****

Wellness & Lifestyle in Cuyahoga County

Indicator	County Distribution		Value		Target		Trend	Score	Precision	Disparity Exists
	State	US	State	US	HP2030	Local				
Insufficient Sleep	2	3	2	3			1.5	2.21	High	N/A
Poor Physical Health: Average Number of Days	2	2	3	3			1	2.06	High	N/A
Self-Reported General Health Assessment: Poor or Fair	2	2	1.5	3			1.5	1.94	Medium	N/A
Adults Who Frequently Used Quick Service Restaurants: Past 30 Days	3	3	2	2			0	1.76	High	N/A
Self-Reported General Health Assessment: Good or Better	1	1	2	2			2	1.65	High	N/A
High Blood Pressure Prevalence	1	1	1.5	3			1.5	1.59	Medium	N/A
Poor Physical Health: 14+ Days	1	1	1.5	3			1.5	1.59	Medium	N/A
Life Expectancy	1	2	1	2			1.5	1.5	High	Y
Adults who Follow a Regular Exercise Routine	0	1.5	1	2			1.5	1.24	Medium	N/A
Adults who Agree Vaccine Benefits Outweigh Possible Risks	0	0	1	1			1.5	0.79	High	N/A

Healthy Communities Institute
Data Scoring Tool

Scoring Results by Topic

County: Cuyahoga
Cuyahoga (Northeast Ohio)
Total Indicators: 236
Thursday 2nd of May 2024 05:59:08 AM

Topic Selection: Cancer
Topic Score: 1.59 *****

Cancer in Cuyahoga County

Indicator	County Distribution		Value		Target		Trend	Score	Precision	Disparity Exists
	State	US	State	US	HP2030	Local				
Prostate Cancer Incidence Rate	3	3	3	3			3	3	High	Y
Age-Adjusted Death Rate due to Prostate Cancer	3	3	3	3			2	2.71	High	Y
Breast Cancer Incidence Rate	3	3	2	2			2	2.35	High	N
Cancer: Medicare Population	3	3	2	2			2	2.35	High	N/A
Age-Adjusted Death Rate due to Breast Cancer	2	2	2	3			1	1.88	High	Y
Colorectal Cancer Incidence Rate	2	2	2	3			1	1.88	High	Y
All Cancer Incidence Rate	2	2	2	2			1.5	1.85	High	Y
Age-Adjusted Death Rate due to Cancer	1	2	2	3			1	1.71	High	Y
Age-Adjusted Death Rate due to Lung Cancer	1	1	1	3			1	1.35	High	Y
Lung and Bronchus Cancer Incidence Rate	1	1	1	3			1	1.35	High	Y
Oral Cavity and Pharynx Cancer Incidence Rate	1	1	1	1			2	1.29	High	Y
Adults with Cancer	0	1	1.5	2			1.5	1.24	Medium	N/A
Age-Adjusted Death Rate due to Colorectal Cancer	1	1	1	2			1	1.18	High	Y
Mammogram in Past 2 Years: 50-74	0	0	1.5	2			1.5	1.06	Medium	N/A
Cervical Cancer Incidence Rate	1.5	1	0	0			2	1.03	High	N
Cervical Cancer Screening: 21-65	0	0	1.5	1			1.5	0.88	Medium	N/A
Colon Cancer Screening: USPSTF Recommendation	0	0	1.5	1			1.5	0.88	Medium	N/A
Mammography Screening: Medicare Population	0	0	1	1			1	0.65	High	N/A

Healthy Communities Institute Data Scoring Tool

Scoring Results by Topic

County: Cuyahoga
 Cuyahoga (Northeast Ohio)
 Total Indicators: 236
 Thursday 2nd of May 2024 05:59:08 AM

Topic Selection: Children's Health
 Topic Score: 1.59 *****

Children's Health in Cuyahoga County

Indicator	County Distribution		Value		Target		Trend	Score	Precision	Disparity Exists
	State	US	State	US	HP2030	Local				
Child Food Insecurity Rate	3	3	3	3			1.5	2.56	High	N/A
Home Child Care Spending-to-Income Ratio	3	2	3	1.5			1.5	2.12	Medium	N/A
Children Served by Designated Ohio Healthy Programs (Count)	1.5	1.5	1.5	1.5			2	1.65	Low	N/A
Designated Ohio Healthy Programs (Count)	1.5	1.5	1.5	1.5			2	1.65	Low	N/A
Families Served by Designated Ohio Healthy Programs (Count)	1.5	1.5	1.5	1.5			2	1.65	Low	N/A
Family Engagement Activities Supported by Designated Ohio Healthy Programs (Count)	1.5	1.5	1.5	1.5			2	1.65	Low	N/A
Healthy Policies Adopted by Designated Ohio Healthy Programs (Count)	1.5	1.5	1.5	1.5			2	1.65	Low	N/A
Blood Lead Levels in Children (>=10 micrograms per deciliter)	1.5	1.5	3	1.5			1	1.62	Medium	N/A
Children with Health Insurance	1.5	2	2	1			1.5	1.59	High	N
Substantiated Child Abuse Rate	2	1.5	3	1.5			0	1.41	Medium	N/A
Blood Lead Levels in Children (>=10 micrograms per deciliter; Count)	1.5	1.5	1.5	1.5			1	1.35	Low	N/A
Blood Lead Levels in Children (>=5 micrograms per deciliter; Count)	1.5	1.5	1.5	1.5			1	1.35	Low	N/A
Blood Lead Levels in Children (>=5 micrograms per deciliter)	1.5	1.5	3	1.5			0	1.32	Medium	N/A
Child Care Centers	0	1.5	0	0			1.5	0.71	Medium	N/A

Healthy Communities Institute
Data Scoring Tool

Scoring Results by Topic

County: Cuyahoga
Cuyahoga (Northeast Ohio)
Total Indicators: 236
Thursday 2nd of May 2024 05:59:08 AM

Topic Selection: Alcohol & Drug Use *****

Alcohol & Drug Use in Cuyahoga County

Indicator	County Distribution		Value		Target		Trend	Score	Precision	Disparity Exists
	State	US	State	US	HP2030	Local				
Alcohol-impaired Driving Deaths	3	3	3	3	1.5		1.5	2.56	High	N/A
Death Rate due to Drug Poisoning	2	3	2	3	1.5		1.5	2.21	High	N
Age-Adjusted Drug and Opioid-Involved Overdose Death Rate	2	3	1	3	1.5		1.5	2.03	High	Y
Adults who Binge Drink	1	2	1.5	2	1.5		1.5	1.59	Medium	N/A
Adults who Drink Excessively	1	2	0	1	1		1	1	High	N/A
Liquor Store Density	1	0	3	0	1		1	1	High	N/A
Mothers who Smoked During Pregnancy	0	1.5	0	1.5	0		0	0.53	Medium	N/A

Healthy Communities Institute
Data Scoring Tool

Scoring Results by Topic

County: Cuyahoga
Cuyahoga (Northeast Ohio)
Total Indicators: 236
Thursday 2nd of May 2024 05:59:08 AM

Topic Selection: Maternal, Fetal & Infant Health
Topic Score: 1.51 *****

Maternal, Fetal & Infant Health in Cuyahoga County

Indicator	County Distribution		Value		Target		Trend	Score	Precision	Disparity Exists
	State	US	State	US	HP2030	Local				
Babies with Low Birthweight	3	1.5	3	1.5			2	2.18	Medium	N/A
Preterm Births	3	1.5	3	1.5			2	2.18	Medium	N/A
Teen Birth Rate: 15-17	2	1.5	3	1.5			2	2	Medium	N/A
Infant Mortality Rate	2	1.5	3	3			1	1.97	High	N/A
Gestational Hypertension	1.5	1.5	3	1.5			2	1.91	Medium	N
Pre-Pregnancy Diabetes	1.5	1.5	3	1.5			2	1.91	Medium	N
Stopped Breastfeeding Due to Resuming Work	1.5	1.5	3	1.5			2	1.91	Medium	N
Babies with Very Low Birthweight	3	1.5	3	1.5			1	1.88	Medium	N/A
Ever Breastfed New Infant	1.5	1.5	1	1.5			3	1.85	Medium	Y
Chronic Health Condition(s) During Pregnancy	1.5	1.5	2	1.5			2	1.74	Medium	Y
Pre-Pregnancy Hypertension	1.5	1.5	2	1.5			2	1.74	Medium	N
Gestational Diabetes	1.5	1.5	1	1.5			2	1.56	Medium	N
Prevalence of Unintended Pregnancy	1.5	1.5	2	1.5			1	1.44	Medium	Y
Pre-Pregnancy Depression	1.5	1.5	0	1.5			2	1.38	Medium	Y
Breastfeeding at 8 Weeks	1.5	1.5	1	1.5			1	1.26	Medium	Y
Infant Sleeps on Back	1.5	1.5	1	1.5			1	1.26	Medium	N
Mothers who Received Early Prenatal Care	1	1.5	1	1.5			1	1.18	Medium	N/A
Infant Sleeps Alone	1.5	1.5	2	1.5			0	1.15	Medium	N
Prevalence of Intended Pregnancy	1.5	1.5	2	1.5			0	1.15	Medium	Y
Gestational Depression	1.5	1.5	0	1.5			1	1.09	Medium	Y
Infant Sleeps Alone on Recommended Surface	1.5	1.5	1	1.5			0	0.97	Medium	N
Infant Sleeps in Crib, Bassinet, or Play Yard	1.5	1.5	1	1.5			0	0.97	Medium	Y
Infant Sleeps Without Objects in Bed	1.5	1.5	1	1.5			0	0.97	Medium	Y
Mothers who Smoked During Pregnancy	0	1.5	0	1.5			0	0.53	Medium	N/A