

CONDUENT HEALTHY COMMUNITIES INSTITUTE

Data Scoring Tool Report

High

Other, Two or More Races

County: Geauga

Report Date: 5/2/2024

Summary

Conduent HCl's Data Scoring Tool provides a systematic ranking of your county's indicators to help set priorities for community health improvement. To read more about this tool, please see the Data Scoring Tool Methodology document. The Data Scoring Tool Report's summary includes the topics that are considered significant health needs, and indicators for which significant disparities were identified for your county. Following this summary you will find the full Data Scoring Tool results, including all indicator scores, all topic scores, and the indicators within each topic area that are considered a significant health need. Please keep in mind that this report is a snapshot in time, and only reflects the data that are current on Healthy Northeast Ohio as of the date the Data Scoring Tool was run. The findings from the Data Scoring Tool should be used, along with other considerations, such as community input, when prioritizing the health needs of your county.

Topic Scores

All indicator scores are averaged by topic area, to allow for a higher-level ranking of community needs. Resulting scores range from 0-3, where a higher score indicates a greater level of need. Below are the topic areas with scores of 1.50 or higher in your county. This is the cutoff used for a topic area to be considered a significant health need. Please see the results section below for the indicators that make up each of these topic areas.

| Topic | Indicators | Score |
|------------------|------------|-------|
| Other Conditions | 6 | 1.52 |

Identified Disparities

The Data Scoring Tool allows for the identification of significant disparities that may exist by race/ethnicity, age, and gender. Below are the indicators where significant disparities were identified in your county

| | C | County Distribution | | Value | | | Target | | | | | | |
|----------------------------------------------------------|----------|----------------------------|--------------|-------|--------|-------|--------|----------|-----------|-------------------------------|------------|-------|--|
| Indicator | | State | US | State | US | HP20 | 30 Loc | al Trend | Score | Precision | | Age | |
| Workers who Walk to Work | | 2 | 2 | 3 | 3 | 1.5 | | 2 | 2.31 | High | 45-54, | 55-59 | |
| Persons with an Internet Subscription | | 3 | 2 | 2 | 2 | 1.5 | | 1 | 1.86 | High | <18 | | |
| People 25+ with a High School Diploma or Higher | | 2 | 1 | 2 | 1 | 1.5 | | 0 | 1.08 | High | 25-34 | | |
| Renters Spending 30% or More of Household Income on Rent | | 1 | 1 | 1 | 0 | 3 | | 1 | 0.94 | High | 65+ | | |
| Workers who Drive Alone to Work | | 0 | 0 | 1 | 2 | 1.5 | | 0 | 0.58 | High | 60-64 | | |
| People 25+ with a Bachelor's Degree or Higher | | 0 | 0 | 0 | 0 | 1.5 | | 1 | 0.36 | High | 65+ | | |
| People Living Below Poverty Level | | 0 | 0 | 0 | 0 | 0 | | 1 | 0.28 | High | 75+ | | |
| | | County D | Distribution | on | Value | | Tar | get | | | | | |
| Indicator | | State | US | St | ate | US | HP2030 | Local | Trend | Score P | recision | Gende | |
| Age-Adjusted Death Rate due to Cancer | | 0 | 0 | | 0 | 1 | 3 | | 1 | 0.61 | High | Male | |
| | County D | Distribution | Va | lue | Т | arget | | | | | | | |
| Indicator | State | US | State | US | HP2030 | Local | Trend | Score | Precision | | Race/Ethni | icity | |
| Persons with an Internet Subscription | 3 | 2 | 2 | 2 | 1.5 | | 1 | 1.86 | High | Hispanic/Latino | | | |
| People 25+ with a High School Diploma or Higher | 2 | 1 | 2 | 1 | 1.5 | | 0 | 1.08 | High | American Indian/Alaska Native | | | |
| People 65+ Living Below Poverty Level | 0 | 0 | 0 | 0 | 1.5 | | 3 | 0.92 | High | Other | | | |
| Workers who Drive Alone to Work | 0 | 0 | 1 | 2 | 1.5 | | 0 | 0.58 | High | American Indian | /Alaska Na | itive | |
| Workers who brive Alone to Work | | | | | | | | | | Other, Two or More Races | | | |
| Families Living Below Poverty Level | 0 | 0 | 0 | 0 | 1.5 | | 1 | 0.36 | High | Other, Two or M | lore Races | | |

Results

Per Capita Income

Median Household Income

The remaining pages of this report include the full Data Scoring Tool results for your county, including indicator scores, topic scores, and scoring results by topic for topics with scores of 1.50 or higher.



County: Geauga Cuyahoga (Northeast Ohio) Total indicators: 207 Thursday 2nd of May 2024 06:00:45 AM







| | | _ | | | | | | | | | |
|---------------------------------------------------------------------|---------------|-------------|-------------------|---------------|--------------|------------|-------|----------------|--|--|--|
| | | istribution | | alue | Target | | | | | | |
| Indicator | State | US | State | US | HP2030 Local | Trend | Score | Precisi | | | |
| Median Monthly Owner Costs for Households without a Mortgage | 3 | 1.5 | 3 | 3 | 1.5 | 3 | 2.67 | Mediu | | | |
| Mortgaged Owners Median Monthly Household Costs | 3 | 1.5 | 3 | 2 | 1.5 | 3 | 2.50 | Mediu | | | |
| Youth not in School or Working | 3 | 3 | 3 | 3 | 1.5 | 1.5 | 2.50 | High | | | |
| Student-to-Teacher Ratio | 2 | 3 | 3 | 3 | 1.5 | 2 | 2.47 | High | | | |
| Persons with Health Insurance | 3 | 2 | 2 | 1.5 | 2 | 3 | 2.36 | High | | | |
| Osteoporosis: Medicare Population | 3 | 3 | 2 | 2 | 1.5 | 2 | 2.31 | High | | | |
| Workers who Walk to Work | 2 | 2 | 3 | 3 | 1.5 | 2 | 2.31 | High | | | |
| Adults with Cancer | 3 | 3 | 1.5 | 3 | 1.5 | 1.5 | 2.25 | Mediu | | | |
| Dentist Rate | 1 | 1 | 3 | 3 | 1.5 | 3 | 2.25 | High | | | |
| Households without a Vehicle | 3 | 3 | 3 | 2 | 1.5 | 1 | 2.19 | High | | | |
| Non-Physician Primary Care Provider Rate | 3 | 3 | 3 | 3 | 1.5 | 0 | 2.08 | High | | | |
| Solo Drivers with a Long Commute | 3 | 3 | 3 | 3 | 1.5 | 0 | 2.08 | High | | | |
| Breast Cancer Incidence Rate | 3 | 3 | 2 | 2 | 1.5 | 1 | 2.03 | | | | |
| Mean Travel Time to Work | 3 | 2 | 3 | 2 | 1.5 | 1 | 2.03 | High | | | |
| | - | | | | | | | High | | | |
| Age-Adjusted Death Rate due to Motor Vehicle Collisions | 1.5 | 1.5 | 3 | 3 | 1.5 | 1.5 | 2.00 | Low | | | |
| Median Household Gross Rent | 3 | 1.5 | 2 | 0 | 1.5 | 3 | 2.00 | Mediu | | | |
| Obesity: Medicare Population | 1 | 1.5 | 1 | 3 | 1.5 | 3 | 2.00 | Mediu | | | |
| Stroke: Medicare Population | 2 | 2 | 3 | 1 | 1.5 | 2 | 1.97 | High | | | |
| Adults with Arthritis | 2 | 2 | 1.5 | 3 | 1.5 | 1.5 | 1.92 | Mediu | | | |
| Children with Health Insurance | 1.5 | 3 | 2 | 2 | 1.5 | 1.5 | 1.92 | Mediu | | | |
| Female Population 16+ in Civilian Labor Force | 1 | 1 | 2 | 2 | 1.5 | 3 | 1.92 | High | | | |
| High Cholesterol Prevalence: Past 5 Years | 3 | 2 | 1.5 | 2 | 1.5 | 1.5 | 1.92 | Mediu | | | |
| People 65+ Living Below Poverty Level (Count) | 1.5 | 1.5 | 1.5 | 1.5 | 1.5 | 3 | 1.92 | Low | | | |
| Persons without Health Insurance | 1.5 | 1.5 | 3 | 1.5 | 1.5 | 2 | 1.89 | Low | | | |
| Mothers who Received Early Prenatal Care | 3 | 1.5 | 3 | 1.5 | 1.5 | 1 | 1.86 | Medi | | | |
| Persons with an Internet Subscription | 3 | 2 | 2 | 2 | 1.5 | 1 | 1.86 | High | | | |
| | | | | | | | | _ | | | |
| Rheumatoid Arthritis or Osteoarthritis: Medicare Population | 2 | 2 | 1 | 2 | 1.5 | 2 | 1.81 | Higl | | | |
| Adults Who Used Smokeless Tobacco: Past 30 Days | 1 | 1 | 3 | 3 | 1.5 | 1 | 1.69 | Higl | | | |
| Mental Health Provider Rate | 1 | 1 | 3 | 3 | 1.5 | 1 | 1.69 | Higl | | | |
| Social Associations | 2 | 2 | 3 | 1 | 1.5 | 1 | 1.69 | Higl | | | |
| Age-Adjusted Death Rate due to Cerebrovascular Disease (Stroke) | 1 | 1.5 | 0 | 1.5 | 3 | 3 | 1.67 | Medi | | | |
| Atrial Fibrillation: Medicare Population | 1 | 2 | 1 | 2 | 1.5 | 2 | 1.64 | High | | | |
| Cancer: Medicare Population | 2 | 2 | 1 | 1 | 1.5 | 2 | 1.64 | High | | | |
| PBT Released | 1.5 | 1.5 | 1.5 | 1.5 | 1.5 | 2 | 1.64 | Lov | | | |
| People 65+ Living Alone (Count) | 1.5 | 1.5 | 1.5 | 1.5 | 1.5 | 2 | 1.64 | Low | | | |
| Size of Labor Force | 1.5 | 1.5 | 1.5 | 1.5 | 1.5 | 2 | 1.64 | Low | | | |
| Weeks of Moderate Drought or Worse | 1.5 | 1.5 | 1.5 | 1.5 | 1.5 | 2 | 1.64 | Lov | | | |
| | 1.5 | 2 | | 2 | | | | | | | |
| Adults 65+ who Received Recommended Preventive Services: Females | | | 1.5 | | 1.5 | 1.5 | 1.58 | Medi | | | |
| Adults Ever Diagnosed with Depression | 1 | 1 | 1.5 | 3 | 1.5 | 1.5 | 1.58 | Medi | | | |
| Adults who Binge Drink | 1 | 2 | 1.5 | 2 | 1.5 | 1.5 | 1.58 | Medi | | | |
| Adults who Experienced Coronary Heart Disease | 1 | 1 | 1.5 | 3 | 1.5 | 1.5 | 1.58 | Medi | | | |
| Adults with Health Insurance | 1.5 | 2 | 2 | 1 | 1.5 | 1.5 | 1.58 | Medi | | | |
| Access to Parks | 0 | 1.5 | 3 | 1.5 | 1.5 | 1.5 | 1.50 | Lov | | | |
| Mammogram in Past 2 Years: 50-74 | 1 | 1 | 1.5 | 2 | 3 | 1.5 | 1.50 | Medi | | | |
| All Cancer Incidence Rate | 1 | 1 | 1 | 2 | 1.5 | 2 | 1.47 | Hig | | | |
| Hyperlipidemia: Medicare Population | 1 | 2 | 1 | 1 | 1.5 | 2 | 1.47 | Hig | | | |
| Prostate Cancer Incidence Rate | 2 | 1 | 1 | 1 | 1.5 | 2 | 1.47 | Hig | | | |
| Overcrowded Households | 2 | 1.5 | 3 | 0 | 1.5 | 1 | 1.44 | Medi | | | |
| Workers Commuting by Public Transportation | 0 | 1.5 | 3 | 3 | 3 | 1 | 1.44 | Hig | | | |
| | | 1 | | 3 | | | | _ | | | |
| Adults with COPD | 0 | 1 | 1.5 | 9 | 1.5 | 1.5 | 1.42 | Medi | | | |
| Adults with Kidney Disease | 1 | 1 | 1.5 | 2 | 1.5 | 1.5 | 1.42 | Medi | | | |
| Age-Adjusted Death Rate due to Alzheimer's Disease | 0 | 1.5 | 0 | 1.5 | 1.5 | 3 | 1.42 | Medi | | | |
| Age-Adjusted Death Rate due to Diabetes | 0 | 1.5 | 0 | 1.5 | 1.5 | 3 | 1.42 | Medi | | | |
| Age-Adjusted Death Rate due to Suicide | 1 | 1.5 | 1 | 1.5 | 3 | 1.5 | 1.42 | Medi | | | |
| Colon Cancer Screening: USPSTF Recommendation | 1 | 1 | 1.5 | 2 | 1.5 | 1.5 | 1.42 | Medi | | | |
| Households with One or More Types of Computing Devices | 2 | 2 | 2 | 2 | 1.5 | 0 | 1.42 | Hig | | | |
| Income Inequality | 2 | 2 | 1 | 1 | 1.5 | 1 | 1.36 | Hig | | | |
| Number of Extreme Heat Days | 1.5 | 1.5 | 1.5 | 1.5 | 1.5 | 1 | 1.36 | Lov | | | |
| Adults who Smoke | 0 | 0 | 1.5 | 3 | 3 | 1.5 | 1.33 | Medi | | | |
| High Blood Pressure Prevalence | 0 | 1 | 1.5 | 3 | 0 | 1.5 | 1.33 | Medi | | | |
| = | 1 | | 0 | | | | | | | | |
| Age-Adjusted Death Rate due to Falls | 1 | 1.5 | | 1.5 | 1.5 | 2 | 1.31 | Medi | | | |
| Blood Lead Levels in Children (>=5 micrograms per deciliter) | 1 | 1.5 | 0 | 1.5 | 1.5 | 2 | 1.31 | Medi | | | |
| Daily Dose of UV Irradiance | 0 | 1.5 | 1 | 1.5 | 1.5 | 2 | 1.31 | Medi | | | |
| Houses Built Prior to 1950 | 0 | 2 | 0 | 2 | 1.5 | 2 | 1.31 | Hig | | | |
| Poor Mental Health: Average Number of Days | 0 | 1 | 1 | 2 | 1.5 | 2 | 1.31 | Hig | | | |
| Residential Segregation - Black/White | 1 | 2 | 0 | 1 | 1.5 | 2 | 1.31 | Hig | | | |
| Total Employment Change | 2 | 2 | 0 | 0 | 1.5 | 2 | 1.31 | Hig | | | |
| | 1 | 1 | 1 | 1 | 1.5 | 2 | 1.31 | Hig | | | |
| Unembloved Workers in Civilian Lapor Force | | | | | 1.5 | 1 | 1.28 | Lov | | | |
| Unemployed Workers in Civilian Labor Force Annual Ozone Air Quality | 1.5 | 1 | | | | | | | | | |
| Annual Ozone Air Quality | 1.5 | 1 | 1.5 | 1.5 | | | | | | | |
| | 1.5 0 1 | 1 1 1 | 1.5 1.5 1.5 | 1.5 2 1 | 1.5 1.5 | 1.5 1.5 | 1.25 | Medit Medit | | | |



County: Geauga Cuyahoga (Northeast Ohio) Total indicators: 207 Thursday 2nd of May 2024 06:00:45 AM







| | Ct D | t-auth-uat-u | Value | | - | | | | |
|------------------------------------------------------------------------|-------|-------------------|-------|-----|---------------|--------------|-------|-------|----------|
| Indicator | State | istribution US | State | US | Tar HP2030 | get Local | Trend | Score | Precisio |
| Insufficient Sleep | O | 1 | 1 | 2 | 3 | Local | 1.5 | 1.25 | High |
| Population 16+ in Civilian Labor Force | 0 | 0 | 1 | 1 | 1.5 | | 3 | 1.25 | High |
| People 65+ Living Below 200% of Poverty Level | 1.5 | 1 | 0 | 1 | 1.5 | | 2 | 1.22 | Mediu |
| | 2 | 1 | 1 | | 1.5 | | 1 | | |
| Alzheimer's Disease or Dementia: Medicare Population | | _ | 1 | 1 2 | | | | 1.19 | High |
| Primary Care Provider Rate | 0 | 1 | 2 | | 1.5 | | 1 | 1.19 | High |
| Access to Exercise Opportunities | 0 | 0 | 2 | 2 | 1.5 | | 1.5 | 1.17 | Mediu |
| Age-Adjusted Death Rate due to Coronary Heart Disease | 0 | 1.5 | 0 | 1.5 | 2 | | 2 | 1.17 | Mediu |
| Depression: Medicare Population | 1 | 1 | 1 | 1 | 1.5 | | 1.5 | 1.17 | High |
| Proximity to Highways | 1 | 1.5 | 0 | 1.5 | 1.5 | | 1.5 | 1.17 | Low |
| Age-Adjusted Death Rate due to Kidney Disease | 0 | 1.5 | 0 | 1.5 | 1.5 | | 2 | 1.14 | Mediu |
| Asthma: Medicare Population | 1 | 1 | 1 | 0 | 1.5 | | 2 | 1.14 | High |
| COPD: Medicare Population | 0 | 1 | 1 | 1 | 1.5 | | 2 | 1.14 | High |
| Hypertension: Medicare Population | 0 | 1 | 1 | 1 | 1.5 | | 2 | 1.14 | High |
| Teen Birth Rate: 15-17 | 0 | 1.5 | 0 | 1.5 | 1.5 | | 2 | 1.14 | Mediu |
| | 1.5 | 1.5 | 1 | | | | | | |
| Gender Pay Gap | 1.5 | 1 | 1 | 1 | 1.5 | | 1 | 1.11 | Mediu |
| Adults 20+ Who Are Obese | 0 | 1 | 1.5 | 1.5 | 0 | | 1.5 | 1.08 | Mediu |
| Adults who Drank Soft Drinks: Past 7 Days | 0 | 1.5 | 1 | 1 | 1.5 | | 1.5 | 1.08 | Mediui |
| Adults who Follow a Regular Exercise Routine | 0 | 1.5 | 1 | 1 | 1.5 | | 1.5 | 1.08 | Mediu |
| Adults with Current Asthma | 0 | 1 | 1.5 | 1 | 1.5 | | 1.5 | 1.08 | Mediu |
| Child Care Centers | 1 | 1.5 | 1 | 0 | 1.5 | | 1.5 | 1.08 | Mediu |
| Health Insurance Spending-to-Income Ratio | 0 | 1 | 1 | 1.5 | 1.5 | | 1.5 | 1.08 | Mediu |
| Homeowner Spending-to-Income Ratio | 1 | 1 | 0 | 1.5 | 1.5 | | 1.5 | 1.08 | Mediu |
| | | | | | | | | | |
| Households with an Internet Subscription | 1 | 1 | 2 | 2 | 1.5 | | 0 | 1.08 | High |
| Number of Extreme Precipitation Days | 1.5 | 1.5 | 1.5 | 1.5 | 1.5 | | 0 | 1.08 | Low |
| People 25+ with a High School Diploma or Higher | 2 | 1 | 2 | 1 | 1.5 | | 0 | 1.08 | High |
| Poor Physical Health: 14+ Days | 0 | 0 | 1.5 | 2 | 1.5 | | 1.5 | 1.08 | Mediu |
| Recognized Carcinogens Released into Air | 1.5 | 1.5 | 1.5 | 1.5 | 1.5 | | 0 | 1.08 | Low |
| Age-Adjusted Death Rate due to Prostate Cancer | 1 | 1 | 1 | 1 | 2 | | 1 | 1.06 | High |
| Adults 20+ with Diabetes | 0 | 1 | 1.5 | 1.5 | 1.5 | | 1 | 1.03 | Mediu |
| Adults who Drink Excessively | 1 | 2 | 0 | 1 | 1.5 | | 1 | 1.03 | High |
| | | | | | | | | | |
| High School Graduation | 0 | 1.5 | 1 | 1.5 | 1 | | 1 | 1.00 | Mediu |
| Adults with Health Insurance: 18+ | 0 | 0 | 1 | 1 | 1.5 | | 2 | 0.97 | High |
| Households with a Computer | 0 | 0 | 1 | 1 | 1.5 | | 2 | 0.97 | High |
| Self-Reported General Health Assessment: Good or Better | 0 | 0 | 1 | 1 | 1.5 | | 2 | 0.97 | High |
| Renters Spending 30% or More of Household Income on Rent | 1 | 1 | 1 | 0 | 3 | | 1 | 0.94 | High |
| Cervical Cancer Screening: 21-65 | 0 | 0 | 1.5 | 1 | 1.5 | | 1.5 | 0.92 | Mediu |
| Cholesterol Test History | 0 | 0 | 1.5 | 1 | 1.5 | | 1.5 | 0.92 | Mediu |
| College Tuition Spending-to-Income Ratio | 0 | 1 | 0 | 1.5 | 1.5 | | 1.5 | 0.92 | Mediu |
| | 0 | 0 | | 0 | 1.5 | | 3 | 0.92 | |
| People 65+ Living Below Poverty Level | 0 | 0 | 0 | | | | | | High |
| Poor Mental Health: 14+ Days | 0 | 0 | 1.5 | 1 | 1.5 | | 1.5 | 0.92 | Mediu |
| Preterm Births | 0 | 1.5 | 0 | 1.5 | 0 | | 1.5 | 0.92 | Mediu |
| Self-Reported General Health Assessment: Poor or Fair | 0 | 0 | 1.5 | 1 | 1.5 | | 1.5 | 0.92 | Mediu |
| Mothers who Smoked During Pregnancy | 0 | 1.5 | 0 | 1.5 | 2 | | 1 | 0.89 | Mediu |
| 4th Grade Students Proficient in English/Language Arts | 0 | 1.5 | 0 | 1.5 | 1.5 | | 1 | 0.86 | Mediu |
| 4th Grade Students Proficient in Math | 0 | 1.5 | 0 | 1.5 | 1.5 | | 1 | 0.86 | Mediu |
| 8th Grade Students Proficient in Math | 0 | 1.5 | 0 | 1.5 | 1.5 | | 1 | 0.86 | Mediu |
| | 0 | 0 | 1.5 | 1.5 | 1.5 | | 1 | 0.86 | Medic |
| Adults 20+ who are Sedentary | _ | | | | | | | | |
| Age-Adjusted Death Rate due to Heart Attack | 0 | 1.5 | 0 | 1.5 | 1.5 | | 1 | 0.86 | Medi |
| Age-Adjusted Death Rate due to Unintentional Poisonings | 0 | 1.5 | 0 | 1.5 | 1.5 | | 1 | 0.86 | Mediu |
| Alcohol-Impaired Driving Deaths | 1 | 1 | 0 | 1 | 1.5 | | 1 | 0.86 | High |
| Babies with Low Birthweight | 0 | 1.5 | 0 | 1.5 | 1.5 | | 1 | 0.86 | Mediu |
| Babies with Very Low Birthweight | 0 | 1.5 | 0 | 1.5 | 1.5 | | 1 | 0.86 | Mediu |
| Gonorrhea Incidence Rate | 0 | 1.5 | 0 | 1.5 | 1.5 | | 1 | 0.86 | Mediu |
| Heart Failure: Medicare Population | 0 | 1 | 1 | 1 | 1.5 | | 1 | 0.86 | High |
| Households Living Below Poverty Level | 0 | 1.5 | 0 | 1.5 | 1.5 | | 1 | 0.86 | Mediu |
| | | | | | | | | | |
| Households that are Above the Asset Limited, Income Constrained, Emplo | | 1.5 | 0 | 1.5 | 1.5 | | 1 | 0.86 | Mediu |
| Households that are Asset Limited, Income Constrained, Employed (ALICE | 0 | 1.5 | 0 | 1.5 | 1.5 | | 1 | 0.86 | Mediu |
| Ischemic Heart Disease: Medicare Population | 0 | 1 | 1 | 1 | 1.5 | | 1 | 0.86 | High |
| Linguistic Isolation | 2 | 1 | 0 | 0 | 1.5 | | 1 | 0.86 | High |
| Preventable Hospital Stays: Medicare Population | 1 | 1 | 0 | 1 | 1.5 | | 1 | 0.86 | High |
| Adults who Agree Vaccine Benefits Outweigh Possible Risks | 0 | 0 | 1 | 1 | 1.5 | | 1.5 | 0.83 | Mediu |
| Households with a Savings Account | 0 | 0 | 1 | 1 | 1.5 | | 1.5 | 0.83 | Medi |
| = | 0 | 0 | 4 | | | | | | |
| Households with a Smartphone | 0 | 0 | 1 | 1 | 1.5 | | 1.5 | 0.83 | High |
| Life Expectancy | 0 | 0 | 1 | 1 | 1.5 | | 1.5 | 0.83 | Medi |
| Age-Adjusted Death Rate due to Firearms | 1.5 | 0 | 0 | 0 | 0 | | 2 | 0.81 | Higl |
| Flu Vaccinations: Medicare Population | 0 | 0 | 1 | 0 | 1.5 | | 2 | 0.81 | High |
| Lung and Bronchus Cancer Incidence Rate | 0 | 0 | 0 | 1 | 1.5 | | 2 | 0.81 | High |
| Age-Adjusted Death Rate due to Breast Cancer | 0 | 1 | 0 | 1 | 3 | | 1 | 0.78 | High |
| Substantiated Child Abuse Rate | A | 1.5 | 0 | 1.5 | 0 | | 1 | 0.78 | Medi |
| Voter Turnout: Presidential Election | 0 | 1.5 | 0 | 1.5 | 0 | | 1 | 0.78 | Medic |
| | 0 | 1.3 | 0 | 1.5 | 0 | | 1 | 0.70 | ivieuit |
| Adult Day Care Spending-to-Income Ratio | 0 | 0 | 0 | 1.5 | 1.5 | | 1.5 | 0.75 | Mediu |



County: Geauga Cuyahoga (Northeast Ohio) Total indicators: 207 Thursday 2nd of May 2024 06:00:45 AM







| _ | | istribution | | alue | | get | | | |
|--------------------------------------------------------------------------|-------|-------------|-------|------|--------|-------|-------|-------|----------|
| Indicator | State | US | State | US | HP2030 | Local | Trend | Score | Precisio |
| Adults 65+ with Total Tooth Loss | 0 | 0 | 1.5 | 0 | 1.5 | | 1.5 | 0.75 | Mediur |
| Adults without Health Insurance | 0 | 0 | 1.5 | 0 | 1.5 | | 1.5 | 0.75 | Mediur |
| Cigarette Spending-to-Income Ratio | 0 | 0 | 0 | 1.5 | 1.5 | | 1.5 | 0.75 | Mediur |
| Day Care Center and Preschool Spending-to-Income Ratio | 0 | 0 | 0 | 1.5 | 1.5 | | 1.5 | 0.75 | Mediur |
| Gasoline and Other Fuels Spending-to-Income Ratio | 0 | 0 | 0 | 1.5 | 1.5 | | 1.5 | 0.75 | Mediu |
| Home Child Care Spending-to-Income Ratio | 0 | 0 | 0 | 1.5 | 1.5 | | 1.5 | 0.75 | Mediu |
| | 0 | 0 | 0 | | | | | | |
| Home Renter Spending-to-Income Ratio | 0 | 0 | 0 | 1.5 | 1.5 | | 1.5 | 0.75 | Mediu |
| Student Loan Spending-to-Income Ratio | 0 | 0 | 0 | 1.5 | 1.5 | | 1.5 | 0.75 | Mediu |
| Tobacco Use: Medicare Population | 0 | 1.5 | 0 | 0 | 1.5 | | 1.5 | 0.75 | Mediu |
| Utilities Spending-to-Income Ratio | 0 | 0 | 0 | 1.5 | 1.5 | | 1.5 | 0.75 | Mediu |
| Vocational, Technical, and Other School Tuition Spending-to-Income Ratic | 0 | 0 | 0 | 1.5 | 1.5 | | 1.5 | 0.75 | Mediu |
| Age-Adjusted Death Rate due to Lung Cancer | 0 | 0 | 0 | 0 | 3 | | 2 | 0.72 | High |
| Adults with Internet Access | 0 | 0 | 1 | 1 | 1.5 | | 1 | 0.69 | High |
| Mammography Screening: Medicare Population | 0 | 0 | 1 | 1 | 1.5 | | 1 | 0.69 | High |
| Poor Physical Health: Average Number of Days | 0 | 0 | 1 | 1 | 1.5 | | 1 | 0.69 | High |
| Severe Housing Problems | 1 | 1 | 0 | 0 | 1.5 | | 1 | 0.69 | High |
| Adults who Feel Overwhelmed by Financial Burdens | 0 | 1 | 0 | 1 | 1.5 | | 1.5 | 0.67 | Mediu |
| | | - | 0 | 1 | | | | | |
| Age-Adjusted Drug and Opioid-Involved Overdose Death Rate | 0 | 1 | 0 | 0 | 1.5 | | 1.5 | 0.67 | Mediu |
| Children Living Below Poverty Level | 0 | 0 | 0 | 0 | 1.5 | | 2 | 0.64 | High |
| Households with Cash Public Assistance Income | 0 | 0 | 0 | 0 | 1.5 | | 2 | 0.64 | High |
| Pneumonia Vaccinations: Medicare Population | 0 | 0 | 0 | 0 | 1.5 | | 2 | 0.64 | High |
| Young Children Living Below Poverty Level | 0 | 0 | 0 | 0 | 1.5 | | 2 | 0.64 | High |
| Age-Adjusted Death Rate due to Cancer | 0 | 0 | 0 | 1 | 3 | | 1 | 0.61 | High |
| Children Living Below 200% of Poverty Level | 1.5 | 0 | 0 | 0 | 1.5 | | 1 | 0.61 | Mediu |
| Grandparents Who Are Responsible for Their Grandchildren | 0 | 1.5 | 0 | 0 | 1.5 | | 1 | 0.61 | Mediu |
| People Living Below 200% of Poverty Level | 1.5 | 0 | 0 | 0 | 1.5 | | 1 | 0.61 | Medic |
| | 0 | | 0 | | | | | | |
| Violent Crime Rate | | 1.5 | 0 | 0 | 1.5 | | 1 | 0.61 | Medi |
| 8th Grade Students Proficient in English/Language Arts | 0 | 1.5 | 0 | 1.5 | 1.5 | | 0 | 0.58 | Mediu |
| Age-Adjusted Death Rate due to Chronic Lower Respiratory Diseases | 0 | 1.5 | 0 | 1.5 | 1.5 | | 0 | 0.58 | Mediu |
| Age-Adjusted Death Rate due to Colorectal Cancer | 0 | 0 | 0 | 0 | 3 | | 1.5 | 0.58 | High |
| Age-Adjusted Death Rate due to Influenza and Pneumonia | 0 | 1.5 | 0 | 1.5 | 1.5 | | 0 | 0.58 | Mediu |
| Chlamydia Incidence Rate | 0 | 1.5 | 0 | 1.5 | 1.5 | | 0 | 0.58 | Mediu |
| Workers who Drive Alone to Work | 0 | 0 | 1 | 2 | 1.5 | | 0 | 0.58 | High |
| Adults Who Frequently Used Quick Service Restaurants: Past 30 Days | 0 | 4 | 0 | 0 | 1.5 | | 1 | 0.53 | High |
| Chronic Kidney Disease: Medicare Population | 0 | 1 | 0 | 0 | 1.5 | | 1 | 0.53 | High |
| Colorectal Cancer Incidence Rate | 0 | 0 | 0 | 1 | 1.5 | | 1 | 0.53 | |
| | | - | 0 | 1 | | | | | High |
| Infant Mortality Rate | 0 | 1.5 | U | 0 | 0 | | 1 | 0.53 | High |
| Mortgaged Owners Spending 30% or More of Household Income on Hous | | 0 | 0 | 0 | 0 | | 1 | 0.53 | High |
| Tuberculosis Incidence Rate | 0 | 1.5 | 0 | 0 | 0 | | 1 | 0.53 | High |
| Adults Who Used Electronic Cigarettes: Past 30 Days | 0 | 0 | 0 | 0 | 1.5 | | 1.5 | 0.50 | Mediu |
| Adults who Visited a Dentist | 0 | 0 | 0 | 0 | 1.5 | | 1.5 | 0.50 | High |
| People 65+ Living Alone | 0 | 0 | 0 | 0 | 1.5 | | 1.5 | 0.50 | High |
| Premature Death | 0 | 0 | 0 | 0 | 1.5 | | 1.5 | 0.50 | Mediu |
| Death Rate due to Drug Poisoning | 0 | 0 | 0 | 0 | 0 | | 1.5 | 0.42 | High |
| | 0 | 0 | 0 | 0 | | | | | _ |
| Children in Single-Parent Households | 0 | 0 | 0 | U | 1.5 | | 1 | 0.36 | High |
| Diabetes: Medicare Population | 0 | 0 | 0 | 0 | 1.5 | | 1 | 0.36 | High |
| Families Living Below Poverty Level | 0 | 0 | 0 | 0 | 1.5 | | 1 | 0.36 | High |
| Food Environment Index | 0 | 0 | 0 | 0 | 1.5 | | 1 | 0.36 | Higl |
| Homeowner Vacancy Rate | 0 | 0 | 0 | 0 | 1.5 | | 1 | 0.36 | High |
| Homeownership | 0 | 0 | 0 | 0 | 1.5 | | 1 | 0.36 | High |
| Liquor Store Density | 0 | 0 | 0 | 0 | 1.5 | | 1 | 0.36 | High |
| People 25+ with a Bachelor's Degree or Higher | 0 | 0 | 0 | 0 | 1.5 | | 1 | 0.36 | Higl |
| Per Capita Income | 0 | 0 | 0 | 0 | 1.5 | | 1 | 0.36 | High |
| | 0 | 0 | 0 | _ | | | _ | | |
| Students Eligible for the Free Lunch Program | | - | 0 | 0 | 1.5 | | 1 | 0.36 | High |
| Families Living Below 200% of Poverty Level | 1.5 | 0 | 0 | 0 | 1.5 | | 0 | 0.33 | Medi |
| People Living Below Poverty Level | 0 | 0 | 0 | 0 | 0 | | 1 | 0.28 | Hig |
| Adults with Disability Living in Poverty | 0 | 0 | 0 | 0 | 1.5 | | 0 | 0.08 | Hig |
| Child Food Insecurity Rate | 0 | 0 | 0 | 0 | 1.5 | | 0 | 0.08 | Hig |
| Food Insecurity Rate | 0 | 0 | 0 | 0 | 1.5 | | 0 | 0.08 | Hig |
| Median Household Income | 0 | 0 | 0 | 0 | 1.5 | | 0 | 0.08 | High |
| | 0 | 0 | 0 | 0 | | | 0 | 0.08 | |
| Median Household Income: Householders 65+ | | U | 0 | U | 1.5 | | | | High |
| Oral Cavity and Pharynx Cancer Incidence Rate | 0 | 0 | 0 | 0 | 1.5 | | 0 | 0.08 | High |
| Age-Adjusted Death Rate due to Unintentional Injuries | | | | | | | 0 | 0.06 | High |



County: Geauga Cuyahoga (Northeast Ohio) Total indicators: 207 Thursday 2nd of May 2024 06:01:19 AM

| Topic | Indicators | Score |
|-------------------------------------|------------|-------|
| Other Conditions | 6 | 1.52 |
| Health Care Access & Quality | 14 | 1.46 |
| Heart Disease & Stroke | 15 | 1.33 |
| Physical Activity | 6 | 1.33 |
| Mental Health & Mental Disorders | 9 | 1.30 |
| Community | 44 | 1.20 |
| Older Adults | 28 | 1.18 |
| Women's Health | 5 | 1.18 |
| Health Information Technology | 6 | 1.14 |
| Environmental Health | 20 | 1.12 |
| Cancer | 17 | 1.09 |
| Maternal, Fetal & Infant Health | 7 | 1.01 |
| Children's Health | 6 | 0.99 |
| Respiratory Diseases | 13 | 0.98 |
| Tobacco Use | 6 | 0.97 |
| Wellness & Lifestyle | 10 | 0.95 |
| Diabetes | 3 | 0.94 |
| Education | 14 | 0.93 |
| Economy | 53 | 0.91 |
| Mortality Data | 25 | 0.91 |
| Oral Health | 4 | 0.90 |
| Prevention & Safety | 7 | 0.88 |
| Alcohol & Drug Use | 7 | 0.83 |
| Immunizations & Infectious Diseases | 8 | 0.78 |
| Nutrition & Healthy Eating | 3 | 0.66 |

Scoring Results by Topic

County: Geauga Cuyahoga (Northeast Ohio) Total indicators: 207

Thursday 2nd of May 2024 06:00:45 AM

Topic Selection:
Topic Score:
Other Conditions in Geauga County Other Conditions

| | County D | County Distribution | | Value | | Target | | | | |
|-------------------------------------------------------------|----------|---------------------|-------|-------|--------|--------|-------|-------|-----------|------------------|
| Indicator | State | US | State | US | HP2030 | Local | Trend | Score | Precision | Disparity Exists |
| Osteoporosis: Medicare Population | 3 | 3 | 2 | 2 | 1.5 | | 2 | 2.31 | High | N/A |
| Adults with Arthritis | 2 | 2 | 1.5 | 3 | 1.5 | | 1.5 | 1.92 | Medium | N/A |
| Rheumatoid Arthritis or Osteoarthritis: Medicare Population | 2 | 2 | 1 | 2 | 1.5 | | 2 | 1.81 | High | N/A |
| Adults with Kidney Disease | 1 | 1 | 1.5 | 2 | 1.5 | | 1.5 | 1.42 | Medium | N/A |
| Age-Adjusted Death Rate due to Kidney Disease | 0 | 1.5 | 0 | 1.5 | 1.5 | | 2 | 1.14 | Medium | N/A |
| Chronic Kidney Disease: Medicare Population | 0 | 1 | 0 | 0 | 1.5 | | 1 | 0.53 | High | N/A |