

County: Lorain

Report Date: 5/2/2024

**Summary**

Conduent HCI's Data Scoring Tool provides a systematic ranking of your county's indicators to help set priorities for community health improvement. To read more about this tool, please see the Data Scoring Tool Methodology document. The Data Scoring Tool Report's summary includes the topics that are considered significant health needs, and indicators for which significant disparities were identified for your county. Following this summary you will find the full Data Scoring Tool results, including all indicator scores, all topic scores, and the indicators within each topic area that are considered a significant health need. Please keep in mind that this report is a snapshot in time, and only reflects the data that are current on Healthy Northeast Ohio as of the date the Data Scoring Tool was run. The findings from the Data Scoring Tool should be used, along with other considerations, such as community input, when prioritizing the health needs of your county.

**Topic Scores**

All indicator scores are averaged by topic area, to allow for a higher-level ranking of community needs. Resulting scores range from 0-3, where a higher score indicates a greater level of need. Below are the topic areas with scores of 1.50 or higher in your county. This is the cutoff used for a topic area to be considered a significant health need. Please see the results section below for the indicators that make up each of these topic areas.

Topic	Indicators	Score
Alcohol & Drug Use	7	1.88
Other Conditions	6	1.86
Older Adults	28	1.78
Heart Disease & Stroke	15	1.72
Prevention & Safety	7	1.70
Maternal, Fetal & Infant Health	7	1.68
Education	14	1.60
Economy	53	1.55
Community	45	1.51

**Identified Disparities**

The Data Scoring Tool allows for the identification of significant disparities that may exist by race/ethnicity, age, and gender. Below are the indicators where significant disparities were identified in your county.

Indicator	County Distribution		Value		Target			Trend	Score	Precision	Age
	State	US	State	US	HP2030	Local					
Workers who Walk to Work	2	2	3	3	1.5			3	2.58	High	25-44, 45-54, 55-59
Children Living Below Poverty Level	2	2	2	3	1.5			1	1.86	High	<6
People Living Below Poverty Level	2	2	2	2	3			1	1.78	High	12-17, 18-24, 6-11, <6
Persons without Health Insurance	1.5	1.5	2	1.5	1.5			2	1.72	Low	35-44
Workers who Drive Alone to Work	1	2	2	3	1.5			0	1.42	High	55-59
Renters Spending 30% or More of Household Income on Rent	2	2	2	1	3			0	1.33	High	65+
People 25+ with a Bachelor's Degree or Higher	0	1	3	3	1.5			0	1.25	High	65+
Persons with an Internet Subscription	2	1	2	2	1.5			0	1.25	High	65+
People 25+ with a High School Diploma or Higher	1	1	2	1	1.5			0	0.92	High	65+

Indicator	County Distribution		Value		Target			Trend	Score	Precision	Gender
	State	US	State	US	HP2030	Local					
Age-Adjusted Drug and Opioid-Involved Overdose Death Rate	2	3	2	3	1.5			1.5	2.17	Medium	Male
Oral Cavity and Pharynx Cancer Incidence Rate	2	2	2	3	1.5			2	2.14	High	Male
All Cancer Incidence Rate	2	2	2	2	1.5			2	1.97	High	Male
Mean Travel Time to Work	2	2	2	1	1.5			2	1.81	High	Male
Age-Adjusted Death Rate due to Unintentional Injuries	2	2	1	3	3			1	1.78	High	Male
People Living Below Poverty Level	2	2	2	2	3			1	1.78	High	Female
Age-Adjusted Death Rate due to Lung Cancer	1	1	1	3	3			1	1.44	High	Male
Age-Adjusted Death Rate due to Cancer	1	1	1	2	3			1	1.28	High	Male
Age-Adjusted Death Rate due to Firearms	1.5	1	0	1	2			1	0.97	High	Male
People 25+ with a High School Diploma or Higher	1	1	2	1	1.5			0	0.92	High	Male

Indicator	County Distribution		Value		Target			Trend	Score	Precision	Race/Ethnicity
	State	US	State	US	HP2030	Local					
People 65+ Living Below Poverty Level	2	2	3	2	1.5			3	2.42	High	Asian, Black/African American, Hispanic/Latino, Other, Two or More Races
Young Children Living Below Poverty Level	2	2	3	3	1.5			1	2.03	High	Black/African American, Hispanic/Latino
Families Living Below Poverty Level	2	2	2	3	1.5			1.5	2.00	High	Black/African American, Hispanic/Latino, Other, Two or More Races
Workers Commuting by Public Transportation	0	1	3	3				2	1.89	High	Hispanic/Latino
Children Living Below Poverty Level	2	2	2	3	1.5			1	1.86	High	Black/African American, Hispanic/Latino, Two or More Races
People Living Below Poverty Level	2	2	2	2	3			1	1.78	High	More Races
Persons without Health Insurance	1.5	1.5	2	1.5	1.5			2	1.72	Low	Hispanic/Latino, Other
Adults with Health Insurance	1.5	1	2	1	1.5			1.5	1.42	Medium	Hispanic/Latino, Two or More Races
Workers who Drive Alone to Work	1	2	2	3	1.5			0	1.42	High	Native Hawaiian/Pacific Islander
Life Expectancy	1	1	1	2	1.5			1.5	1.33	Medium	Black/African American, non-Hispanic
Premature Death	1	1	1	2	1.5			1.5	1.33	Medium	Black/African American, non-Hispanic
People 25+ with a Bachelor's Degree or Higher	0	1	3	3	1.5			0	1.25	High	American Indian/Alaska Native, Black/African American, Other, Two or More Races
Persons with an Internet Subscription	2	1	2	2	1.5			0	1.25	High	Black/African American, Other
Median Household Income	1	1	1	3	1.5			0	1.08	High	Black/African American, Hispanic/Latino, Two or More Races
People 25+ with a High School Diploma or Higher	1	1	2	1	1.5			0	0.92	High	Black/African American
Per Capita Income	0	1	2	2	1.5			0	0.92	High	American Indian/Alaska Native, Black/African American, Hispanic/Latino, Other, Two or More Races
Age-Adjusted Death Rate due to Colorectal Cancer	0	1	0	1	3			1	0.78	High	Black/African American

**Results**

The remaining pages of this report include the full Data Scoring Tool results for your county, including indicator scores, topic scores, and scoring results by topic for topics with scores of 1.50 or higher.

# Healthy Communities Institute Data Scoring Tool



County: Lorain  
Cuyahoga (Northeast Ohio)  
Total Indicators: 210  
Thursday 2nd of May 2024 06:03:53 AM



Indicator	County Distribution		Value		Target		Trend	Score	Precision
	State	US	State	US	HP2030	Local			
Households with Cash Public Assistance Income	3	3	3	3	1.5		2	2.64	High
Stroke: Medicare Population	3	3	3	3	1.5		2	2.64	High
People 65+ Living Alone	2	3	2	3	1.5		3	2.58	High
Workers who Walk to Work	2	2	3	3	1.5		3	2.58	High
Atrial Fibrillation: Medicare Population	3	3	2	3	1.5		2	2.47	High
COPD: Medicare Population	2	3	3	3	1.5		2	2.47	High
Rheumatoid Arthritis or Osteoarthritis: Medicare Population	3	3	2	3	1.5		2	2.47	High
Babies with Low Birthweight	3	1.5	3	1.5	1.5		3	2.42	Medium
People 65+ Living Below Poverty Level	2	2	3	2	1.5		3	2.42	High
Obesity: Medicare Population	3	1.5	3	3	1.5		2	2.39	Medium
Alcohol-Impaired Driving Deaths	3	3	3	3	1.5		1	2.36	High
Chronic Kidney Disease: Medicare Population	3	3	3	3	1.5		1	2.36	High
Ischemic Heart Disease: Medicare Population	3	3	3	3	1.5		1	2.36	High
Preventable Hospital Stays: Medicare Population	3	3	3	3	1.5		1	2.36	High
Median Monthly Owner Costs for Households without a Mortgage	3	1.5	2	2	1.5		3	2.33	Medium
Breast Cancer Incidence Rate	3	3	2	2	1.5		2	2.31	High
Hyperlipidemia: Medicare Population	3	3	2	2	1.5		2	2.31	High
Student-to-Teacher Ratio	2	3	2	3	1.5		2	2.31	High
Daily Dose of UV Irradiance	3	1.5	2	1.5	1.5		3	2.25	Medium
Death Rate due to Drug Poisoning	2	3	2	3	3		1.5	2.25	High
Primary Care Provider Rate	1	1	3	3	1.5		3	2.25	High
Age-Adjusted Death Rate due to Breast Cancer	2	2	2	3	3		2	2.22	High
Children Living Below 200% of Poverty Level	1.5	2	3	3	1.5		2	2.22	Medium
Preterm Births	3	1.5	3	1.5	3		2	2.22	Medium
Age-Adjusted Drug and Opioid-Involved Overdose Death Rate	2	3	2	3	1.5		1.5	2.17	Medium
Adults who Drink Excessively	3	3	1	2	1.5		2	2.14	High
Age-Adjusted Death Rate due to Falls	3	1.5	3	1.5	1.5		2	2.14	Medium
Babies with Very Low Birthweight	3	1.5	3	1.5	1.5		2	2.14	Medium
Oral Cavity and Pharynx Cancer Incidence Rate	2	2	2	3	1.5		2	2.14	High
Prostate Cancer Incidence Rate	3	2	2	2	1.5		2	2.14	High
Social Associations	3	2	3	1	1.5		2	2.14	High
Adults with Arthritis	2	3	1.5	3	1.5		1.5	2.08	Medium
Age-Adjusted Death Rate due to Unintentional Poisonings	2	1.5	2	1.5	1.5		3	2.08	Medium
College Tuition Spending-to-Income Ratio	3	3	2	1.5	1.5		1.5	2.08	Medium
Day Care Center and Preschool Spending-to-Income Ratio	3	3	2	1.5	1.5		1.5	2.08	Medium
Homeowner Spending-to-Income Ratio	3	3	2	1.5	1.5		1.5	2.08	Medium
Grandparents Who Are Responsible for Their Grandchildren	2	1.5	2	3	1.5		2	2.06	Medium
Children in Single-Parent Households	3	2	2	3	1.5		1	2.03	High
Young Children Living Below Poverty Level	2	2	3	3	1.5		3	2.03	High
Age-Adjusted Death Rate due to Cerebrovascular Disease (Stroke)	2	1.5	1	1.5	3		3	2.00	Medium
Depression: Medicare Population	2	2	2	3	1.5		1.5	2.00	High
Families Living Below Poverty Level	2	2	2	3	1.5		1.5	2.00	High
4th Grade Students Proficient in English/Language Arts	3	1.5	2	1.5	1.5		2	1.97	Medium
All Cancer Incidence Rate	2	2	2	2	1.5		2	1.97	High
Asthma: Medicare Population	2	2	3	1	1.5		2	1.97	High
Hypertension: Medicare Population	2	2	2	2	1.5		2	1.97	High
Unemployed Workers in Civilian Labor Force	2	2	2	2	1.5		2	1.97	High
Adult Day Care Spending-to-Income Ratio	3	2	2	1.5	1.5		1.5	1.92	Medium
People 65+ Living Alone (Count)	1.5	1.5	1.5	1.5	1.5		3	1.92	Low
People 65+ Living Below Poverty Level (Count)	1.5	1.5	1.5	1.5	1.5		3	1.92	Low
Workers Commuting by Public Transportation	0	1	3	3	3		2	1.89	High
Children Living Below Poverty Level	2	2	2	3	1.5		1	1.86	High
4th Grade Students Proficient in Math	3	1.5	2	1.5	1.5		1.5	1.83	Medium
Adults who Smoke	1	2	1.5	3	3		1.5	1.83	Medium
Dentist Rate	1	1	3	3	1.5		1.5	1.83	High
Solo Drivers with a Long Commute	2	2	3	1	1.5		1.5	1.83	High
Households that are Asset Limited, Income Constrained, Employed (ALICE)	2	1.5	2	1.5	1.5		2	1.81	Medium
Mean Travel Time to Work	2	2	2	1	1.5		2	1.81	High
Severe Housing Problems	3	2	2	0	1.5		2	1.81	High
Age-Adjusted Death Rate due to Unintentional Injuries	2	2	1	3	3		1	1.78	High
People Living Below Poverty Level	2	2	2	2	3		1	1.78	High
Adults who Binge Drink	2	2	1.5	2	1.5		1.5	1.75	Medium
Adults who Experienced Coronary Heart Disease	1	2	1.5	3	1.5		1.5	1.75	Medium
Adults with COPD	1	2	1.5	3	1.5		1.5	1.75	Medium
Adults with Current Asthma	2	2	1.5	2	1.5		1.5	1.75	Medium
Age-Adjusted Death Rate due to Homicide	1.5	1.5	0	1.5	3		3	1.75	Medium
People Living Below 200% of Poverty Level	1.5	2	2	2	1.5		1.5	1.75	Medium
Mortgaged Owners Median Monthly Household Costs	3	1.5	2	0	1.5		2	1.72	Medium
Persons without Health Insurance	1.5	1.5	2	1.5	1.5		2	1.72	Low
Infant Mortality Rate	2	1.5	1	3	3		1	1.69	High
High Blood Pressure Prevalence	1	2	1.5	3	0		1.5	1.67	Medium
Income Inequality	3	2	1	1	1.5		1.5	1.67	High

# Healthy Communities Institute Data Scoring Tool



County: Lorain  
Cuyahoga (Northeast Ohio)  
Total Indicators: 210  
Thursday 2nd of May 2024 06:03:53 AM



Indicator	County Distribution		Value		Target		Trend	Score	Precision
	State	US	State	US	HP2030	Local			
Median Household Gross Rent	2	1.5	1	0	1.5		3	1.67	Medium
Cancer: Medicare Population	2	2	1	1	1.5		2	1.64	High
Female Population 16+ in Civilian Labor Force	1	1	2	2	1.5		2	1.64	High
Households that are Above the Asset Limited, Income Constrained, Emplo	1	1.5	2	1.5	1.5		2	1.64	Medium
Osteoporosis: Medicare Population	2	2	1	1	1.5		2	1.64	High
Recognized Carcinogens Released into Air	1.5	1.5	1.5	1.5	1.5		2	1.64	Low
Self-Reported General Health Assessment: Good or Better	1	1	2	2	1.5		2	1.64	High
Size of Labor Force	1.5	1.5	1.5	1.5	1.5		2	1.64	Low
Weeks of Moderate Drought or Worse	1.5	1.5	1.5	1.5	1.5		2	1.64	Low
Voter Turnout: Presidential Election	3	1.5	2	1.5	0		1	1.61	Medium
Adults with Cancer	1	1	1.5	3	1.5		1.5	1.58	Medium
Health Insurance Spending-to-Income Ratio	2	1	2	1.5	1.5		1.5	1.58	Medium
Home Renter Spending-to-Income Ratio	2	2	1	1.5	1.5		1.5	1.58	Medium
Non-Physician Primary Care Provider Rate	1	2	3	3	1.5		0	1.58	High
Poor Physical Health: 14+ Days	1	1	1.5	3	1.5		1.5	1.58	Medium
Self-Reported General Health Assessment: Poor or Fair	1	1	1.5	3	1.5		1.5	1.58	Medium
Utilities Spending-to-Income Ratio	2	1	2	1.5	1.5		1.5	1.58	Medium
Vocational, Technical, and Other School Tuition Spending-to-Income Ratic	2	1	2	1.5	1.5		1.5	1.58	Medium
Annual Particle Pollution	1.5	1	1.5	1.5	1.5		2	1.56	Low
People 65+ Living Below 200% of Poverty Level	1.5	2	1	1	1.5		2	1.56	Medium
Child Food Insecurity Rate	1	2	1	3	1.5		1	1.53	High
Food Insecurity Rate	1	2	1	3	1.5		1	1.53	High
Mortgaged Owners Spending 30% or More of Household Income on Hous	1.5	1	3	0	1		2	1.53	High
Poor Physical Health: Average Number of Days	1	1	2	3	1.5		1	1.53	High
Population 16+ in Civilian Labor Force	2	1	2	2	1.5		1	1.53	High
8th Grade Students Proficient in English/Language Arts	2	1.5	1	1.5	1.5		1.5	1.50	Medium
8th Grade Students Proficient in Math	2	1.5	1	1.5	1.5		1.5	1.50	Medium
Access to Parks	0	1.5	3	1.5	1.5		1.5	1.50	Low
Adults 20+ Who Are Obese	1	3	1.5	1.5	1		1	1.50	Medium
Households with a Computer	1	1	2	2	1.5		1.5	1.50	High
Households with a Smartphone	1	1	2	2	1.5		1.5	1.50	High
Proximity to Highways	3	1.5	0	1.5	1.5		1.5	1.50	Low
Age-Adjusted Death Rate due to Lung Cancer	1	1	1	3	3		1	1.44	High
Adults who Experienced a Stroke	1	1	1.5	2	1.5		1.5	1.42	Medium
Adults with Health Insurance	1.5	1	2	1	1.5		1.5	1.42	Medium
Adults with Kidney Disease	1	1	1.5	2	1.5		1.5	1.42	Medium
Age-Adjusted Death Rate due to Diabetes	0	1.5	0	1.5	1.5		3	1.42	Medium
Child Care Centers	2	1.5	2	0	1.5		1.5	1.42	Medium
Cigarette Spending-to-Income Ratio	1	1	2	1.5	1.5		1.5	1.42	Medium
Gasoline and Other Fuels Spending-to-Income Ratio	1	1	2	1.5	1.5		1.5	1.42	Medium
Insufficient Sleep	0	2	1	2	3		1.5	1.42	High
Mental Health Provider Rate	1	1	3	3	1.5		0	1.42	High
Student Loan Spending-to-Income Ratio	2	1	1	1.5	1.5		1.5	1.42	Medium
Workers who Drive Alone to Work	1	2	2	3	1.5		0	1.42	High
Substantiated Child Abuse Rate	1	1.5	1	1.5	0		2	1.39	Medium
Chlamydia Incidence Rate	3	1.5	0	1.5	1.5		1	1.36	Medium
Gonorrhea Incidence Rate	3	1.5	0	1.5	1.5		1	1.36	Medium
Heart Failure: Medicare Population	1	2	1	2	1.5		1	1.36	High
Linguistic Isolation	3	2	1	0	1.5		1	1.36	High
Liquor Store Density	2	1	3	0	1.5		1	1.36	High
Number of Extreme Heat Days	1.5	1.5	1.5	1.5	1.5		1	1.36	Low
Number of Extreme Heat Events	1.5	1.5	1.5	1.5	1.5		1	1.36	Low
Number of Extreme Precipitation Days	1.5	1.5	1.5	1.5	1.5		1	1.36	Low
High School Graduation	2	1.5	1	1.5	1		1	1.33	Medium
Households Living Below Poverty Level	1	1.5	1	1.5	1.5		1.5	1.33	Medium
Life Expectancy	1	1	1	2	1.5		1.5	1.33	Medium
Mammogram in Past 2 Years: 50-74	0	1	1.5	2	3		1.5	1.33	Medium
Overcrowded Households	1	1.5	0	0	1.5		3	1.33	Medium
Premature Death	1	1	1	2	1.5		1.5	1.33	Medium
Renters Spending 30% or More of Household Income on Rent	2	2	2	1	3		0	1.33	High
Poor Mental Health: Average Number of Days	0	1	1	2	1.5		2	1.31	High
Residential Segregation - Black/White	1	2	0	1	1.5		2	1.31	High
Total Employment Change	2	2	0	0	1.5		2	1.31	High
Age-Adjusted Death Rate due to Cancer	1	1	1	2	3		1	1.28	High
Cervical Cancer Incidence Rate	1.5	1	1	2	1.5		1	1.28	Medium
Children with Health Insurance	1.5	2	1	1	1.5		1	1.28	Medium
Families Living Below 200% of Poverty Level	1.5	2	1	1	1.5		1	1.28	Medium
Tobacco Use: Medicare Population	0	1.5	1	3	1.5		1	1.28	Medium
Adults 20+ with Diabetes	1	3	1.5	1.5	1.5		0	1.25	Medium
Adults Ever Diagnosed with Depression	0	1	1.5	2	1.5		1.5	1.25	Medium
Adults Who Frequently Used Quick Service Restaurants: Past 30 Days	2	3	1	1	1.5		0	1.25	High
Adults who Have Taken Medications for High Blood Pressure	1	1	1.5	1	1.5		1.5	1.25	Medium

# Healthy Communities Institute Data Scoring Tool



County: Lorain  
Cuyahoga (Northeast Ohio)  
Total Indicators: 210  
Thursday 2nd of May 2024 06:03:53 AM



Indicator	County Distribution		Value		Target		Trend	Score	Precision
	State	US	State	US	HP2030	Local			
Adults without Health Insurance	2	1	1.5	0	1.5		1.5	1.25	Medium
Age-Adjusted Death Rate due to Chronic Lower Respiratory Diseases	1	1.5	3	1.5	1.5		0	1.25	Medium
Cervical Cancer Screening: 21-65	0	1	1.5	2	1.5		1.5	1.25	Medium
Cholesterol Test History	0	1	1.5	2	1.5		1.5	1.25	Medium
High Cholesterol Prevalence: Past 5 Years	1	1	1.5	1	1.5		1.5	1.25	Medium
Home Child Care Spending-to-Income Ratio	1	1	1	1.5	1.5		1.5	1.25	Medium
Households with an Internet Subscription	2	1	2	2	1.5		0	1.25	High
People 25+ with a Bachelor's Degree or Higher	0	1	3	3	1.5		0	1.25	High
Persons with an Internet Subscription	2	1	2	2	1.5		0	1.25	High
Poor Mental Health: 14+ Days	0	1	1.5	2	1.5		1.5	1.25	Medium
Age-Adjusted Death Rate due to Coronary Heart Disease	0	1.5	0	1.5	3		2	1.22	Medium
Adults 20+ who are Sedentary	0	2	1.5	1.5	1.5		1	1.19	Medium
Age-Adjusted Death Rate due to Kidney Disease	1	1.5	1	1.5	1.5		1	1.19	Medium
Houses Built Prior to 1950	0	2	0	3	1.5		1	1.19	High
Median Household Income: Householders 65+	1	1	1	2	1.5		1	1.19	High
Teen Birth Rate: 15-17	1	1.5	1	1.5	1.5		1	1.19	Medium
Violent Crime Rate	2	1.5	0	1.5	1.5		1	1.19	Medium
Adults who Feel Overwhelmed by Financial Burdens	1	1	1	1	1.5		1.5	1.17	Medium
Adults Who Used Electronic Cigarettes: Past 30 Days	1	1	1	1	1.5		1.5	1.17	Medium
Age-Adjusted Death Rate due to Suicide	1	1.5	2	1.5	3		0	1.17	Medium
Households with a Savings Account	0	1	1	2	1.5		1.5	1.17	Medium
Mothers who Smoked During Pregnancy	1	1.5	2	1.5	3		0	1.17	Medium
Annual Ozone Air Quality	1.5	0	1.5	1.5	1.5		1	1.11	Low
Adults who Drank Soft Drinks: Past 7 Days	0	1.5	1	1	1.5		1.5	1.08	Medium
Adults who Follow a Regular Exercise Routine	0	1.5	1	1	1.5		1.5	1.08	Medium
Adults with Disability Living in Poverty	1	2	1	2	1.5		0	1.08	High
Colon Cancer Screening: USPTF Recommendation	0	1	1.5	1	1.5		1.5	1.08	Medium
Lung and Bronchus Cancer Incidence Rate	1	1	1	3	1.5		0	1.08	High
Median Household Income	1	1	1	3	1.5		0	1.08	High
Youth not in School or Working	2	2	1	1	1.5		0	1.08	High
Blood Lead Levels in Children (>=5 micrograms per deciliter)	1	1.5	0	1.5	1.5		1	1.03	Medium
Diabetes: Medicare Population	0	1	1	2	1.5		1	1.03	High
Students Eligible for the Free Lunch Program	1	0	3	0	1.5		1	1.03	High
Adults with Health Insurance: 18+	0	0	1	1	1.5		2	0.97	High
Age-Adjusted Death Rate due to Firearms	1.5	1	0	1	2		1	0.97	High
Adults 65+ who Received Recommended Preventive Services: Females	0	0	1.5	1	1.5		1.5	0.92	Medium
Adults 65+ who Received Recommended Preventive Services: Males	0	0	1.5	1	1.5		1.5	0.92	Medium
Adults 65+ with Total Tooth Loss	0	1	1.5	0	1.5		1.5	0.92	Medium
Adults who have had a Routine Checkup	0	0	1.5	1	1.5		1.5	0.92	Medium
Alzheimer's Disease or Dementia: Medicare Population	2	1	1	1	1.5		0	0.92	High
Mothers who Received Early Prenatal Care	1	1.5	1	1.5	1.5		0	0.92	Medium
People 25+ with a High School Diploma or Higher	1	1	2	1	1.5		0	0.92	High
Per Capita Income	0	1	2	2	1.5		0	0.92	High
Adults Who Used Smokeless Tobacco: Past 30 Days	0	0	1	2	1.5		1	0.86	High
Age-Adjusted Death Rate due to Alzheimer's Disease	0	1.5	0	1.5	1.5		1	0.86	Medium
Age-Adjusted Death Rate due to Heart Attack	0	1.5	0	1.5	1.5		1	0.86	Medium
Age-Adjusted Death Rate due to Motor Vehicle Collisions	1.5	1.5	0	0	1.5		1	0.86	Medium
Food Environment Index	1	1	0	1	1.5		1	0.86	High
Tuberculosis Incidence Rate	2	1.5	0	0	0		1	0.86	High
Adults who Agree Vaccine Benefits Outweigh Possible Risks	0	0	1	1	1.5		1.5	0.83	Medium
Adults who Visited a Dentist	0	0	1	1	1.5		1.5	0.83	High
Adults with Internet Access	0	0	1	1	1.5		1.5	0.83	High
Age-Adjusted Death Rate due to Colorectal Cancer	0	1	0	1	3		1	0.78	High
Age-Adjusted Death Rate due to Influenza and Pneumonia	1	1.5	0	1.5	1.5		0	0.75	Medium
Persons with Health Insurance	0	0	1	1.5	1		1	0.75	High
Pneumonia Vaccinations: Medicare Population	0	0	0	0	1.5		2	0.64	High
Gender Pay Gap	1.5	0	0	0	1.5		1	0.61	Medium
Homeowner Vacancy Rate	1	1	1	0	1.5		0	0.58	High
Households with One or More Types of Computing Devices	0	0	1	2	1.5		0	0.58	High
Households without a Vehicle	1	2	0	0	1.5		0	0.58	High
Flu Vaccinations: Medicare Population	0	0	1	0	1.5		1	0.53	High
Mammography Screening: Medicare Population	0	0	1	0	1.5		1	0.53	High
Access to Exercise Opportunities	0	0	0	0	1.5		1.5	0.50	Medium
Age-Adjusted Death Rate due to Prostate Cancer	0	0	0	0	1		1	0.33	High
Colorectal Cancer Incidence Rate	0	0	0	1	1.5		0	0.25	High
Homeownership	1	0	0	0	1.5		0	0.25	High

# Healthy Communities Institute Data Scoring Tool



County: Lorain  
Cuyahoga (Northeast Ohio)  
Total indicators: 210  
Thursday 2nd of May 2024 06:04:33 AM

Topic	Indicators	Score
Alcohol & Drug Use	7	1.88
Other Conditions	6	1.86
Older Adults	28	1.78
Heart Disease & Stroke	15	1.72
Prevention & Safety	7	1.70
Maternal, Fetal & Infant Health	7	1.68
Education	14	1.60
Economy	53	1.55
Community	45	1.51
Women's Health	6	1.49
Health Care Access & Quality	14	1.44
Mortality Data	26	1.44
Respiratory Diseases	13	1.44
Environmental Health	21	1.43
Oral Health	4	1.43
Physical Activity	6	1.39
Wellness & Lifestyle	10	1.39
Cancer	18	1.37
Children's Health	6	1.31
Mental Health & Mental Disorders	9	1.31
Tobacco Use	6	1.27
Diabetes	3	1.23
Health Information Technology	6	1.15
Nutrition & Healthy Eating	3	1.06
Immunizations & Infectious Diseases	9	0.99

Healthy Communities Institute  
Data Scoring Tool

Scoring Results by Topic

County: Lorain  
Cuyahoga (Northeast Ohio)  
Total Indicators: 210  
Thursday 2nd of May 2024 06:03:53 AM

Topic Selection: Alcohol & Drug Use \*\*\*\*\*

Alcohol & Drug Use in Lorain County

Indicator	County Distribution		Value		Target		Trend	Score	Precision	Disparity Exists
	State	US	State	US	HP2030	Local				
Alcohol-impaired Driving Deaths	3	3	3	3	1.5		1	2.36	High	N/A
Death Rate due to Drug Poisoning	2	3	2	3	3		1.5	2.25	High	N
Age-Adjusted Drug and Opioid-Involved Overdose Death Rate	2	3	2	3	1.5		1.5	2.17	Medium	Y
Adults who Drink Excessively	3	3	1	2	1.5		2	2.14	High	N/A
Adults who Binge Drink	2	2	1.5	2	1.5		1.5	1.75	Medium	N/A
Liquor Store Density	2	1	3	0	1.5		1	1.36	High	N/A
Mothers who Smoked During Pregnancy	1	1.5	2	1.5	3		0	1.17	Medium	N/A

Healthy Communities Institute  
Data Scoring Tool

Scoring Results by Topic

County: Lorain  
Cuyahoga (Northeast Ohio)  
Total Indicators: 210  
Thursday 2nd of May 2024 06:03:53 AM

Topic Selection: Other Conditions  
Topic Score: 3.86 \*\*\*\*\*

Other Conditions in Lorain County

Indicator	County Distribution		Value		Target		Trend	Score	Precision	Disparity Exists
	State	US	State	US	HP2030	Local				
Rheumatoid Arthritis or Osteoarthritis: Medicare Population	3	3	2	3	1.5		2	2.47	High	N/A
Chronic Kidney Disease: Medicare Population	3	3	3	3	1.5		1	2.36	High	N/A
Adults with Arthritis	2	3	1.5	3	1.5		1.5	2.08	Medium	N/A
Osteoporosis: Medicare Population	2	2	1	1	1.5		2	1.64	High	N/A
Adults with Kidney Disease	1	1	1.5	2	1.5		1.5	1.42	Medium	N/A
Age-Adjusted Death Rate due to Kidney Disease	1	1.5	1	1.5	1.5		1	1.19	Medium	N/A

Healthy Communities Institute  
Data Scoring Tool

Scoring Results by Topic

County: Lorain  
Cuyahoga (Northeast Ohio)  
Total Indicators: 210  
Thursday 2nd of May 2024 06:03:53 AM

Topic Selection: Older Adults  
Topic Score: 3.78 \*\*\*\*\*

Older Adults in Lorain County

Indicator	County Distribution		Value		Target		Trend	Score	Precision	Disparity Exists
	State	US	State	US	HP2030	Local				
Stroke: Medicare Population	3	3	3	3	1.5		2	2.64	High	N/A
People 65+ Living Alone	2	3	2	3	1.5		3	2.58	High	N/A
Atrial Fibrillation: Medicare Population	3	3	2	3	1.5		2	2.47	High	N/A
COPD: Medicare Population	2	3	3	3	1.5		2	2.47	High	N/A
Rheumatoid Arthritis or Osteoarthritis: Medicare Population	3	3	2	3	1.5		2	2.47	High	N/A
People 65+ Living Below Poverty Level	2	2	3	2	1.5		3	2.42	High	Y
Chronic Kidney Disease: Medicare Population	3	3	3	3	1.5		1	2.36	High	N/A
Ischemic Heart Disease: Medicare Population	3	3	3	3	1.5		1	2.36	High	N/A
Hyperlipidemia: Medicare Population	3	3	2	2	1.5		2	2.31	High	N/A
Age-Adjusted Death Rate due to Falls	3	1.5	3	1.5	1.5		2	2.14	Medium	N/A
Prostate Cancer Incidence Rate	3	2	2	2	1.5		2	2.14	High	N
Depression: Medicare Population	2	2	2	3	1.5		1.5	2	High	N/A
Asthma: Medicare Population	2	2	3	1	1.5		2	1.97	High	N/A
Hypertension: Medicare Population	2	2	2	2	1.5		2	1.97	High	N/A
Adult Day Care Spending-to-Income Ratio	3	2	2	1.5	1.5		1.5	1.92	Medium	N/A
People 65+ Living Alone (Count)	1.5	1.5	1.5	1.5	1.5		3	1.92	Low	N/A
People 65+ Living Below Poverty Level (Count)	1.5	1.5	1.5	1.5	1.5		3	1.92	Low	N
Cancer: Medicare Population	2	2	1	1	1.5		2	1.64	High	N/A
Osteoporosis: Medicare Population	2	2	1	1	1.5		2	1.64	High	N/A
Heart Failure: Medicare Population	1	2	1	2	1.5		1	1.36	High	N/A
Median Household Income: Householders 65+	1	1	1	2	1.5		1	1.19	High	N/A
Diabetes: Medicare Population	0	1	1	2	1.5		1	1.03	High	N/A
Adults 65+ who Received Recommended Preventive Services: Females	0	0	1.5	1	1.5		1.5	0.92	Medium	N/A
Adults 65+ who Received Recommended Preventive Services: Males	0	0	1.5	1	1.5		1.5	0.92	Medium	N/A
Adults 65+ with Total Tooth Loss	0	1	1.5	0	1.5		1.5	0.92	Medium	N/A
Alzheimer's Disease or Dementia: Medicare Population	2	1	1	1	1.5		0	0.92	High	N/A
Age-Adjusted Death Rate due to Alzheimer's Disease	0	1.5	0	1.5	1.5		1	0.86	Medium	N/A
Mammography Screening: Medicare Population	0	0	1	0	1.5		1	0.53	High	N/A



Healthy Communities Institute  
Data Scoring Tool

Scoring Results by Topic

County: Lorain  
Cuyahoga (Northeast Ohio)  
Total Indicators: 210  
Thursday 2nd of May 2024 06:03:53 AM

Topic Selection: Heart Disease & Stroke  
Topic Score: 3.72 \*\*\*\*\*

Heart Disease & Stroke in Lorain County

Indicator	County Distribution		Value		Target		Trend	Score	Precision	Disparity Exists
	State	US	State	US	HP2030	Local				
Stroke: Medicare Population	3	3	3	3	1.5		2	2.64	High	N/A
Atrial Fibrillation: Medicare Population	3	3	2	3	1.5		2	2.47	High	N/A
Ischemic Heart Disease: Medicare Population	3	3	3	3	1.5		1	2.36	High	N/A
Hyperlipidemia: Medicare Population	3	3	2	2	1.5		2	2.31	High	N/A
Age-Adjusted Death Rate due to Cerebrovascular Disease (Stroke)	2	1.5	1	1.5	3		3	2	Medium	N/A
Hypertension: Medicare Population	2	2	2	2	1.5		2	1.97	High	N/A
Adults who Experienced Coronary Heart Disease	1	2	1.5	3	1.5		1.5	1.75	Medium	N/A
High Blood Pressure Prevalence	1	2	1.5	3	0		1.5	1.67	Medium	N/A
Adults who Experienced a Stroke	1	1	1.5	2	1.5		1.5	1.42	Medium	N/A
Heart Failure: Medicare Population	1	2	1	2	1.5		1	1.36	High	N/A
Adults who Have Taken Medications for High Blood Pressure	1	1	1.5	1	1.5		1.5	1.25	Medium	N/A
Cholesterol Test History	0	1	1.5	2	1.5		1.5	1.25	Medium	N/A
High Cholesterol Prevalence: Past 5 Years	1	1	1.5	1	1.5		1.5	1.25	Medium	N/A
Age-Adjusted Death Rate due to Coronary Heart Disease	0	1.5	0	1.5	3		2	1.22	Medium	N/A
Age-Adjusted Death Rate due to Heart Attack	0	1.5	0	1.5	1.5		1	0.86	Medium	N/A

Healthy Communities Institute  
Data Scoring Tool

Scoring Results by Topic

County: Lorain  
Cuyahoga (Northeast Ohio)  
Total Indicators: 210  
Thursday 2nd of May 2024 06:03:53 AM

Topic Selection: Prevention & Safety \*\*\*\*\*

Prevention & Safety in Lorain County

Indicator	County Distribution		Value		Target		Trend	Score	Precision	Disparity Exists
	State	US	State	US	HP2030	Local				
Death Rate due to Drug Poisoning	2	3	2	3	3		1.5	2.25	High	N
Age-Adjusted Death Rate due to Falls	3	1.5	3	1.5	1.5		2	2.14	Medium	N/A
Age-Adjusted Death Rate due to Unintentional Poisonings	2	1.5	2	1.5	1.5		3	2.08	Medium	N/A
Severe Housing Problems	3	2	2	0	1.5		2	1.81	High	N/A
Age-Adjusted Death Rate due to Unintentional Injuries	2	2	1	3	3		1	1.78	High	Y
Age-Adjusted Death Rate due to Firearms	1.5	1	0	1	2		1	0.97	High	Y
Age-Adjusted Death Rate due to Motor Vehicle Collisions	1.5	1.5	0	0	1.5		1	0.86	Medium	N

Healthy Communities Institute  
Data Scoring Tool

Scoring Results by Topic

County: Lorain  
Cuyahoga (Northeast Ohio)  
Total Indicators: 210  
Thursday 2nd of May 2024 06:03:53 AM

Topic Selection: Maternal, Fetal & Infant Health \*\*\*\*\*

Maternal, Fetal & Infant Health in Lorain County

Indicator	County Distribution		Value		Target		Trend	Score	Precision	Disparity Exists
	State	US	State	US	HP2030	Local				
Babies with Low Birthweight	3	1.5	3	1.5	1.5		3	2.42	Medium	N/A
Preterm Births	3	1.5	3	1.5	3		2	2.22	Medium	N/A
Babies with Very Low Birthweight	3	1.5	3	1.5	1.5		2	2.14	Medium	N/A
Infant Mortality Rate	2	1.5	1	3	3		1	1.69	High	N/A
Teen Birth Rate: 15-17	1	1.5	1	1.5	1.5		1	1.19	Medium	N/A
Mothers who Smoked During Pregnancy	1	1.5	2	1.5	3		0	1.17	Medium	N/A
Mothers who Received Early Prenatal Care	1	1.5	1	1.5	1.5		0	0.92	Medium	N/A

Healthy Communities Institute  
Data Scoring Tool

Scoring Results by Topic

County: Lorain  
Cuyahoga (Northeast Ohio)  
Total Indicators: 210  
Thursday 2nd of May 2024 06:03:53 AM

Topic Selection: Education 3.6 \*\*\*\*\*

Education in Lorain County

Indicator	County Distribution		Value		Target		Trend	Score	Precision	Disparity Exists
	State	US	State	US	HP2030	Local				
Student-to-Teacher Ratio	2	3	2	3	1.5		2	2.31	High	N/A
College Tuition Spending-to-Income Ratio	3	3	2	1.5	1.5		1.5	2.08	Medium	N/A
Day Care Center and Preschool Spending-to-Income Ratio	3	3	2	1.5	1.5		1.5	2.08	Medium	N/A
4th Grade Students Proficient in English/Language Arts	3	1.5	2	1.5	1.5		2	1.97	Medium	N/A
4th Grade Students Proficient in Math	3	1.5	2	1.5	1.5		1.5	1.83	Medium	N/A
Vocational, Technical, and Other School Tuition Spending-to-Income Ratio	2	1	2	1.5	1.5		1.5	1.58	Medium	N/A
8th Grade Students Proficient in English/Language Arts	2	1.5	1	1.5	1.5		1.5	1.5	Medium	N/A
8th Grade Students Proficient in Math	2	1.5	1	1.5	1.5		1.5	1.5	Medium	N/A
Child Care Centers	2	1.5	2	0	1.5		1.5	1.42	Medium	N/A
Student Loan Spending-to-Income Ratio	2	1	1	1.5	1.5		1.5	1.42	Medium	N/A
High School Graduation	2	1.5	1	1.5	1		1	1.33	Medium	N/A
Home Child Care Spending-to-Income Ratio	1	1	1	1.5	1.5		1.5	1.25	Medium	N/A
People 25+ with a Bachelor's Degree or Higher	0	1	3	3	1.5		0	1.25	High	Y
People 25+ with a High School Diploma or Higher	1	1	2	1	1.5		0	0.92	High	Y

Healthy Communities Institute  
Data Scoring Tool

Scoring Results by Topic

County: Lorain  
Cuyahoga (Northeast Ohio)  
Total Indicators: 210  
Thursday 2nd of May 2024 06:03:53 AM

Topic Selection: **Economy** \*\*\*\*

Economy in Lorain County

Indicator	County Distribution		Value		Target		Trend	Score	Precision	Disparity Exists
	State	US	State	US	HP2030	Local				
Households with Cash Public Assistance Income	3	3	3	3	1.5		2	2.64	High	N/A
People 65+ Living Below Poverty Level	2	2	3	2	1.5		3	2.42	High	Y
Median Monthly Owner Costs for Households without a Mortgage	3	1.5	2	2	1.5		3	2.33	Medium	N/A
Children Living Below 200% of Poverty Level	1.5	2	3	3	1.5		2	2.22	Medium	N/A
College Tuition Spending-to-Income Ratio	3	3	2	1.5	1.5		1.5	2.08	Medium	N/A
Day Care Center and Preschool Spending-to-Income Ratio	3	3	2	1.5	1.5		1.5	2.08	Medium	N/A
Homeowner Spending-to-Income Ratio	3	3	2	1.5	1.5		1.5	2.08	Medium	N/A
Young Children Living Below Poverty Level	2	2	3	3	1.5		1	2.03	High	Y
Families Living Below Poverty Level	2	2	2	3	1.5		1.5	2	High	Y
Unemployed Workers in Civilian Labor Force	2	2	2	2	1.5		2	1.97	High	N/A
Adult Day Care Spending-to-Income Ratio	3	2	2	1.5	1.5		1.5	1.92	Medium	N/A
People 65+ Living Below Poverty Level (Count)	1.5	1.5	1.5	1.5	1.5		3	1.92	Low	N
Children Living Below Poverty Level	2	2	2	3	1.5		1	1.86	High	Y
Households that are Asset Limited, Income Constrained, Employed (ALICE)	2	1.5	2	1.5	1.5		2	1.81	Medium	N/A
Severe Housing Problems	3	2	2	0	1.5		2	1.81	High	N/A
People Living Below Poverty Level	2	2	2	2	3		1	1.78	High	Y
People Living Below 200% of Poverty Level	1.5	2	2	2	1.5		1.5	1.75	Medium	N/A
Mortgaged Owners Median Monthly Household Costs	3	1.5	2	0	1.5		2	1.72	Medium	N/A
Income Inequality	3	2	1	1	1.5		1.5	1.67	High	N/A
Median Household Gross Rent	2	1.5	1	0	1.5		3	1.67	Medium	N/A
Female Population 16+ in Civilian Labor Force	1	1	2	2	1.5		2	1.64	High	N/A
Households that are Above the Asset Limited, Income Constrained, Employed (ALICE) Threshold	1	1.5	2	1.5	1.5		2	1.64	Medium	N/A
Size of Labor Force	1.5	1.5	1.5	1.5	1.5		2	1.64	Low	N/A
Health Insurance Spending-to-Income Ratio	2	1	2	1.5	1.5		1.5	1.58	Medium	N/A
Home Renter Spending-to-Income Ratio	2	2	1	1.5	1.5		1.5	1.58	Medium	N/A
Utilities Spending-to-Income Ratio	2	1	2	1.5	1.5		1.5	1.58	Medium	N/A
Vocational, Technical, and Other School Tuition Spending-to-Income Ratio	2	1	2	1.5	1.5		1.5	1.58	Medium	N/A
People 65+ Living Below 200% of Poverty Level	1.5	2	1	1	1.5		2	1.56	Medium	N/A
Child Food Insecurity Rate	1	2	1	3	1.5		1	1.53	High	N/A
Food Insecurity Rate	1	2	1	3	1.5		1	1.53	High	N/A
Mortgaged Owners Spending 30% or More of Household Income on Housing	1.5	1	3	0	1		2	1.53	High	N/A
Population 16+ in Civilian Labor Force	2	1	2	2	1.5		1	1.53	High	N/A
Cigarette Spending-to-Income Ratio	1	1	2	1.5	1.5		1.5	1.42	Medium	N/A
Gasoline and Other Fuels Spending-to-Income Ratio	1	1	2	1.5	1.5		1.5	1.42	Medium	N/A
Student Loan Spending-to-Income Ratio	2	1	1	1.5	1.5		1.5	1.42	Medium	N/A
Households Living Below Poverty Level	1	1.5	1	1.5	1.5		1.5	1.33	Medium	N/A
Overcrowded Households	1	1.5	0	0	1.5		3	1.33	Medium	N/A
Renters Spending 30% or More of Household Income on Rent	2	2	2	1	3		0	1.33	High	Y
Residential Segregation - Black/White	1	2	0	1	1.5		2	1.31	High	N/A
Total Employment Change	2	2	0	0	1.5		2	1.31	High	N/A
Families Living Below 200% of Poverty Level	1.5	2	1	1	1.5		1	1.28	Medium	N/A
Home Child Care Spending-to-Income Ratio	1	1	1	1.5	1.5		1.5	1.25	Medium	N/A
Median Household Income: Householders 65+	1	1	1	2	1.5		1	1.19	High	N/A
Adults who Feel Overwhelmed by Financial Burdens	1	1	1	1	1.5		1.5	1.17	Medium	N/A
Households with a Savings Account	0	1	1	2	1.5		1.5	1.17	Medium	N/A
Adults with Disability Living in Poverty	1	2	1	2	1.5		0	1.08	High	N/A
Median Household Income	1	1	1	3	1.5		0	1.08	High	Y
Youth not in School or Working	2	2	1	1	1.5		0	1.08	High	N
Students Eligible for the Free Lunch Program	1	0	3	0	1.5		1	1.03	High	N/A
Per Capita Income	0	1	2	2	1.5		0	0.92	High	Y
Gender Pay Gap	1.5	0	0	0	1.5		1	0.61	Medium	N/A
Homeowner Vacancy Rate	1	1	1	0	1.5		0	0.58	High	N/A
Homeownership	1	0	0	0	1.5		0	0.25	High	N/A

# Healthy Communities Institute Data Scoring Tool

## Scoring Results by Topic

County: Lorain  
Cuyahoga (Northeast Ohio)  
Total Indicators: 210  
Thursday 2nd of May 2024 06:03:53 AM

Topic Selection: Community \*\*\*\*

### Community in Lorain County

Indicator	County Distribution		Value		Target		Trend	Score	Precision	Disparity Exists
	State	US	State	US	HP2030	Local				
People 65+ Living Alone	2	3	2	3	1.5		3	2.58	High	N/A
Workers who Walk to Work	2	2	3	3	1.5		3	2.58	High	Y
Alcohol-impaired Driving Deaths	3	3	3	3	1.5		1	2.36	High	N/A
Median Monthly Owner Costs for Households without a Mortgage	3	1.5	2	2	1.5		3	2.33	Medium	N/A
Social Associations	3	2	3	1	1.5		2	2.14	High	N/A
Day Care Center and Preschool Spending-to-Income Ratio	3	3	2	1.5	1.5		1.5	2.08	Medium	N/A
Grandparents Who Are Responsible for Their Grandchildren	2	1.5	2	3	1.5		2	2.06	Medium	N/A
Children in Single-Parent Households	3	2	2	3	1.5		1	2.03	High	N/A
Young Children Living Below Poverty Level	2	2	3	3	1.5		1	2.03	High	Y
Adult Day Care Spending-to-Income Ratio	3	2	2	1.5	1.5		1.5	1.92	Medium	N/A
People 65+ Living Alone (Count)	1.5	1.5	1.5	1.5	1.5		3	1.92	Low	N/A
Workers Commuting by Public Transportation	0	1	3	3	1.5		2	1.89	High	Y
Children Living Below Poverty Level	2	2	2	3	1.5		1	1.86	High	Y
Solo Drivers with a Long Commute	2	2	2	1	1.5		1.5	1.83	High	N/A
Mean Travel Time to Work	2	2	2	1	1.5		2	1.81	High	Y
People Living Below Poverty Level	2	2	2	2	3		1	1.78	High	Y
Age-Adjusted Death Rate due to Homicide	1.5	1.5	0	1.5	3		3	1.75	Medium	N/A
Mortgaged Owners Median Monthly Household Costs	3	1.5	2	0	1.5		2	1.72	Medium	N/A
Median Household Gross Rent	2	1.5	1	0	1.5		3	1.67	Medium	N/A
Female Population 16+ in Civilian Labor Force	1	1	2	2	1.5		2	1.64	High	N/A
Voter Turnout: Presidential Election	3	1.5	2	1.5	0		1	1.61	Medium	N/A
Population 16+ in Civilian Labor Force	2	1	2	2	1.5		1	1.53	High	N/A
Households with a Computer	1	1	2	2	1.5		1.5	1.5	High	N/A
Households with a Smartphone	1	1	2	2	1.5		1.5	1.5	High	N/A
Gasoline and Other Fuels Spending-to-Income Ratio	1	1	2	1.5	1.5		1.5	1.42	Medium	N/A
Workers who Drive Alone to Work	1	2	2	3	1.5		0	1.42	High	Y
Substantiated Child Abuse Rate	1	1.5	1	1.5	0		2	1.39	Medium	N/A
Linguistic Isolation	3	2	1	0	1.5		1	1.36	High	N/A
Residential Segregation - Black/White	1	2	0	1	1.5		2	1.31	High	N/A
Total Employment Change	2	2	0	0	1.5		2	1.31	High	N/A
Households with an Internet Subscription	2	1	2	2	1.5		0	1.25	High	N/A
People 25+ with a Bachelor's Degree or Higher	0	1	3	3	1.5		0	1.25	High	Y
Persons with an Internet Subscription	2	1	2	2	1.5		0	1.25	High	Y
Violent Crime Rate	2	1.5	0	1.5	1.5		1	1.19	Medium	N/A
Median Household Income	1	1	1	3	1.5		0	1.08	High	Y
Youth not in School or Working	2	2	1	1	1.5		0	1.08	High	N
Age-Adjusted Death Rate due to Firearms	1.5	1	0	1	2		1	0.97	High	Y
People 25+ with a High School Diploma or Higher	1	1	2	1	1.5		0	0.92	High	Y
Per Capita Income	0	1	2	2	1.5		0	0.92	High	Y
Age-Adjusted Death Rate due to Motor Vehicle Collisions	1.5	1.5	0	0	1.5		1	0.86	Medium	N
Adults with Internet Access	0	0	1	1	1.5		1.5	0.83	High	N/A
Persons with Health Insurance	0	0	1	1.5	1		1	0.75	High	N
Households with One or More Types of Computing Devices	0	0	1	2	1.5		0	0.58	High	N/A
Households without a Vehicle	1	2	0	0	1.5		0	0.58	High	N/A
Homeownership	1	0	0	0	1.5		0	0.25	High	N/A