

County: Medina

Report Date: 5/2/2024

Summary

Conduent HCI's Data Scoring Tool provides a systematic ranking of your county's indicators to help set priorities for community health improvement. To read more about this tool, please see the Data Scoring Tool Methodology document. The Data Scoring Tool Report's summary includes the topics that are considered significant health needs, and indicators for which significant disparities were identified for your county. Following this summary you will find the full Data Scoring Tool results, including all indicator scores, all topic scores, and the indicators within each topic area that are considered a significant health need. Please keep in mind that this report is a snapshot in time, and only reflects the data that are current on Healthy Northeast Ohio as of the date the Data Scoring Tool was run. The findings from the Data Scoring Tool should be used, along with other considerations, such as community input, when prioritizing the health needs of your county.

Topic Scores

All indicator scores are averaged by topic area, to allow for a higher-level ranking of community needs. Resulting scores range from 0-3, where a higher score indicates a greater level of need. Below are the topic areas with scores of 1.50 or higher in your county. This is the cutoff used for a topic area to be considered a significant health need. Please see the results section below for the indicators that make up each of these topic areas.

Topic	Indicators	Score
Other Conditions	6	1.60
Physical Activity	6	1.50

Identified Disparities

The Data Scoring Tool allows for the identification of significant disparities that may exist by race/ethnicity, age, and gender. Below are the indicators where significant disparities were identified in your county.

Indicator	County Distribution		Value		Target			Score	Precision	Age
	State	US	State	US	HP2030	Local	Trend			
Renters Spending 30% or More of Household Income on Rent	2	1	1	0	3		3	1.67	High	65+
Workers who Drive Alone to Work	1	2	2	3	1.5		0	1.42	High	55-59
People 25+ with a High School Diploma or Higher	0	0	1	1	1.5		2	0.97	High	65+
Persons with an Internet Subscription	0	0	1	1	1.5		1	0.69	High	65+
People 25+ with a Bachelor's Degree or Higher	0	0	0	1	1.5		1	0.53	High	65+
People Living Below Poverty Level	0	0	0	0	0		1	0.28	High	6-11

Indicator	County Distribution		Value		Target			Score	Precision	Gender
	State	US	State	US	HP2030	Local	Trend			
Mean Travel Time to Work	2	2	3	2	1.5		1	1.86	High	Male
All Cancer Incidence Rate	2	2	2	2	1.5		1	1.69	High	Male
Age-Adjusted Death Rate due to Cancer	0	0	0	1	3		1	0.61	High	Male

Indicator	County Distribution		Value		Target			Score	Precision	Race/Ethnicity
	State	US	State	US	HP2030	Local	Trend			
People 25+ with a High School Diploma or Higher	0	0	1	1	1.5		2	0.97	High	Hispanic/Latino, Other
Life Expectancy	0	0	1	1	1.5		1.5	0.83	Medium	Black/African American, non-Hispanic
People 25+ with a Bachelor's Degree or Higher	0	0	0	1	1.5		1	0.53	High	Black/African American, Other
Children Living Below Poverty Level	0	0	0	0	1.5		1	0.36	High	Black/African American
Families Living Below Poverty Level	0	0	0	0	1.5		1	0.36	High	Black/African American, Hispanic/Latino
Young Children Living Below Poverty Level	0	0	0	0	1.5		1	0.36	High	Black/African American
People Living Below Poverty Level	0	0	0	0	0		1	0.28	High	Black/African American, Hispanic/Latino
										American Indian/Alaska Native, Black/African American, Hispanic/Latino, Other, Two or More
Per Capita Income	0	0	0	1	1.5		0	0.25	High	Races
Median Household Income	0	0	0	0	1.5		0	0.08	High	American Indian/Alaska Native

Results

The remaining pages of this report include the full Data Scoring Tool results for your county, including indicator scores, topic scores, and scoring results by topic for topics with scores of 1.50 or higher.

Healthy Communities Institute Data Scoring Tool



County: Medina
Cuyahoga (Northeast Ohio)
Total Indicators: 207
Thursday 2nd of May 2024 06:05:43 AM



Indicator	County Distribution		Value		Target		Trend	Score	Precision
	State	US	State	US	HP2030	Local			
Prostate Cancer Incidence Rate	3	3	3	3	1.5		2	2.64	High
Oral Cavity and Pharynx Cancer Incidence Rate	2	2	3	3	1.5		3	2.58	High
Workers who Walk to Work	3	3	3	3	1.5		1.5	2.50	High
Social Associations	3	2	3	3	1.5		2	2.47	High
Age-Adjusted Death Rate due to Falls	3	1.5	3	1.5	1.5		3	2.42	Medium
Workers Commuting by Public Transportation	2	2	3	3	3		2	2.39	High
Mortgaged Owners Median Monthly Household Costs	3	1.5	3	1	1.5		3	2.33	Medium
Breast Cancer Incidence Rate	3	3	2	2	1.5		2	2.31	High
Daily Dose of UV Irradiance	3	1.5	2	1.5	1.5		3	2.25	Medium
Median Monthly Owner Costs for Households without a Mortgage	3	1.5	3	2	1.5		2	2.22	Medium
Median Household Gross Rent	3	1.5	3	0	1.5		3	2.17	Medium
Student-to-Teacher Ratio	2	3	2	3	1.5		1.5	2.17	High
Solo Drivers with a Long Commute	3	3	3	3	1.5		0	2.08	High
Adults 20+ Who Are Obese	1	3	1.5	1.5	1		3	2.06	Medium
Obesity: Medicare Population	2	1.5	2	3	1.5		2	2.06	Medium
Non-Physician Primary Care Provider Rate	2	2	3	3	1.5		1	2.03	High
Grandparents Who Are Responsible for Their Grandchildren	1	1.5	1	3	1.5		3	2.00	Medium
Asthma: Medicare Population	2	2	3	1	1.5		2	1.97	High
Hyperlipidemia: Medicare Population	2	2	2	2	1.5		2	1.97	High
Stroke: Medicare Population	2	2	3	1	1.5		2	1.97	High
Age-Adjusted Death Rate due to Kidney Disease	2	1.5	1	1.5	1.5		3	1.92	Medium
Substantiated Child Abuse Rate	2	1.5	3	1.5	0		2	1.89	Medium
Mean Travel Time to Work	2	2	3	2	1.5		1	1.86	High
Poor Mental Health: Average Number of Days	1	2	1	3	1.5		2	1.81	High
Gender Pay Gap	1.5	3	2	2	1.5		1	1.78	Medium
Adults who Binge Drink	2	2	1.5	2	1.5		1.5	1.75	Medium
Adults who have had a Routine Checkup	3	2	1.5	1	1.5		1.5	1.75	Medium
Adults who Have Taken Medications for High Blood Pressure	3	2	1.5	1	1.5		1.5	1.75	Medium
Adults with Arthritis	1	2	1.5	3	1.5		1.5	1.75	Medium
Adults with Cancer	1	2	1.5	3	1.5		1.5	1.75	Medium
All Cancer Incidence Rate	2	2	2	2	1.5		1	1.69	High
Chronic Kidney Disease: Medicare Population	2	2	2	2	1.5		1	1.69	High
Tuberculosis Incidence Rate	3	1.5	3	0	3		1	1.69	High
Renters Spending 30% or More of Household Income on Rent	2	1	1	0	3		3	1.67	High
Rheumatoid Arthritis or Osteoarthritis: Medicare Population	2	2	1	2	1.5		1.5	1.67	High
Age-Adjusted Death Rate due to Alzheimer's Disease	1	1.5	2	1.5	1.5		2	1.64	Medium
Atrial Fibrillation: Medicare Population	1	2	1	2	1.5		2	1.64	High
Cancer: Medicare Population	2	2	1	1	1.5		2	1.64	High
Osteoporosis: Medicare Population	2	2	1	1	1.5		2	1.64	High
PBT Released	1.5	1.5	1.5	1.5	1.5		2	1.64	Low
People 65+ Living Below Poverty Level (Count)	1.5	1.5	1.5	1.5	1.5		2	1.64	Low
Size of Labor Force	1.5	1.5	1.5	1.5	1.5		2	1.64	Low
Weeks of Moderate Drought or Worse	1.5	1.5	1.5	1.5	1.5		2	1.64	Low
Child Care Centers	2	1.5	2	1	1.5		1.5	1.58	Medium
Mental Health Provider Rate	2	1	3	3	1.5		0	1.58	High
Adults with Health Insurance	1.5	1	2	1	1.5		2	1.56	Medium
Persons without Health Insurance	1.5	1.5	1	1.5	1.5		2	1.56	Low
Primary Care Provider Rate	0	1	3	3	1.5		1	1.53	High
Access to Parks	0	1.5	3	1.5	1.5		1.5	1.50	Low
Adults who Smoke	0	1	1.5	3	3		1.5	1.50	Medium
Preterm Births	1	1.5	1	1.5	2		2	1.50	Medium
Mothers who Received Early Prenatal Care	1	1.5	1	1.5	1.5		2	1.47	Medium
Adults who Experienced Coronary Heart Disease	0	1	1.5	3	1.5		1.5	1.42	Medium
Adults with COPD	0	1	1.5	3	1.5		1.5	1.42	Medium
Homeowner Spending-to-Income Ratio	2	2	0	1.5	1.5		1.5	1.42	Medium
Workers who Drive Alone to Work	1	2	2	3	1.5		0	1.42	High
Adults Who Used Smokeless Tobacco: Past 30 Days	0	0	3	3	1.5		1	1.36	High
Depression: Medicare Population	1	2	1	2	1.5		1	1.36	High
People 65+ Living Alone (Count)	1.5	1.5	1.5	1.5	1.5		1	1.36	Low
Recognized Carcinogens Released into Air	1.5	1.5	1.5	1.5	1.5		1	1.36	Low
Adults 20+ who are Sedentary	0	2	1.5	1.5	1.5		1.5	1.33	Medium
Adults who Drink Excessively	2	2	0	1	1.5		1.5	1.33	High
Proximity to Highways	2	1.5	0	1.5	1.5		1.5	1.33	Low
Babies with Very Low Birthweight	1	1.5	0	1.5	1.5		2	1.31	Medium
COPD: Medicare Population	0	1	1	2	1.5		2	1.31	High
Hypertension: Medicare Population	0	1	1	2	1.5		2	1.31	High
Residential Segregation - Black/White	1	2	0	1	1.5		2	1.31	High
Tobacco Use: Medicare Population	0	1.5	1	3	1.5		1	1.28	Medium
Adults Ever Diagnosed with Depression	0	1	1.5	2	1.5		1.5	1.25	Medium
Annual Particle Pollution	1.5	0	1.5	1.5	1.5		1.5	1.25	Low
Dentist Rate	0	1	3	3	1.5		0	1.25	High
Age-Adjusted Death Rate due to Coronary Heart Disease	0	1.5	0	1.5	3		2	1.22	Medium

Healthy Communities Institute Data Scoring Tool



County: Medina
Cuyahoga (Northeast Ohio)
Total Indicators: 207
Thursday 2nd of May 2024 06:05:43 AM



Indicator	County Distribution		Value		Target		Trend	Score	Precision
	State	US	State	US	HP2030	Local			
Alzheimer's Disease or Dementia: Medicare Population	2	1	1	1	1.5		1	1.19	High
Babies with Low Birthweight	1	1.5	0	1.5	1.5		1.5	1.17	Medium
Gonorrhea Incidence Rate	1	1.5	0	1.5	1.5		1.5	1.17	Medium
4th Grade Students Proficient in English/Language Arts	0	1.5	0	1.5	1.5		2	1.14	Medium
Age-Adjusted Death Rate due to Diabetes	0	1.5	0	1.5	1.5		2	1.14	Medium
Blood Lead Levels in Children (>=5 micrograms per deciliter)	0	1.5	0	1.5	1.5		2	1.14	Medium
High School Graduation	0	1.5	1	1.5	1		1.5	1.14	Medium
Violent Crime Rate	0	1.5	0	1.5	1.5		2	1.14	Medium
Annual Ozone Air Quality	1.5	0	1.5	1.5	1.5		1	1.11	Low
Mammogram in Past 2 Years: 50-74	0	0	1.5	2	2		1.5	1.11	Medium
Adults 65+ who Received Recommended Preventive Services: Females	0	1	1.5	1	1.5		1.5	1.08	Medium
Adults who Drank Soft Drinks: Past 7 Days	0	1.5	1	1	1.5		1.5	1.08	Medium
Adults who Follow a Regular Exercise Routine	0	1.5	1	1	1.5		1.5	1.08	Medium
Children with Health Insurance	1.5	0	1	1	1.5		1.5	1.08	Medium
Day Care Center and Preschool Spending-to-Income Ratio	1	1	0	1.5	1.5		1.5	1.08	Medium
Number of Extreme Precipitation Days	1.5	1.5	1.5	1.5	1.5		0	1.08	Low
Poor Mental Health: 14+ Days	0	1	1.5	1	1.5		1.5	1.08	Medium
Age-Adjusted Death Rate due to Prostate Cancer	1	1	0	1	1		2	1.03	High
Persons with Health Insurance	0	0	1	1.5	1		2	1.03	High
4th Grade Students Proficient in Math	0	1.5	0	1.5	1.5		1.5	1.00	Medium
Adults who Feel Overwhelmed by Financial Burdens	0	1	1	1	1.5		1.5	1.00	Medium
High Blood Pressure Prevalence	0	0	1.5	2	0		1.5	1.00	Medium
Adults with Health Insurance: 18+	0	0	1	1	1.5		2	0.97	High
Infant Mortality Rate	1	1.5	0	0	0		2	0.97	High
People 25+ with a High School Diploma or Higher	0	0	1	1	1.5		2	0.97	High
Self-Reported General Health Assessment: Good or Better	0	0	1	1	1.5		2	0.97	High
Total Employment Change	1	1	0	0	1.5		2	0.97	High
Unemployed Workers in Civilian Labor Force	0	1	0	1	1.5		2	0.97	High
Adults who Experienced a Stroke	0	0	1.5	1	1.5		1.5	0.92	Medium
Adults Who Frequently Used Quick Service Restaurants: Past 30 Days	1	2	1	1	1.5		0	0.92	High
Adults with Current Asthma	0	0	1.5	1	1.5		1.5	0.92	Medium
Adults with Kidney Disease	0	0	1.5	1	1.5		1.5	0.92	Medium
Cervical Cancer Screening: 21-65	0	0	1.5	1	1.5		1.5	0.92	Medium
Cholesterol Test History	0	0	1.5	1	1.5		1.5	0.92	Medium
College Tuition Spending-to-Income Ratio	0	1	0	1.5	1.5		1.5	0.92	Medium
Colon Cancer Screening: USPSTF Recommendation	0	0	1.5	1	1.5		1.5	0.92	Medium
Health Insurance Spending-to-Income Ratio	0	0	1	1.5	1.5		1.5	0.92	Medium
High Cholesterol Prevalence: Past 5 Years	0	0	1.5	1	1.5		1.5	0.92	Medium
Home Renter Spending-to-Income Ratio	0	1	0	1.5	1.5		1.5	0.92	Medium
Insufficient Sleep	0	1	0	1	3		1.5	0.92	High
Poor Physical Health: 14+ Days	0	0	1.5	1	1.5		1.5	0.92	Medium
Age-Adjusted Death Rate due to Cerebrovascular Disease (Stroke)	0	1.5	0	1.5	2		1	0.89	Medium
Cervical Cancer Incidence Rate	1.5	0	0	0	1.5		2	0.89	Medium
8th Grade Students Proficient in English/Language Arts	0	1.5	0	1.5	1.5		1	0.86	Medium
8th Grade Students Proficient in Math	0	1.5	0	1.5	1.5		1	0.86	Medium
Adults 20+ with Diabetes	0	0	1.5	1.5	1.5		1	0.86	Medium
Age-Adjusted Death Rate due to Chronic Lower Respiratory Diseases	0	1.5	0	1.5	1.5		1	0.86	Medium
Age-Adjusted Death Rate due to Heart Attack	0	1.5	0	1.5	1.5		1	0.86	Medium
Age-Adjusted Death Rate due to Unintentional Poisonings	0	1.5	0	1.5	1.5		1	0.86	Medium
Diabetes: Medicare Population	0	1	1	1	1.5		1	0.86	High
Heart Failure: Medicare Population	0	1	1	1	1.5		1	0.86	High
Households Living Below Poverty Level	0	1.5	0	1.5	1.5		1	0.86	Medium
Households that are Above the Asset Limited, Income Constrained, Emplo	0	1.5	0	1.5	1.5		1	0.86	Medium
Households that are Asset Limited, Income Constrained, Employed (ALICE)	0	1.5	0	1.5	1.5		1	0.86	Medium
Lung and Bronchus Cancer Incidence Rate	0	1	0	2	1.5		1	0.86	High
Teen Birth Rate: 15-17	0	1.5	0	1.5	1.5		1	0.86	Medium
Adults who Agree Vaccine Benefits Outweigh Possible Risks	0	0	1	1	1.5		1.5	0.83	Medium
Age-Adjusted Drug and Opioid-Involved Overdose Death Rate	0	1	0	1	1.5		1.5	0.83	Medium
Households with a Computer	0	0	1	1	1.5		1.5	0.83	High
Households with a Savings Account	0	0	1	1	1.5		1.5	0.83	Medium
Households with a Smartphone	0	0	1	1	1.5		1.5	0.83	High
Life Expectancy	0	0	1	1	1.5		1.5	0.83	Medium
Mothers who Smoked During Pregnancy	0	1.5	0	1.5	1		1	0.83	Medium
Population 16+ in Civilian Labor Force	0	0	1	1	1.5		1.5	0.83	High
Flu Vaccinations: Medicare Population	0	0	1	0	1.5		2	0.81	High
Linguistic Isolation	1	0	0	0	1.5		2	0.81	High
Adult Day Care Spending-to-Income Ratio	0	0	0	1.5	1.5		1.5	0.75	Medium
Adults 65+ who Received Recommended Preventive Services: Males	0	0	1.5	0	1.5		1.5	0.75	Medium
Adults 65+ with Total Tooth Loss	0	0	1.5	0	1.5		1.5	0.75	Medium
Adults without Health Insurance	0	0	1.5	0	1.5		1.5	0.75	Medium
Cigarette Spending-to-Income Ratio	0	0	0	1.5	1.5		1.5	0.75	Medium
Gasoline and Other Fuels Spending-to-Income Ratio	0	0	0	1.5	1.5		1.5	0.75	Medium

Healthy Communities Institute Data Scoring Tool



County: Medina
Cuyahoga (Northeast Ohio)
Total Indicators: 207
Thursday 2nd of May 2024 06:05:43 AM



Indicator	County Distribution		Value		Target		Trend	Score	Precision
	State	US	State	US	HP2030	Local			
Home Child Care Spending-to-Income Ratio	0	0	0	1.5	1.5		1.5	0.75	Medium
People 65+ Living Below 200% of Poverty Level	1.5	0	0	0	1.5		1.5	0.75	Medium
Self-Reported General Health Assessment: Poor or Fair	0	0	1.5	0	1.5		1.5	0.75	Medium
Student Loan Spending-to-Income Ratio	0	0	0	1.5	1.5		1.5	0.75	Medium
Utilities Spending-to-Income Ratio	0	0	0	1.5	1.5		1.5	0.75	Medium
Vocational, Technical, and Other School Tuition Spending-to-Income Ratio	0	0	0	1.5	1.5		1.5	0.75	Medium
Adults with Internet Access	0	0	1	1	1.5		1	0.69	High
Alcohol-Impaired Driving Deaths	0	1	0	1	1.5		1	0.69	High
Female Population 16+ in Civilian Labor Force	0	0	1	1	1.5		1	0.69	High
Households with One or More Types of Computing Devices	0	0	1	1	1.5		1	0.69	High
Mammography Screening: Medicare Population	0	0	1	1	1.5		1	0.69	High
Persons with an Internet Subscription	0	0	1	1	1.5		1	0.69	High
Youth not in School or Working	1	1	0	0	1.5		1	0.69	High
Age-Adjusted Death Rate due to Lung Cancer	0	1	0	2	3		0	0.67	High
Households with Cash Public Assistance Income	0	0	0	0	1.5		2	0.64	High
Liquor Store Density	0	0	0	0	1.5		2	0.64	High
People 65+ Living Below Poverty Level	0	0	0	0	1.5		2	0.64	High
Pneumonia Vaccinations: Medicare Population	0	0	0	0	1.5		2	0.64	High
Age-Adjusted Death Rate due to Cancer	0	0	0	1	3		1	0.61	High
Children Living Below 200% of Poverty Level	1.5	0	0	0	1.5		1	0.61	Medium
Families Living Below 200% of Poverty Level	1.5	0	0	0	1.5		1	0.61	Medium
Overcrowded Households	0	1.5	0	0	1.5		1	0.61	Medium
People Living Below 200% of Poverty Level	1.5	0	0	0	1.5		1	0.61	Medium
Age-Adjusted Death Rate due to Influenza and Pneumonia	0	1.5	0	1.5	1.5		0	0.58	Medium
Chlamydia Incidence Rate	0	1.5	0	1.5	1.5		0	0.58	Medium
Colorectal Cancer Incidence Rate	0	1	1	1	1.5		0	0.58	High
Death Rate due to Drug Poisoning	0	1	0	0	0		1.5	0.58	High
Ischemic Heart Disease: Medicare Population	0	1	1	1	1.5		0	0.58	High
Mortgaged Owners Spending 30% or More of Household Income on Housing	1.5	0	0	0	0		1	0.53	High
People 25+ with a Bachelor's Degree or Higher	0	0	0	1	1.5		1	0.53	High
Poor Physical Health: Average Number of Days	0	0	0	1	1.5		1	0.53	High
Access to Exercise Opportunities	0	0	0	0	1.5		1.5	0.50	Medium
Adults Who Used Electronic Cigarettes: Past 30 Days	0	0	0	0	1.5		1.5	0.50	Medium
Age-Adjusted Death Rate due to Suicide	0	1.5	0	1.5	0		0	0.50	Medium
Income Inequality	0	0	0	0	1.5		1.5	0.50	High
Premature Death	0	0	0	0	1.5		1.5	0.50	Medium
Voter Turnout: Presidential Election	0	1.5	0	1.5	0		0	0.50	Medium
Age-Adjusted Death Rate due to Colorectal Cancer	0	0	0	0	3		1	0.44	High
Households with an Internet Subscription	0	0	1	1	1.5		0	0.42	High
Preventable Hospital Stays: Medicare Population	0	1	0	1	1.5		0	0.42	High
Age-Adjusted Death Rate due to Unintentional Injuries	0	0	0	0	2		1	0.39	High
Adults who Visited a Dentist	0	0	0	0	1.5		1	0.36	High
Children in Single-Parent Households	0	0	0	0	1.5		1	0.36	High
Children Living Below Poverty Level	0	0	0	0	1.5		1	0.36	High
Families Living Below Poverty Level	0	0	0	0	1.5		1	0.36	High
Food Environment Index	0	0	0	0	1.5		1	0.36	High
Food Insecurity Rate	0	0	0	0	1.5		1	0.36	High
Homeownership	0	0	0	0	1.5		1	0.36	High
Households without a Vehicle	0	0	0	0	1.5		1	0.36	High
People 65+ Living Alone	0	0	0	0	1.5		1	0.36	High
Young Children Living Below Poverty Level	0	0	0	0	1.5		1	0.36	High
People Living Below Poverty Level	0	0	0	0	0		1	0.28	High
Age-Adjusted Death Rate due to Firearms	1.5	0	0	0	0		0	0.25	High
Houses Built Prior to 1950	0	1	0	0	1.5		0	0.25	High
Median Household Income: Householders 65+	0	0	0	1	1.5		0	0.25	High
Per Capita Income	0	0	0	1	1.5		0	0.25	High
Severe Housing Problems	1	0	0	0	1.5		0	0.25	High
Age-Adjusted Death Rate due to Breast Cancer	0	0	0	0	2		0	0.11	High
Adults with Disability Living in Poverty	0	0	0	0	1.5		0	0.08	High
Child Food Insecurity Rate	0	0	0	0	1.5		0	0.08	High
Homeowner Vacancy Rate	0	0	0	0	1.5		0	0.08	High
Median Household Income	0	0	0	0	1.5		0	0.08	High
Students Eligible for the Free Lunch Program	0	0	0	0	1.5		0	0.08	High

Healthy Communities Institute Data Scoring Tool



County: Medina
Cuyahoga (Northeast Ohio)
Total indicators: 207
Thursday 2nd of May 2024 06:06:21 AM

Topic	Indicators	Score
Other Conditions	6	1.60
Physical Activity	6	1.50
Older Adults	28	1.31
Mental Health & Mental Disorders	9	1.27
Oral Health	4	1.24
Heart Disease & Stroke	15	1.21
Health Care Access & Quality	14	1.20
Cancer	18	1.19
Maternal, Fetal & Infant Health	7	1.16
Respiratory Diseases	13	1.15
Children's Health	6	1.09
Environmental Health	20	1.07
Community	43	1.04
Education	14	1.04
Tobacco Use	6	1.04
Women's Health	6	1.00
Alcohol & Drug Use	7	0.95
Diabetes	3	0.95
Wellness & Lifestyle	10	0.88
Immunizations & Infectious Diseases	9	0.87
Mortality Data	24	0.87
Economy	53	0.80
Nutrition & Healthy Eating	3	0.79
Prevention & Safety	6	0.79
Health Information Technology	6	0.69

Healthy Communities Institute
Data Scoring Tool

Scoring Results by Topic

County: Medina
Cuyahoga (Northeast Ohio)
Total Indicators: 207
Thursday 2nd of May 2024 06:05:43 AM

Topic Selection: Other Conditions *****
Topic Score: 1.6

Other Conditions in Medina County

Indicator	County Distribution		Value		Target		Trend	Score	Precision	Disparity Exists
	State	US	State	US	HP2030	Local				
Age-Adjusted Death Rate due to Kidney Disease	2	1.5	1	1.5	1.5		3	1.92	Medium	N/A
Adults with Arthritis	1	2	1.5	3	1.5		1.5	1.75	Medium	N/A
Chronic Kidney Disease: Medicare Population	2	2	2	2	1.5		1	1.69	High	N/A
Rheumatoid Arthritis or Osteoarthritis: Medicare Population	2	2	1	2	1.5		1.5	1.67	High	N/A
Osteoporosis: Medicare Population	2	2	1	1	1.5		2	1.64	High	N/A
Adults with Kidney Disease	0	0	1.5	1	1.5		1.5	0.92	Medium	N/A

Healthy Communities Institute
Data Scoring Tool

Scoring Results by Topic

County: Medina
Cuyahoga (Northeast Ohio)
Total Indicators: 207
Thursday 2nd of May 2024 06:05:43 AM

Topic Selection: Physical Activity *****

Physical Activity in Medina County

Indicator	County Distribution		Value		Target		Trend	Score	Precision	Disparity Exists
	State	US	State	US	HP2030	Local				
Workers who Walk to Work	3	3	3	3	1.5		1.5	2.5	High	N
Adults 20+ Who Are Obese	1	3	1.5	1.5	1		3	2.06	Medium	N
Access to Parks	0	1.5	3	1.5	1.5		1.5	1.5	Low	N/A
Adults 20+ who are Sedentary	0	2	1.5	1.5	1.5		1.5	1.33	Medium	N
Adults who Follow a Regular Exercise Routine	0	1.5	1	1	1.5		1.5	1.08	Medium	N/A
Access to Exercise Opportunities	0	0	0	0	1.5		1.5	0.5	Medium	N/A