

County: Portage

Report Date: 5/2/2024

Summary

Conduent HCI's Data Scoring Tool provides a systematic ranking of your county's indicators to help set priorities for community health improvement. To read more about this tool, please see the Data Scoring Tool Methodology document. The Data Scoring Tool Report's summary includes the topics that are considered significant health needs, and indicators for which significant disparities were identified for your county. Following this summary you will find the full Data Scoring Tool results, including all indicator scores, all topic scores, and the indicators within each topic area that are considered a significant health need. Please keep in mind that this report is a snapshot in time, and only reflects the data that are current on Healthy Northeast Ohio as of the date the Data Scoring Tool was run. The findings from the Data Scoring Tool should be used, along with other considerations, such as community input, when prioritizing the health

Topic Scores

All indicator scores are averaged by topic area, to allow for a higher-level ranking of community needs. Resulting scores range from 0-3, where a higher score indicates a greater level of need. Below are the topic areas with scores of 1.50 or higher in your county. This is the cutoff used for a topic area to be considered a significant health need. Please see the results section below for the indicators that make up each of these topic areas.

Topic	Indicators	Score
Women's Health	6	1.63
Mental Health & Mental Disorders	9	1.59
Tobacco Use	6	1.51

Identified Disparities

The Data Scoring Tool allows for the identification of significant disparities that may exist by race/ethnicity, age, and gender. Below are the indicators where significant disparities were identified in your county.

Indicator	County Distribution		Value		Target		Trend	Score	Precision	Age
	State	US	State	US	HP2030	Local				
Renters Spending 30% or More of Household Income on Rent	3	3	3	3	3		2	2.72	High	15-24, 65+
Persons with an Internet Subscription	1	1	2	2	1.5		0	1.08	High	65+
People Living Below Poverty Level	1	1	0	1	3		1	0.94	High	18-24, 6-11
People 25+ with a High School Diploma or Higher	0	0	1	1	1.5		1	0.69	High	65+
Workers who Walk to Work	0	1	0	1	1.5		1	0.69	High	45-54, 65+
People 25+ with a Bachelor's Degree or Higher	0	0	1	2	1.5		0	0.58	High	65+

Indicator	County Distribution		Value		Target		Trend	Score	Precision	Gender
	State	US	State	US	HP2030	Local				
Mean Travel Time to Work	2	2	2	1	1.5		1	1.53	High	Male
Oral Cavity and Pharynx Cancer Incidence Rate	0	0	0	1	1.5		1	0.53	High	Male

Indicator	County Distribution		Value		Target		Trend	Score	Precision	Race/Ethnicity
	State	US	State	US	HP2030	Local				
Life Expectancy	0	1	1	2	1.5		1.5	1.17	Medium	Black/African American, non-Hispanic
People Living Below Poverty Level	1	1	0	1	3		1	0.94	High	Asian, Black/African American, Two or More Races
Median Household Income	1	1	1	2	1.5		0	0.92	High	Asian, Black/African American, Hispanic/Latino, Two or More Races
People 65+ Living Below Poverty Level	0	0	0	0	1.5		3	0.92	High	Hispanic/Latino
Prostate Cancer Incidence Rate	1	1	0	1	1.5		1	0.86	High	Black/African American
Families Living Below Poverty Level	1	1	0	0	1.5		1.5	0.83	High	Black/African American, Two or More Races
Premature Death	0	1	0	1	1.5		1.5	0.83	Medium	Black/African American, non-Hispanic
Workers who Drive Alone to Work	0	1	1	2	1.5		0	0.75	High	Native Hawaiian/Pacific Islander
People 25+ with a High School Diploma or Higher	0	0	1	1	1.5		1	0.69	High	American Indian/Alaska Native, Hispanic/Latino
Per Capita Income	0	0	1	2	1.5		0	0.58	High	Black/African American, Hispanic/Latino, Other, Two or More Races
Children Living Below Poverty Level	1	1	0	0	1.5		0	0.42	High	Black/African American, Two or More Races
Young Children Living Below Poverty Level	1	1	0	0	1.5		0	0.42	High	Black/African American

Results

The remaining pages of this report include the full Data Scoring Tool results for your county, including indicator scores, topic scores, and scoring results by topic for topics with scores of 1.50 or higher.

Healthy Communities Institute Data Scoring Tool



County: Portage
Cuyahoga (Northeast Ohio)
Total Indicators: 208
Thursday 2nd of May 2024 06:07:10 AM



Indicator	County Distribution		Value		Target		Trend	Score	Precision
	State	US	State	US	HP2030	Local			
Renters Spending 30% or More of Household Income on Rent	3	3	3	3	3		2	2.72	High
Obesity: Medicare Population	3	1.5	3	3	1.5		3	2.67	Medium
Depression: Medicare Population	3	3	3	3	1.5		1	2.36	High
Hyperlipidemia: Medicare Population	3	3	2	2	1.5		2	2.31	High
Social Associations	3	2	3	2	1.5		2	2.31	High
Student-to-Teacher Ratio	2	3	2	3	1.5		2	2.31	High
Adults who Binge Drink	3	3	1.5	3	1.5		1.5	2.25	Medium
Age-Adjusted Death Rate due to Breast Cancer	2	2	2	3	3		2	2.22	High
Preterm Births	2	1.5	2	1.5	3		3	2.17	Medium
Primary Care Provider Rate	2	2	3	3	1.5		1.5	2.17	High
Gender Pay Gap	1.5	3	3	3	1.5		1	2.11	Medium
Babies with Low Birthweight	2	1.5	2	1.5	1.5		3	2.08	Medium
Cholesterol Test History	3	3	1.5	2	1.5		1.5	2.08	Medium
Non-Physician Primary Care Provider Rate	3	3	3	3	1.5		0	2.08	High
Adults who Feel Overwhelmed by Financial Burdens	3	2	2	2	1.5		1.5	2.00	Medium
Median Household Gross Rent	3	1.5	2	0	1.5		3	2.00	Medium
Mortgaged Owners Median Monthly Household Costs	3	1.5	2	0	1.5		3	2.00	Medium
Asthma: Medicare Population	2	2	3	1	1.5		2	1.97	High
COPD: Medicare Population	1	2	2	3	1.5		2	1.97	High
Age-Adjusted Death Rate due to Chronic Lower Respiratory Diseases	1	1.5	2	1.5	1.5		3	1.92	Medium
Age-Adjusted Death Rate due to Diabetes	1	1.5	2	1.5	1.5		3	1.92	Medium
Cervical Cancer Screening: 21-65	3	2	1.5	2	1.5		1.5	1.92	Medium
Child Care Centers	2	1.5	3	2	1.5		1.5	1.92	Medium
People 65+ Living Alone (Count)	1.5	1.5	1.5	1.5	1.5		3	1.92	Low
People 65+ Living Below Poverty Level (Count)	1.5	1.5	1.5	1.5	1.5		3	1.92	Low
Median Monthly Owner Costs for Households without a Mortgage	3	1.5	2	1	1.5		2	1.89	Medium
Adults who Drink Excessively	3	3	1	2	1.5		1	1.86	High
Heart Failure: Medicare Population	2	2	2	3	1.5		1	1.86	High
Solo Drivers with a Long Commute	2	2	3	2	1.5		1	1.86	High
Adults Who Used Electronic Cigarettes: Past 30 Days	2	2	2	2	1.5		1.5	1.83	Medium
Alcohol-Impaired Driving Deaths	2	2	1	3	1.5		1.5	1.83	High
Age-Adjusted Death Rate due to Alzheimer's Disease	2	1.5	2	1.5	1.5		2	1.81	Medium
Babies with Very Low Birthweight	2	1.5	2	1.5	1.5		2	1.81	Medium
People 65+ Living Alone	2	2	1	2	1.5		2	1.81	High
Age-Adjusted Death Rate due to Colorectal Cancer	1	2	2	3	3		1	1.78	High
Adults who have had a Routine Checkup	3	2	1.5	1	1.5		1.5	1.75	Medium
Adults who Have Taken Medications for High Blood Pressure	3	2	1.5	1	1.5		1.5	1.75	Medium
Adults with Current Asthma	2	2	1.5	2	1.5		1.5	1.75	Medium
Households without a Vehicle	2	2	1	0	1.5		3	1.75	High
Poor Mental Health: 14+ Days	1	2	1.5	3	1.5		1.5	1.75	Medium
Workers Commuting by Public Transportation	0	1	3	3	3		1.5	1.75	High
Age-Adjusted Death Rate due to Coronary Heart Disease	1	1.5	2	1.5	3		2	1.72	Medium
Age-Adjusted Death Rate due to Suicide	1	1.5	2	1.5	3		2	1.72	Medium
Adults Who Used Smokeless Tobacco: Past 30 Days	1	1	3	3	1.5		1	1.69	High
Chronic Kidney Disease: Medicare Population	2	2	2	2	1.5		1	1.69	High
Dentist Rate	1	1	3	3	1.5		1	1.69	High
Food Environment Index	2	2	1	2	1.5		1.5	1.67	High
Households Living Below Poverty Level	2	1.5	2	1.5	1.5		1.5	1.67	Medium
4th Grade Students Proficient in English/Language Arts	2	1.5	1	1.5	1.5		2	1.64	Medium
4th Grade Students Proficient in Math	2	1.5	1	1.5	1.5		2	1.64	Medium
Atrial Fibrillation: Medicare Population	1	2	1	2	1.5		2	1.64	High
Gonorrhea Incidence Rate	3	1.5	0	1.5	1.5		2	1.64	Medium
Income Inequality	2	2	1	1	1.5		2	1.64	High
Osteoporosis: Medicare Population	2	2	1	1	1.5		2	1.64	High
Recognized Carcinogens Released into Air	1.5	1.5	1.5	1.5	1.5		2	1.64	Low
Size of Labor Force	1.5	1.5	1.5	1.5	1.5		2	1.64	Low
Unemployed Workers in Civilian Labor Force	1	2	1	2	1.5		2	1.64	High
Weeks of Moderate Drought or Worse	1.5	1.5	1.5	1.5	1.5		2	1.64	Low
Age-Adjusted Death Rate due to Cancer	1	2	1	3	3		1	1.61	High
Adults who Drank Soft Drinks: Past 7 Days	1	1.5	2	2	1.5		1.5	1.58	Medium
Age-Adjusted Death Rate due to Falls	1	1.5	0	1.5	1.5		3	1.58	Medium
College Tuition Spending-to-Income Ratio	2	2	1	1.5	1.5		1.5	1.58	Medium
Day Care Center and Preschool Spending-to-Income Ratio	2	2	1	1.5	1.5		1.5	1.58	Medium
Home Renter Spending-to-Income Ratio	2	2	1	1.5	1.5		1.5	1.58	Medium
Homeowner Spending-to-Income Ratio	2	2	1	1.5	1.5		1.5	1.58	Medium
Vocational, Technical, and Other School Tuition Spending-to-Income Ratio	2	1	2	1.5	1.5		1.5	1.58	Medium
Annual Ozone Air Quality	1.5	1	1.5	1.5	1.5		2	1.56	Low
Mammography Screening: Medicare Population	2	1	2	2	1.5		1	1.53	High
Mean Travel Time to Work	2	2	2	1	1.5		1	1.53	High
Severe Housing Problems	3	2	2	0	1.5		1	1.53	High
Access to Parks	0	1.5	3	1.5	1.5		1.5	1.50	Low
Adults who Smoke	0	1	1.5	3	3		1.5	1.50	Medium

Healthy Communities Institute Data Scoring Tool



County: Portage
Cuyahoga (Northeast Ohio)
Total Indicators: 208
Thursday 2nd of May 2024 06:07:10 AM



Indicator	County Distribution		Value		Target		Trend	Score	Precision
	State	US	State	US	HP2030	Local			
Mammogram in Past 2 Years: 50-74	1	1	1.5	2	3		1.5	1.50	Medium
Liquor Store Density	2	0	3	0	1.5		2	1.47	High
Self-Reported General Health Assessment: Good or Better	1	1	1	2	1.5		2	1.47	High
Age-Adjusted Death Rate due to Lung Cancer	1	1	1	3	3		1	1.44	High
Adults who Experienced Coronary Heart Disease	0	1	1.5	3	1.5		1.5	1.42	Medium
Adults with Arthritis	0	1	1.5	3	1.5		1.5	1.42	Medium
Adults with COPD	0	1	1.5	3	1.5		1.5	1.42	Medium
Cigarette Spending-to-Income Ratio	1	1	2	1.5	1.5		1.5	1.42	Medium
Colon Cancer Screening: USPSTF Recommendation	1	1	1.5	2	1.5		1.5	1.42	Medium
Gasoline and Other Fuels Spending-to-Income Ratio	1	1	2	1.5	1.5		1.5	1.42	Medium
Health Insurance Spending-to-Income Ratio	1	1	2	1.5	1.5		1.5	1.42	Medium
Insufficient Sleep	0	2	1	2	3		1.5	1.42	High
Mental Health Provider Rate	1	1	3	3	1.5		0	1.42	High
Persons with Health Insurance	1	1	1	1.5	2		2	1.42	High
Utilities Spending-to-Income Ratio	1	1	2	1.5	1.5		1.5	1.42	Medium
Age-Adjusted Death Rate due to Cerebrovascular Disease (Stroke)	1	1.5	0	1.5	3		2	1.39	Medium
People Living Below 200% of Poverty Level	1.5	1	1	1	1.5		2	1.39	Medium
Breast Cancer Incidence Rate	2	2	1	1	1.5		1	1.36	High
Chlamydia Incidence Rate	3	1.5	0	1.5	1.5		1	1.36	Medium
Colorectal Cancer Incidence Rate	1	1	2	2	1.5		1	1.36	High
Households that are Above the Asset Limited, Income Constrained, Emplo	1	1.5	2	1.5	1.5		1	1.36	Medium
Ischemic Heart Disease: Medicare Population	1	2	1	2	1.5		1	1.36	High
Lung and Bronchus Cancer Incidence Rate	1	1	1	3	1.5		1	1.36	High
Number of Extreme Heat Days	1.5	1.5	1.5	1.5	1.5		1	1.36	Low
Number of Extreme Heat Events	1.5	1.5	1.5	1.5	1.5		1	1.36	Low
Number of Extreme Precipitation Days	1.5	1.5	1.5	1.5	1.5		1	1.36	Low
Poor Physical Health: Average Number of Days	0	1	2	3	1.5		1	1.36	High
Rheumatoid Arthritis or Osteoarthritis: Medicare Population	1	2	1	2	1.5		1	1.36	High
Adults 20+ with Diabetes	0	2	1.5	1.5	1.5		1.5	1.33	Medium
Households with a Savings Account	1	1	1	2	1.5		1.5	1.33	Medium
Age-Adjusted Death Rate due to Kidney Disease	1	1.5	0	1.5	1.5		2	1.31	Medium
Cancer: Medicare Population	1	1	1	1	1.5		2	1.31	High
Daily Dose of UV Irradiance	0	1.5	1	1.5	1.5		2	1.31	Medium
Hypertension: Medicare Population	0	1	1	2	1.5		2	1.31	High
Mothers who Received Early Prenatal Care	0	1.5	1	1.5	1.5		2	1.31	Medium
Poor Mental Health: Average Number of Days	0	1	1	2	1.5		2	1.31	High
Teen Birth Rate: 15-17	1	1.5	0	1.5	1.5		2	1.31	Medium
Violent Crime Rate	1	1.5	0	1.5	1.5		2	1.31	Medium
Tobacco Use: Medicare Population	0	1.5	1	3	1.5		1	1.28	Medium
Adult Day Care Spending-to-Income Ratio	1	1	1	1.5	1.5		1.5	1.25	Medium
Adults 20+ Who Are Obese	0	2	1.5	1.5	0		1.5	1.25	Medium
Adults 65+ who Received Recommended Preventive Services: Males	1	1	1.5	1	1.5		1.5	1.25	Medium
Adults Ever Diagnosed with Depression	0	1	1.5	2	1.5		1.5	1.25	Medium
Adults who Follow a Regular Exercise Routine	0	1.5	1	2	1.5		1.5	1.25	Medium
Annual Particle Pollution	1.5	0	1.5	1.5	1.5		1.5	1.25	Low
Home Child Care Spending-to-Income Ratio	1	1	1	1.5	1.5		1.5	1.25	Medium
Persons without Health Insurance	1.5	1.5	0	1.5	1.5		1.5	1.25	Low
Poor Physical Health: 14+ Days	0	1	1.5	2	1.5		1.5	1.25	Medium
Student Loan Spending-to-Income Ratio	1	1	1	1.5	1.5		1.5	1.25	Medium
Cervical Cancer Incidence Rate	1.5	1	0	1	1.5		2	1.22	Medium
Adults 20+ who are Sedentary	0	2	1.5	1.5	1.5		1	1.19	Medium
Alzheimer's Disease or Dementia: Medicare Population	2	1	1	1	1.5		1	1.19	High
Food Insecurity Rate	1	1	1	2	1.5		1	1.19	High
Households that are Asset Limited, Income Constrained, Employed (ALICE)	1	1.5	1	1.5	1.5		1	1.19	Medium
8th Grade Students Proficient in English/Language Arts	1	1.5	0	1.5	1.5		1.5	1.17	Medium
8th Grade Students Proficient in Math	1	1.5	0	1.5	1.5		1.5	1.17	Medium
High School Graduation	1	1.5	1	1.5	1		1	1.17	Medium
Life Expectancy	0	1	1	2	1.5		1.5	1.17	Medium
Age-Adjusted Death Rate due to Unintentional Poisonings	0	1.5	0	1.5	1.5		2	1.14	Medium
Voter Turnout: Presidential Election	1	1.5	1	1.5	0		1	1.11	Medium
Adults Who Frequently Used Quick Service Restaurants: Past 30 Days	2	2	1	1	1.5		0	1.08	High
Adults with Cancer	0	0	1.5	2	1.5		1.5	1.08	Medium
Adults with Health Insurance	1.5	0	1	1	1.5		1.5	1.08	Medium
Households with an Internet Subscription	1	1	2	2	1.5		0	1.08	High
Persons with an Internet Subscription	1	1	2	2	1.5		0	1.08	High
Self-Reported General Health Assessment: Poor or Fair	0	1	1.5	1	1.5		1.5	1.08	Medium
Families Living Below 200% of Poverty Level	1.5	1	0	0	1.5		2	1.06	Medium
Overcrowded Households	1	1.5	0	0	1.5		2	1.06	Medium
Homeownership	2	1	1	0	1.5		1	1.03	High
Houses Built Prior to 1950	0	2	0	2	1.5		1	1.03	High
Access to Exercise Opportunities	0	0	1	2	1.5		1.5	1.00	Medium
Adults who Agree Vaccine Benefits Outweigh Possible Risks	0	0	1	2	1.5		1.5	1.00	Medium

Healthy Communities Institute Data Scoring Tool



County: Portage
Cuyahoga (Northeast Ohio)
Total Indicators: 208
Thursday 2nd of May 2024 06:07:10 AM



Indicator	County Distribution		Value		Target		Trend	Score	Precision
	State	US	State	US	HP2030	Local			
High Blood Pressure Prevalence	0	0	1.5	2	0		1.5	1.00	Medium
Households with a Computer	0	0	1	2	1.5		1.5	1.00	High
Households with a Smartphone	0	0	1	2	1.5		1.5	1.00	High
Mothers who Smoked During Pregnancy	1	1.5	1	1.5	3		0	1.00	Medium
Proximity to Highways	0	1.5	0	1.5	1.5		1.5	1.00	Low
Adults with Health Insurance: 18+	0	0	1	1	1.5		2	0.97	High
Households with Cash Public Assistance Income	1	1	0	0	1.5		2	0.97	High
Stroke: Medicare Population	0	1	1	0	1.5		2	0.97	High
Children with Health Insurance	1.5	0	1	1	1.5		1	0.94	Medium
People Living Below Poverty Level	1	1	0	1	3		1	0.94	High
Adults 65+ with Total Tooth Loss	0	1	1.5	0	1.5		1.5	0.92	Medium
Adults who Experienced a Stroke	0	0	1.5	1	1.5		1.5	0.92	Medium
Adults with Kidney Disease	0	0	1.5	1	1.5		1.5	0.92	Medium
All Cancer Incidence Rate	1	1	1	2	1.5		0	0.92	High
Children Living Below 200% of Poverty Level	1.5	1	0	0	1.5		1.5	0.92	Medium
Death Rate due to Drug Poisoning	0	1	0	1	3		1.5	0.92	High
High Cholesterol Prevalence: Past 5 Years	0	0	1.5	1	1.5		1.5	0.92	Medium
Median Household Income	1	1	1	2	1.5		0	0.92	High
People 65+ Living Below Poverty Level	0	0	0	0	1.5		3	0.92	High
Adults with Disability Living in Poverty	1	1	0	1	1.5		1	0.86	High
Age-Adjusted Death Rate due to Firearms	1.5	0	0	0	1		2	0.86	High
Blood Lead Levels in Children (>=5 micrograms per deciliter)	0	1.5	0	1.5	1.5		1	0.86	Medium
Diabetes: Medicare Population	0	1	1	1	1.5		1	0.86	High
Linguistic Isolation	2	1	0	0	1.5		1	0.86	High
Mortgaged Owners Spending 30% or More of Household Income on Hous	1.5	0	2	0	0		1	0.86	High
Prostate Cancer Incidence Rate	1	1	0	1	1.5		1	0.86	High
Students Eligible for the Free Lunch Program	1	0	2	0	1.5		1	0.86	High
Adults who Visited a Dentist	0	0	1	1	1.5		1.5	0.83	High
Adults with Internet Access	0	0	1	1	1.5		1.5	0.83	High
Age-Adjusted Drug and Opioid-Involved Overdose Death Rate	0	1	0	1	1.5		1.5	0.83	Medium
Families Living Below Poverty Level	1	1	0	0	1.5		1.5	0.83	High
Premature Death	0	1	0	1	1.5		1.5	0.83	Medium
Residential Segregation - Black/White	0	1	0	0	1.5		2	0.81	High
Total Employment Change	0	1	0	0	1.5		2	0.81	High
Adults 65+ who Received Recommended Preventive Services: Females	0	0	1.5	0	1.5		1.5	0.75	Medium
Adults without Health Insurance	0	0	1.5	0	1.5		1.5	0.75	Medium
Infant Mortality Rate	1	1.5	0	0	1		1	0.75	High
Median Household Income: Householders 65+	0	1	1	2	1.5		0	0.75	High
Workers who Drive Alone to Work	0	1	1	2	1.5		0	0.75	High
Children in Single-Parent Households	1	1	0	0	1.5		1	0.69	High
Female Population 16+ in Civilian Labor Force	0	0	1	1	1.5		1	0.69	High
People 25+ with a High School Diploma or Higher	0	0	1	1	1.5		1	0.69	High
Population 16+ in Civilian Labor Force	0	0	1	1	1.5		1	0.69	High
Workers who Walk to Work	0	1	0	1	1.5		1	0.69	High
Substantiated Child Abuse Rate	1	1.5	0	1.5	0		0	0.67	Medium
Pneumonia Vaccinations: Medicare Population	0	0	0	0	1.5		2	0.64	High
Age-Adjusted Death Rate due to Heart Attack	0	1.5	0	1.5	1.5		0	0.58	Medium
Age-Adjusted Death Rate due to Influenza and Pneumonia	0	1.5	0	1.5	1.5		0	0.58	Medium
Households with One or More Types of Computing Devices	0	0	1	2	1.5		0	0.58	High
People 25+ with a Bachelor's Degree or Higher	0	0	1	2	1.5		0	0.58	High
Per Capita Income	0	0	1	2	1.5		0	0.58	High
Preventable Hospital Stays: Medicare Population	1	1	0	1	1.5		0	0.58	High
Flu Vaccinations: Medicare Population	0	0	1	0	1.5		1	0.53	High
Homeowner Vacancy Rate	1	0	0	0	1.5		1	0.53	High
Oral Cavity and Pharynx Cancer Incidence Rate	0	0	0	1	1.5		1	0.53	High
Tuberculosis Incidence Rate	0	1.5	0	0	0		1	0.53	High
Grandparents Who Are Responsible for Their Grandchildren	0	1.5	0	1	1.5		0	0.50	Medium
Children Living Below Poverty Level	1	1	0	0	1.5		0	0.42	High
Young Children Living Below Poverty Level	1	1	0	0	1.5		0	0.42	High
People 65+ Living Below 200% of Poverty Level	1.5	0	0	0	1.5		0	0.33	Medium
Age-Adjusted Death Rate due to Prostate Cancer	0	0	0	0	0		1	0.28	High
Child Food Insecurity Rate	0	1	0	0	1.5		0	0.25	High
Youth not in School or Working	0	1	0	0	1.5		0	0.25	High
Age-Adjusted Death Rate due to Unintentional Injuries	0	0	0	0	2		0	0.11	High

Healthy Communities Institute Data Scoring Tool



County: Portage
Cuyahoga (Northeast Ohio)
Total indicators: 208
Thursday 2nd of May 2024 06:07:40 AM

Topic	Indicators	Score
Women's Health	6	1.63
Mental Health & Mental Disorders	9	1.59
Tobacco Use	6	1.51
Maternal, Fetal & Infant Health	7	1.49
Older Adults	28	1.47
Respiratory Diseases	13	1.46
Alcohol & Drug Use	7	1.45
Nutrition & Healthy Eating	3	1.44
Heart Disease & Stroke	15	1.41
Education	14	1.39
Environmental Health	21	1.39
Other Conditions	6	1.39
Diabetes	3	1.37
Cancer	18	1.32
Health Care Access & Quality	14	1.31
Mortality Data	24	1.26
Economy	53	1.21
Wellness & Lifestyle	10	1.21
Physical Activity	6	1.15
Community	43	1.12
Prevention & Safety	6	1.02
Oral Health	4	0.99
Children's Health	6	0.98
Immunizations & Infectious Diseases	9	0.95
Health Information Technology	6	0.93

Healthy Communities Institute
Data Scoring Tool

Scoring Results by Topic

County: Portage
Cuyahoga (Northeast Ohio)
Total Indicators: 208
Thursday 2nd of May 2024 06:07:10 AM

Topic Selection: Women's Health *****

Women's Health in Portage County

Indicator	County Distribution		Value		Target		Trend	Score	Precision	Disparity Exists
	State	US	State	US	HP2030	Local				
Age-Adjusted Death Rate due to Breast Cancer	2	2	2	3	3		2	2.22	High	N
Cervical Cancer Screening: 21-65	3	2	1.5	2	1.5		1.5	1.92	Medium	N/A
Mammography Screening: Medicare Population	2	1	2	2	1.5		1	1.53	High	N/A
Mammogram in Past 2 Years: 50-74	1	1	1.5	2	3		1.5	1.5	Medium	N/A
Breast Cancer Incidence Rate	2	2	1	1	1.5		1	1.36	High	N
Cervical Cancer Incidence Rate	1.5	1	0	1	1.5		2	1.22	Medium	N

Healthy Communities Institute
Data Scoring Tool

Scoring Results by Topic

County: Portage
Cuyahoga (Northeast Ohio)
Total Indicators: 208
Thursday 2nd of May 2024 06:07:10 AM

Topic Selection: Mental Health & Mental Disorders *****
Topic Score: 3.59

Mental Health & Mental Disorders in Portage County

Indicator	County Distribution		Value		Target		Trend	Score	Precision	Disparity Exists
	State	US	State	US	HP2030	Local				
Depression: Medicare Population	3	3	3	3	1.5		1	2.36	High	N/A
Age-Adjusted Death Rate due to Alzheimer's Disease	2	1.5	2	1.5	1.5		2	1.81	Medium	N/A
Poor Mental Health: 14+ Days	1	2	1.5	3	1.5		1.5	1.75	Medium	N/A
Age-Adjusted Death Rate due to Suicide	1	1.5	2	1.5	3		2	1.72	Medium	N/A
Self-Reported General Health Assessment: Good or Better	1	1	1	2	1.5		2	1.47	High	N/A
Mental Health Provider Rate	1	1	3	3	1.5		0	1.42	High	N/A
Poor Mental Health: Average Number of Days	0	1	1	2	1.5		2	1.31	High	N/A
Adults Ever Diagnosed with Depression	0	1	1.5	2	1.5		1.5	1.25	Medium	N/A
Alzheimer's Disease or Dementia: Medicare Population	2	1	1	1	1.5		1	1.19	High	N/A

Healthy Communities Institute
Data Scoring Tool

Scoring Results by Topic

County: Portage
Cuyahoga (Northeast Ohio)
Total Indicators: 208
Thursday 2nd of May 2024 06:07:10 AM

Topic Selection: Tobacco Use
Topic Score: 3.51 *****

Tobacco Use in Portage County

Indicator	County Distribution		Value		Target		Trend	Score	Precision	Disparity Exists
	State	US	State	US	HP2030	Local				
Adults Who Used Electronic Cigarettes: Past 30 Days	2	2	2	2	1.5		1.5	1.83	Medium	N/A
Adults Who Used Smokeless Tobacco: Past 30 Days	1	1	3	3	1.5		1	1.69	High	N/A
Adults who Smoke	0	1	1.5	3	3		1.5	1.5	Medium	N/A
Cigarette Spending-to-Income Ratio	1	1	2	1.5	1.5		1.5	1.42	Medium	N/A
Lung and Bronchus Cancer Incidence Rate	1	1	1	3	1.5		1	1.36	High	N
Tobacco Use: Medicare Population	0	1.5	1	3	1.5		1	1.28	Medium	N/A