

**County:** Summit

**Report Date:** 5/2/2024

### Summary

Conduent HCI's Data Scoring Tool provides a systematic ranking of your county's indicators to help set priorities for community health improvement. To read more about this tool, please see the Data Scoring Tool Methodology document. The Data Scoring Tool Report's summary includes the topics that are considered significant health needs, and indicators for which significant disparities were identified for your county. Following this summary you will find the full Data Scoring Tool results, including all indicator scores, all topic scores, and the indicators within each topic area that are considered a significant health need. Please keep in mind that this report is a snapshot in time, and only reflects the data that are current on Healthy Northeast Ohio as of the date the Data Scoring Tool was run. The findings from the Data Scoring Tool should be used, along with other considerations, such as community input, when prioritizing the health needs of your county.

### Topic Scores

All indicator scores are averaged by topic area, to allow for a higher-level ranking of community needs. Resulting scores range from 0-3, where a higher score indicates a greater level of need. Below are the topic areas with scores of 1.50 or higher in your county. This is the cutoff used for a topic area to be considered a significant health need. Please see the results section below for the indicators that make up each of these topic areas.

Topic	Indicators	Score
Other Conditions	6	1.88
Sexually Transmitted Infections	3	1.69
Alcohol & Drug Use	7	1.66
Mental Health & Mental Disorders	9	1.66
Prevention & Safety	7	1.65
Mortality Data	27	1.61
Older Adults	28	1.59
Education	14	1.50
Physical Activity	6	1.50

### Identified Disparities

The Data Scoring Tool allows for the identification of significant disparities that may exist by race/ethnicity, age, and gender. Below are the indicators where significant disparities were identified in your county.

Indicator	County Distribution		Value		Target				Precision	Age
	State	US	State	US	HP2030	Local	Trend	Score		
Workers who Walk to Work	3	2	3	3	1.5		2	2.47	High	60-64
Renters Spending 30% or More of Household Income on Rent	2	2	2	1	3		1	1.61	High	65+
Workers who Drive Alone to Work	0	1	2	2	1.5		0	0.92	High	60-64
People 25+ with a High School Diploma or Higher	1	0	1	1	1.5		1	0.86	High	65+
People Living Below Poverty Level	1	1	1	1	3		0	0.83	High	18-24, 6-11, <6
Persons with an Internet Subscription	0	0	1	1	1.5		0	0.42	High	65+
People 25+ with a Bachelor's Degree or Higher	0	0	0	1	1.5		0	0.25	High	65+

Indicator	County Distribution		Value		Target				Precision	Gender
	State	US	State	US	HP2030	Local	Trend	Score		
Age-Adjusted Death Rate due to Firearms	1.5	2	3	3	3		3	2.58	High	Male
Age-Adjusted Drug and Opioid-Involved Overdose Death Rate	2	3	1	3	1.5		1.5	2.00	Medium	Male
Oral Cavity and Pharynx Cancer Incidence Rate	1	1	1	2	1.5		2	1.47	High	Male
Age-Adjusted Death Rate due to Cancer	1	2	1	2	3		1	1.44	High	Male
Age-Adjusted Death Rate due to Lung Cancer	1	1	1	3	3		1	1.44	High	Male
Age-Adjusted Death Rate due to Unintentional Injuries	1	2	0	3	3		1	1.44	High	Male
All Cancer Incidence Rate	0	1	1	2	1.5		1.5	1.17	High	Male
Mean Travel Time to Work	1	1	1	0	1.5		2	1.14	High	Male
Lung and Bronchus Cancer Incidence Rate	0	1	1	2	1.5		1	1.03	High	Male
Colorectal Cancer Incidence Rate	0	0	0	1	1.5		1	0.53	High	Male

Indicator	County Distribution		Value		Target				Precision	Race/Ethnicity
	State	US	State	US	HP2030	Local	Trend	Score		
Age-Adjusted Death Rate due to Firearms	1.5	2	3	3	3		3	2.58	High	Black/African American
Workers Commuting by Public Transportation	0	0	3	3	3		3	2.00	High	White, non-Hispanic
Premature Death	2	1	2	3	1.5		1.5	1.83	Medium	Black/African American, non-Hispanic
Age-Adjusted Death Rate due to Prostate Cancer	2	1	1	2	3		2	1.72	High	Black/African American
Life Expectancy	1	2	1	2	1.5		1.5	1.50	Medium	Black/African American, non-Hispanic
Age-Adjusted Death Rate due to Cancer	1	2	1	2	3		1	1.44	High	Black/African American
Prostate Cancer Incidence Rate	1	1	1	1	1.5		2	1.31	High	Black/African American
Age-Adjusted Death Rate due to Colorectal Cancer	1	1	1	2	3		1	1.28	High	Black/African American
People 65+ Living Below Poverty Level	1	1	0	0	1.5		3	1.25	High	Asian, Black/African American, Two or More Races
Adults with Health Insurance	1.5	1	1	1	1.5		1	1.11	Medium	Hispanic/Latino
Young Children Living Below Poverty Level	1	2	1	2	1.5		0	1.08	High	Black/African American
Children Living Below Poverty Level	1	1	1	2	1.5		0	0.92	High	Black/African American
Median Household Income	1	1	1	2	1.5		0	0.92	High	Black/African American, Two or More Races
Workers who Drive Alone to Work	0	1	2	2	1.5		0	0.92	High	Native Hawaiian/Pacific Islander
People 25+ with a High School Diploma or Higher	1	0	1	1	1.5		1	0.86	High	Asian
People Living Below Poverty Level	1	1	1	1	3		0	0.83	High	American Indian/Alaska Native, Black/African American, Two or More Races
Families Living Below Poverty Level	1	1	1	1	1.5		0	0.75	High	Asian, Black/African American, Native Hawaiian/Pacific Islander
Per Capita Income	0	0	1	2	1.5		0	0.58	High	Asian, Black/African American, Hispanic/Latino, Other, Two or More Races
Persons with an Internet Subscription	0	0	1	1	1.5		0	0.42	High	American Indian/Alaska Native, Black/African American
People 25+ with a Bachelor's Degree or Higher	0	0	0	1	1.5		0	0.25	High	American Indian/Alaska Native, Black/African American, Other, Two or More Races

### Results

The remaining pages of this report include the full Data Scoring Tool results for your county, including indicator scores, topic scores, and scoring results by topic for topics with scores of 1.50 or higher.

# Healthy Communities Institute Data Scoring Tool



County: Summit  
Cuyahoga (Northeast Ohio)  
Total Indicators: 209  
Thursday 2nd of May 2024 06:09:06 AM



Indicator	County Distribution		Value		Target		Trend	Score	Precision
	State	US	State	US	HP2030	Local			
Asthma: Medicare Population	3	3	3	3	1.5		2	2.64	High
Age-Adjusted Death Rate due to Firearms	1.5	2	3	3	3		3	2.58	High
Depression: Medicare Population	3	3	3	3	1.5		1.5	2.50	High
People 65+ Living Alone	3	3	2	3	1.5		2	2.47	High
Workers who Walk to Work	3	2	3	3	1.5		2	2.47	High
Poor Mental Health: Average Number of Days	2	2	2	3	1.5		3	2.42	High
Chronic Kidney Disease: Medicare Population	3	3	3	3	1.5		1	2.36	High
Households with Cash Public Assistance Income	3	3	3	3	1.5		1	2.36	High
Hyperlipidemia: Medicare Population	3	3	2	2	1.5		2	2.31	High
Adults 20+ Who Are Obese	2	3	1.5	1.5	2		3	2.28	Medium
Age-Adjusted Death Rate due to Homicide	1.5	1.5	3	1.5	3		3	2.25	Medium
Homeowner Spending-to-Income Ratio	3	3	3	1.5	1.5		1.5	2.25	Medium
Alcohol-Impaired Driving Deaths	2	3	3	3	1.5		1	2.19	High
Median Monthly Owner Costs for Households without a Mortgage	3	1.5	2	1	1.5		3	2.17	Medium
Rheumatoid Arthritis or Osteoarthritis: Medicare Population	2	3	2	3	1.5		1.5	2.17	High
Student-to-Teacher Ratio	2	3	2	3	1.5		1.5	2.17	High
Age-Adjusted Death Rate due to Alzheimer's Disease	3	1.5	3	1.5	1.5		2	2.14	Medium
Age-Adjusted Death Rate due to Breast Cancer	2	2	2	3	3		1.5	2.08	High
College Tuition Spending-to-Income Ratio	3	3	2	1.5	1.5		1.5	2.08	Medium
Day Care Center and Preschool Spending-to-Income Ratio	3	3	2	1.5	1.5		1.5	2.08	Medium
Death Rate due to Drug Poisoning	2	3	1	3	3		1.5	2.08	High
Obesity: Medicare Population	2	1.5	2	3	1.5		2	2.06	Medium
Children in Single-Parent Households	3	2	2	3	1.5		1	2.03	High
Age-Adjusted Drug and Opioid-Involved Overdose Death Rate	2	3	1	3	1.5		1.5	2.00	Medium
Income Inequality	3	3	2	1	1.5		1.5	2.00	High
Median Household Gross Rent	3	1.5	2	0	1.5		3	2.00	Medium
Workers Commuting by Public Transportation	0	0	3	3	3		3	2.00	High
8th Grade Students Proficient in Math	3	1.5	2	1.5	1.5		2	1.97	Medium
Babies with Low Birthweight	3	1.5	2	1.5	1.5		2	1.97	Medium
CPD: Medicare Population	1	2	2	3	1.5		2	1.97	High
Unemployed Workers in Civilian Labor Force	2	2	2	2	1.5		2	1.97	High
Adult Day Care Spending-to-Income Ratio	3	2	2	1.5	1.5		1.5	1.92	Medium
Adults 65+ who Received Recommended Preventive Services: Females	2	2	1.5	3	1.5		1.5	1.92	Medium
Age-Adjusted Death Rate due to Diabetes	1	1.5	2	1.5	1.5		3	1.92	Medium
Age-Adjusted Death Rate due to Kidney Disease	2	1.5	1	1.5	1.5		3	1.92	Medium
Home Renter Spending-to-Income Ratio	3	2	2	1.5	1.5		1.5	1.92	Medium
People 65+ Living Alone (Count)	1.5	1.5	1.5	1.5	1.5		3	1.92	Low
People 65+ Living Below Poverty Level (Count)	1.5	1.5	1.5	1.5	1.5		3	1.92	Low
Preterm Births	2	1.5	2	1.5	3		2	1.89	Medium
Child Food Insecurity Rate	2	2	2	3	1.5		1	1.86	High
Gonorrhea Incidence Rate	3	1.5	3	1.5	1.5		1	1.86	Medium
Violent Crime Rate	3	1.5	3	1.5	1.5		1	1.86	Medium
4th Grade Students Proficient in Math	3	1.5	2	1.5	1.5		1.5	1.83	Medium
Adults who Feel Overwhelmed by Financial Burdens	2	2	2	2	1.5		1.5	1.83	Medium
Adults who Smoke	1	2	1.5	3	3		1.5	1.83	Medium
Premature Death	2	1	2	3	1.5		1.5	1.83	Medium
Linguistic Isolation	3	2	2	0	1.5		2	1.81	High
Tobacco Use: Medicare Population	1	1.5	3	3	1.5		1	1.78	Medium
Adults Ever Diagnosed with Depression	1	2	1.5	3	1.5		1.5	1.75	Medium
Adults with Arthritis	1	2	1.5	3	1.5		1.5	1.75	Medium
Adults with Current Asthma	2	2	1.5	2	1.5		1.5	1.75	Medium
Poor Mental Health: 14+ Days	1	2	1.5	3	1.5		1.5	1.75	Medium
Age-Adjusted Death Rate due to Prostate Cancer	2	1	1	2	3		2	1.72	High
Annual Ozone Air Quality	1.5	2	1.5	1.5	1.5		2	1.72	Low
Annual Particle Pollution	1.5	2	1.5	1.5	1.5		2	1.72	Low
Adults with Disability Living in Poverty	2	2	1	3	1.5		1	1.69	High
Breast Cancer Incidence Rate	2	2	2	2	1.5		1	1.69	High
Houses Built Prior to 1950	1	2	2	3	1.5		1	1.69	High
Adults Who Used Electronic Cigarettes: Past 30 Days	2	2	1	2	1.5		1.5	1.67	Medium
Households that are Above the Asset Limited, Income Constrained, Emplo	2	1.5	2	1.5	1.5		1.5	1.67	Medium
Mammogram in Past 2 Years: 50-74	2	1	1.5	2	3		1.5	1.67	Medium
Mothers who Received Early Prenatal Care	2	1.5	2	1.5	1.5		1.5	1.67	Medium
Age-Adjusted Death Rate due to Unintentional Poisonings	2	1.5	1	1.5	1.5		2	1.64	Medium
Blood Lead Levels in Children (>=5 micrograms per deciliter)	2	1.5	1	1.5	1.5		2	1.64	Medium
Households Living Below Poverty Level	1	1.5	2	1.5	1.5		2	1.64	Medium
Osteoporosis: Medicare Population	2	2	1	1	1.5		2	1.64	High
Recognized Carcinogens Released into Air	1.5	1.5	1.5	1.5	1.5		2	1.64	Low
Size of Labor Force	1.5	1.5	1.5	1.5	1.5		2	1.64	Low
Weeks of Moderate Drought or Worse	1.5	1.5	1.5	1.5	1.5		2	1.64	Low
Age-Adjusted Death Rate due to HIV	1.5	1.5	3	1.5	1.5		1	1.61	Low
Renters Spending 30% or More of Household Income on Rent	2	2	2	1	3		1	1.61	High
Adults who Binge Drink	1	2	1.5	2	1.5		1.5	1.58	Medium

# Healthy Communities Institute Data Scoring Tool



County: Summit  
Cuyahoga (Northeast Ohio)  
Total Indicators: 209  
Thursday 2nd of May 2024 06:09:06 AM



Indicator	County Distribution		Value		Target		Trend	Score	Precision
	State	US	State	US	HP2030	Local			
Adults Who Frequently Used Quick Service Restaurants: Past 30 Days	3	3	2	1	1.5		0	1.58	High
Adults with Cancer	1	1	1.5	3	1.5		1.5	1.58	Medium
Age-Adjusted Death Rate due to Falls	1	1.5	0	1.5	1.5		3	1.58	Medium
Chlamydia Incidence Rate	3	1.5	3	1.5	1.5		0	1.58	Medium
Households without a Vehicle	3	3	2	1	1.5		0	1.58	High
Poor Physical Health: 14+ Days	1	1	1.5	3	1.5		1.5	1.58	Medium
Self-Reported General Health Assessment: Poor or Fair	1	1	1.5	3	1.5		1.5	1.58	Medium
Student Loan Spending-to-Income Ratio	2	1	2	1.5	1.5		1.5	1.58	Medium
Vocational, Technical, and Other School Tuition Spending-to-Income Ratio	2	1	2	1.5	1.5		1.5	1.58	Medium
Mortgaged Owners Median Monthly Household Costs	3	1.5	1	0	1.5		2	1.56	Medium
8th Grade Students Proficient in English/Language Arts	2	1.5	2	1.5	1.5		1	1.53	Medium
Adults 20+ with Diabetes	1	3	1.5	1.5	1.5		1	1.53	Medium
Homeowner Vacancy Rate	2	1	3	1	1.5		1	1.53	High
Poor Physical Health: Average Number of Days	1	1	2	3	1.5		1	1.53	High
Babies with Very Low Birthweight	2	1.5	1	1.5	1.5		1.5	1.50	Medium
Households that are Asset Limited, Income Constrained, Employed (ALICE)	1	1.5	2	1.5	1.5		1.5	1.50	Medium
Life Expectancy	1	2	1	2	1.5		1.5	1.50	Medium
Proximity to Highways	3	1.5	0	1.5	1.5		1.5	1.50	Low
Daily Dose of UV Irradiance	1	1.5	1	1.5	1.5		2	1.47	Medium
Liquor Store Density	2	0	3	0	1.5		2	1.47	High
Oral Cavity and Pharynx Cancer Incidence Rate	1	1	1	2	1.5		2	1.47	High
Residential Segregation - Black/White	2	2	0	1	1.5		2	1.47	High
Self-Reported General Health Assessment: Good or Better	1	1	1	2	1.5		2	1.47	High
Age-Adjusted Death Rate due to Cancer	1	2	1	2	3		1	1.44	High
Age-Adjusted Death Rate due to Lung Cancer	1	1	1	3	3		1	1.44	High
Age-Adjusted Death Rate due to Suicide	1	1.5	2	1.5	3		1	1.44	Medium
Age-Adjusted Death Rate due to Unintentional Injuries	1	2	0	3	3		1	1.44	High
Adults who Experienced a Stroke	1	1	1.5	2	1.5		1.5	1.42	Medium
Adults who Experienced Coronary Heart Disease	0	1	1.5	3	1.5		1.5	1.42	Medium
Adults with COPD	0	1	1.5	3	1.5		1.5	1.42	Medium
Adults with Kidney Disease	1	1	1.5	2	1.5		1.5	1.42	Medium
Cervical Cancer Screening: 21-65	1	1	1.5	2	1.5		1.5	1.42	Medium
Gasoline and Other Fuels Spending-to-Income Ratio	1	1	2	1.5	1.5		1.5	1.42	Medium
Health Insurance Spending-to-Income Ratio	1	1	2	1.5	1.5		1.5	1.42	Medium
High Cholesterol Prevalence: Past 5 Years	1	1	1.5	2	1.5		1.5	1.42	Medium
Insufficient Sleep	0	2	1	2	3		1.5	1.42	High
People 65+ Living Below 200% of Poverty Level	1.5	2	1	1	1.5		1.5	1.42	Medium
Utilities Spending-to-Income Ratio	1	1	2	1.5	1.5		1.5	1.42	Medium
Children with Health Insurance	1.5	1	1	1	1.5		2	1.39	Medium
4th Grade Students Proficient in English/Language Arts	2	1.5	1	1.5	1.5		1	1.36	Medium
Adults 20+ who are Sedentary	1	2	1.5	1.5	1.5		1	1.36	Medium
Number of Extreme Precipitation Days	1.5	1.5	1.5	1.5	1.5		1	1.36	Low
Access to Parks	0	1.5	2	1.5	1.5		1.5	1.33	Low
High School Graduation	2	1.5	1	1.5	1		1	1.33	Medium
Cancer: Medicare Population	1	1	1	1	1.5		2	1.31	High
Prostate Cancer Incidence Rate	1	1	1	1	1.5		2	1.31	High
Age-Adjusted Death Rate due to Colorectal Cancer	1	1	1	2	3		1	1.28	High
Mothers who Smoked During Pregnancy	1	1.5	1	1.5	3		1	1.28	Medium
Adults 65+ with Total Tooth Loss	1	1	1.5	1	1.5		1.5	1.25	Medium
Adults who Have Taken Medications for High Blood Pressure	1	1	1.5	1	1.5		1.5	1.25	Medium
Age-Adjusted Death Rate due to Cerebrovascular Disease (Stroke)	1	1.5	0	1.5	3		1.5	1.25	Medium
Cholesterol Test History	0	1	1.5	2	1.5		1.5	1.25	Medium
Cigarette Spending-to-Income Ratio	0	1	2	1.5	1.5		1.5	1.25	Medium
Families Living Below 200% of Poverty Level	1.5	1	1	1	1.5		1.5	1.25	Medium
Home Child Care Spending-to-Income Ratio	1	1	1	1.5	1.5		1.5	1.25	Medium
People 65+ Living Below Poverty Level	1	1	0	0	1.5		3	1.25	High
Voter Turnout: Presidential Election	1	1.5	1	1.5	0		1.5	1.25	Medium
Age-Adjusted Death Rate due to Coronary Heart Disease	0	1.5	0	1.5	3		2	1.22	Medium
Age-Adjusted Death Rate due to Chronic Lower Respiratory Diseases	1	1.5	1	1.5	1.5		1	1.19	Medium
Alzheimer's Disease or Dementia: Medicare Population	2	1	1	1	1.5		1	1.19	High
All Cancer Incidence Rate	0	1	1	2	1.5		1.5	1.17	High
High Blood Pressure Prevalence	0	1	1.5	2	0		1.5	1.17	Medium
Social Associations	2	1	1	0	1.5		1.5	1.17	High
Age-Adjusted Death Rate due to Heart Attack	0	1.5	0	1.5	1.5		2	1.14	Medium
Age-Adjusted Death Rate due to Motor Vehicle Collisions	1.5	1.5	0	0	1.5		2	1.14	Medium
Atrial Fibrillation: Medicare Population	0	1	1	1	1.5		2	1.14	High
Hypertension: Medicare Population	0	1	1	1	1.5		2	1.14	High
Mean Travel Time to Work	1	1	1	0	1.5		2	1.14	High
Adults with Health Insurance	1.5	1	1	1	1.5		1	1.11	Medium
Children Living Below 200% of Poverty Level	1.5	1	1	1	1.5		1	1.11	Medium
People Living Below 200% of Poverty Level	1.5	1	1	1	1.5		1	1.11	Medium
Persons without Health Insurance	1.5	1.5	0	1.5	1.5		1	1.11	Low

# Healthy Communities Institute Data Scoring Tool



County: Summit  
Cuyahoga (Northeast Ohio)  
Total Indicators: 209  
Thursday 2nd of May 2024 06:09:06 AM



Indicator	County Distribution		Value		Target		Trend	Score	Precision
	State	US	State	US	HP2030	Local			
Adults 65+ who Received Recommended Preventive Services: Males	0	1	1.5	1	1.5		1.5	1.08	Medium
Adults who Drank Soft Drinks: Past 7 Days	0	1.5	1	1	1.5		1.5	1.08	Medium
Adults who Follow a Regular Exercise Routine	0	1.5	1	1	1.5		1.5	1.08	Medium
Child Care Centers	1	1.5	1	0	1.5		1.5	1.08	Medium
Colon Cancer Screening: USPSTF Recommendation	0	1	1.5	1	1.5		1.5	1.08	Medium
Severe Housing Problems	3	2	1	0	1.5		0	1.08	High
Young Children Living Below Poverty Level	1	2	1	2	1.5		0	1.08	High
Persons with Health Insurance	1	0	1	1.5	1		1.5	1.06	High
Adults who Drink Excessively	1	2	0	1	1.5		1	1.03	High
Lung and Bronchus Cancer Incidence Rate	0	1	1	2	1.5		1	1.03	High
Mammography Screening: Medicare Population	1	1	1	1	1.5		1	1.03	High
Teen Birth Rate: 15-17	1	1.5	0	1.5	1.5		1	1.03	Medium
Households with a Computer	0	0	1	2	1.5		1.5	1.00	High
Households with a Savings Account	0	0	1	2	1.5		1.5	1.00	Medium
Households with a Smartphone	0	0	1	2	1.5		1.5	1.00	High
Youth not in School or Working	1	2	0	0	1.5		1.5	1.00	High
Adults with Health Insurance: 18+	0	0	1	1	1.5		2	0.97	High
Mortgaged Owners Spending 30% or More of Household Income on Hous	1.5	0	1	0	0		2	0.97	High
Stroke: Medicare Population	0	1	1	0	1.5		2	0.97	High
Total Employment Change	1	1	0	0	1.5		2	0.97	High
Gender Pay Gap	1.5	0	1	1	1.5		1	0.94	Medium
Grandparents Who Are Responsible for Their Grandchildren	0	1.5	0	2	1.5		1	0.94	Medium
Substantiated Child Abuse Rate	1	1.5	0	1.5	0		1	0.94	Medium
Adults who have had a Routine Checkup	0	0	1.5	1	1.5		1.5	0.92	Medium
Children Living Below Poverty Level	1	1	1	2	1.5		0	0.92	High
Food Insecurity Rate	1	1	1	2	1.5		0	0.92	High
Homeownership	2	1	1	1	1.5		0	0.92	High
Median Household Income	1	1	1	2	1.5		0	0.92	High
Median Household Income: Householders 65+	1	1	1	2	1.5		0	0.92	High
Preventable Hospital Stays: Medicare Population	1	2	0	2	1.5		0	0.92	High
Workers who Drive Alone to Work	0	1	2	2	1.5		0	0.92	High
Diabetes: Medicare Population	0	1	1	1	1.5		1	0.86	High
Food Environment Index	1	1	0	1	1.5		1	0.86	High
Heart Failure: Medicare Population	0	1	1	1	1.5		1	0.86	High
Infant Mortality Rate	1	1.5	0	2	2		0	0.86	High
Ischemic Heart Disease: Medicare Population	0	1	1	1	1.5		1	0.86	High
People 25+ with a High School Diploma or Higher	1	0	1	1	1.5		1	0.86	High
Solo Drivers with a Long Commute	1	1	1	0	1.5		1	0.86	High
Tuberculosis Incidence Rate	2	1.5	0	0	0		1	0.86	High
Adults who Agree Vaccine Benefits Outweigh Possible Risks	0	0	1	1	1.5		1.5	0.83	Medium
People Living Below Poverty Level	1	1	1	1	3		0	0.83	High
Adults without Health Insurance	0	0	1.5	0	1.5		1.5	0.75	Medium
Families Living Below Poverty Level	1	1	1	1	1.5		0	0.75	High
Adults who Visited a Dentist	0	0	1	1	1.5		1	0.69	High
Adults with Internet Access	0	0	1	1	1.5		1	0.69	High
Female Population 16+ in Civilian Labor Force	0	0	1	1	1.5		1	0.69	High
Pneumonia Vaccinations: Medicare Population	0	0	0	0	1.5		2	0.64	High
Cervical Cancer Incidence Rate	1.5	0	0	0	1.5		1	0.61	Medium
Overcrowded Households	0	1.5	0	0	1.5		1	0.61	Medium
Age-Adjusted Death Rate due to Influenza and Pneumonia	0	1.5	0	1.5	1.5		0	0.58	Medium
Dentist Rate	0	0	1	2	1.5		0	0.58	High
Households with One or More Types of Computing Devices	0	0	1	2	1.5		0	0.58	High
Per Capita Income	0	0	1	2	1.5		0	0.58	High
Population 16+ in Civilian Labor Force	1	0	1	1	1.5		0	0.58	High
Adults Who Used Smokeless Tobacco: Past 30 Days	0	0	0	1	1.5		1	0.53	High
Colorectal Cancer Incidence Rate	0	0	0	1	1.5		1	0.53	High
Flu Vaccinations: Medicare Population	0	0	1	0	1.5		1	0.53	High
Access to Exercise Opportunities	0	0	0	0	1.5		1.5	0.50	Medium
Primary Care Provider Rate	0	0	0	0	1.5		1.5	0.50	High
Households with an Internet Subscription	0	0	1	1	1.5		0	0.42	High
Persons with an Internet Subscription	0	0	1	1	1.5		0	0.42	High
Students Eligible for the Free Lunch Program	0	0	0	0	1.5		1	0.36	High
Mental Health Provider Rate	0	0	1	0	1.5		0	0.25	High
Non-Physician Primary Care Provider Rate	0	0	1	0	1.5		0	0.25	High
People 25+ with a Bachelor's Degree or Higher	0	0	0	1	1.5		0	0.25	High

# Healthy Communities Institute Data Scoring Tool



County: Summit  
Cuyahoga (Northeast Ohio)  
Total indicators: 209  
Thursday 2nd of May 2024 06:09:45 AM

Topic	Indicators	Score
Other Conditions	6	1.88
Sexually Transmitted Infections	3	1.69
Alcohol & Drug Use	7	1.66
Mental Health & Mental Disorders	9	1.66
Prevention & Safety	7	1.65
Mortality Data	27	1.61
Older Adults	28	1.59
Education	14	1.50
Physical Activity	6	1.50
Maternal, Fetal & Infant Health	7	1.46
Environmental Health	19	1.45
Diabetes	3	1.44
Respiratory Diseases	13	1.42
Women's Health	6	1.42
Economy	53	1.37
Wellness & Lifestyle	10	1.37
Children's Health	6	1.36
Tobacco Use	6	1.35
Cancer	18	1.33
Community	45	1.31
Heart Disease & Stroke	15	1.25
Nutrition & Healthy Eating	3	1.18
Oral Health	4	1.00
Immunizations & Infectious Diseases	10	0.97
Health Care Access & Quality	14	0.85
Health Information Technology	6	0.69

Healthy Communities Institute  
Data Scoring Tool

Scoring Results by Topic

County: Summit  
Cuyahoga (Northeast Ohio)  
Total Indicators: 209  
Thursday 2nd of May 2024 06:09:06 AM

Topic Selection: **Other Conditions** \*\*\*\*

Other Conditions in Summit County

Indicator	County Distribution		Value		Target		Trend	Score	Precision	Disparity Exists
	State	US	State	US	HP2030	Local				
Chronic Kidney Disease: Medicare Population	3	3	3	3	1.5		1	2.36	High	N/A
Rheumatoid Arthritis or Osteoarthritis: Medicare Population	2	3	2	3	1.5		1.5	2.17	High	N/A
Age-Adjusted Death Rate due to Kidney Disease	2	1.5	1	1.5	1.5		3	1.92	Medium	N/A
Adults with Arthritis	1	2	1.5	3	1.5		1.5	1.75	Medium	N/A
Osteoporosis: Medicare Population	2	2	1	1	1.5		2	1.64	High	N/A
Adults with Kidney Disease	1	1	1.5	2	1.5		1.5	1.42	Medium	N/A

Healthy Communities Institute  
Data Scoring Tool

Scoring Results by Topic

County: Summit  
Cuyahoga (Northeast Ohio)  
Total Indicators: 209  
Thursday 2nd of May 2024 06:09:06 AM

Topic Selection: Sexually Transmitted Infections  
Topic Score: 3.69 \*\*\*\*\*

Sexually Transmitted Infections in Summit County

Indicator	County Distribution		Value		Target		Trend	Score	Precision	Disparity Exists
	State	US	State	US	HP2030	Local				
Gonorrhea Incidence Rate	3	1.5	3	1.5	1.5		1	1.86	Medium	N/A
Age-Adjusted Death Rate due to HIV	1.5	1.5	3	1.5	1.5		1	1.61	Low	N/A
Chlamydia Incidence Rate	3	1.5	3	1.5	1.5		0	1.58	Medium	N/A

Healthy Communities Institute  
Data Scoring Tool

Scoring Results by Topic

County: Summit  
Cuyahoga (Northeast Ohio)  
Total Indicators: 209  
Thursday 2nd of May 2024 06:09:06 AM

Topic Selection: **Alcohol & Drug Use**  
Topic Score: **3.66** \*\*\*\*\*

Alcohol & Drug Use in Summit County

Indicator	County Distribution		Value		Target		Trend	Score	Precision	Disparity Exists
	State	US	State	US	HP2030	Local				
Alcohol-impaired Driving Deaths	2	3	3	3	1.5		1	2.19	High	N/A
Death Rate due to Drug Poisoning	2	3	1	3	3		1.5	2.08	High	N
Age-Adjusted Drug and Opioid-Involved Overdose Death Rate	2	3	1	3	1.5		1.5	2	Medium	Y
Adults who Binge Drink	1	2	1.5	2	1.5		1.5	1.58	Medium	N/A
Liquor Store Density	2	0	3	0	1.5		2	1.47	High	N/A
Mothers who Smoked During Pregnancy	1	1.5	1	1.5	3		1	1.28	Medium	N/A
Adults who Drink Excessively	1	2	0	1	1.5		1	1.03	High	N/A



Healthy Communities Institute  
Data Scoring Tool

Scoring Results by Topic

County: Summit  
Cuyahoga (Northeast Ohio)  
Total Indicators: 209  
Thursday 2nd of May 2024 06:09:06 AM

Topic Selection: Mental Health & Mental Disorders \*\*\*\*  
Topic Score: 3.66

Mental Health & Mental Disorders in Summit County

Indicator	County Distribution		Value		Target		Trend	Score	Precision	Disparity Exists
	State	US	State	US	HP2030	Local				
Depression: Medicare Population	3	3	3	3	1.5		1.5	2.5	High	N/A
Poor Mental Health: Average Number of Days	2	2	2	3	1.5		3	2.42	High	N/A
Age-Adjusted Death Rate due to Alzheimer's Disease	3	1.5	3	1.5	1.5		2	2.14	Medium	N/A
Adults Ever Diagnosed with Depression	1	2	1.5	3	1.5		1.5	1.75	Medium	N/A
Poor Mental Health: 14+ Days	1	2	1.5	3	1.5		1.5	1.75	Medium	N/A
Self-Reported General Health Assessment: Good or Better	1	1	1	2	1.5		2	1.47	High	N/A
Age-Adjusted Death Rate due to Suicide	1	1.5	2	1.5	3		1	1.44	Medium	N/A
Alzheimer's Disease or Dementia: Medicare Population	2	1	1	1	1.5		1	1.19	High	N/A
Mental Health Provider Rate	0	0	1	0	1.5		0	0.25	High	N/A

Healthy Communities Institute  
Data Scoring Tool

Scoring Results by Topic

County: Summit  
Cuyahoga (Northeast Ohio)  
Total Indicators: 209  
Thursday 2nd of May 2024 06:09:06 AM

Topic Selection: Prevention & Safety \*\*\*\*\*

Prevention & Safety in Summit County

Indicator	County Distribution		Value		Target		Trend	Score	Precision	Disparity Exists
	State	US	State	US	HP2030	Local				
Age-Adjusted Death Rate due to Firearms	1.5	2	3	3	3		3	2.58	High	Y
Death Rate due to Drug Poisoning	2	3	1	3	3		1.5	2.08	High	N
Age-Adjusted Death Rate due to Unintentional Poisonings	2	1.5	1	1.5	1.5		2	1.64	Medium	N/A
Age-Adjusted Death Rate due to Falls	1	1.5	0	1.5	1.5		3	1.58	Medium	N/A
Age-Adjusted Death Rate due to Unintentional Injuries	1	2	0	3	3		1	1.44	High	Y
Age-Adjusted Death Rate due to Motor Vehicle Collisions	1.5	1.5	0	0	1.5		2	1.14	Medium	N
Severe Housing Problems	3	2	1	0	1.5		0	1.08	High	N/A

Healthy Communities Institute  
Data Scoring Tool

Scoring Results by Topic

County: Summit  
Cuyahoga (Northeast Ohio)  
Total Indicators: 209  
Thursday 2nd of May 2024 06:09:06 AM

Topic Selection: Mortality Data \*\*\*\*

Mortality Data in Summit County

Indicator	County Distribution		Value		Target		Trend	Score	Precision	Disparity Exists
	State	US	State	US	HP2030	Local				
Age-Adjusted Death Rate due to Firearms	1.5	2	3	3	3		3	2.58	High	Y
Age-Adjusted Death Rate due to Homicide	1.5	1.5	3	1.5	3		3	2.25	Medium	N/A
Alcohol-Impaired Driving Deaths	2	3	3	3	1.5		1	2.19	High	N/A
Age-Adjusted Death Rate due to Alzheimer's Disease	3	1.5	3	1.5	1.5		2	2.14	Medium	N/A
Age-Adjusted Death Rate due to Breast Cancer	2	2	2	3	3		1.5	2.08	High	N
Death Rate due to Drug Poisoning	2	3	1	3	3		1.5	2.08	High	N
Age-Adjusted Drug and Opioid-Involved Overdose Death Rate	2	3	1	3	1.5		1.5	2	Medium	Y
Age-Adjusted Death Rate due to Diabetes	1	1.5	2	1.5	1.5		3	1.92	Medium	N/A
Age-Adjusted Death Rate due to Kidney Disease	2	1.5	1	1.5	1.5		3	1.92	Medium	N/A
Premature Death	2	1	2	3	1.5		1.5	1.83	Medium	Y
Age-Adjusted Death Rate due to Prostate Cancer	2	1	1	2	3		2	1.72	High	Y
Age-Adjusted Death Rate due to Unintentional Poisonings	2	1.5	1	1.5	1.5		2	1.64	Medium	N/A
Age-Adjusted Death Rate due to HIV	1.5	1.5	3	1.5	1.5		1	1.61	Low	N/A
Age-Adjusted Death Rate due to Falls	1	1.5	0	1.5	1.5		3	1.58	Medium	N/A
Life Expectancy	1	2	1	2	1.5		1.5	1.5	Medium	Y
Age-Adjusted Death Rate due to Cancer	1	2	1	2	3		1	1.44	High	Y
Age-Adjusted Death Rate due to Lung Cancer	1	1	1	3	3		1	1.44	High	Y
Age-Adjusted Death Rate due to Suicide	1	1.5	2	1.5	3		1	1.44	Medium	N/A
Age-Adjusted Death Rate due to Unintentional Injuries	1	2	0	3	3		1	1.44	High	Y
Age-Adjusted Death Rate due to Colorectal Cancer	1	1	1	2	3		1	1.28	High	Y
Age-Adjusted Death Rate due to Cerebrovascular Disease (Stroke)	1	1.5	0	1.5	3		1.5	1.25	Medium	N/A
Age-Adjusted Death Rate due to Coronary Heart Disease	0	1.5	0	1.5	3		2	1.22	Medium	N/A
Age-Adjusted Death Rate due to Chronic Lower Respiratory Diseases	1	1.5	1	1.5	1.5		1	1.19	Medium	N/A
Age-Adjusted Death Rate due to Heart Attack	0	1.5	0	1.5	1.5		2	1.14	Medium	N/A
Age-Adjusted Death Rate due to Motor Vehicle Collisions	1.5	1.5	0	0	1.5		2	1.14	Medium	N
Infant Mortality Rate	1	1.5	0	2	2		0	0.86	High	N/A
Age-Adjusted Death Rate due to Influenza and Pneumonia	0	1.5	0	1.5	1.5		0	0.58	Medium	N/A

Healthy Communities Institute  
Data Scoring Tool

Scoring Results by Topic

County: Summit  
Cuyahoga (Northeast Ohio)  
Total Indicators: 209  
Thursday 2nd of May 2024 06:09:06 AM

Topic Selection: Older Adults  
Topic Score: 3.59 \*\*\*\*\*

Older Adults in Summit County

Indicator	County Distribution		Value		Target		Trend	Score	Precision	Disparity Exists
	State	US	State	US	HP2030	Local				
Asthma: Medicare Population	3	3	3	3	1.5		2	2.64	High	N/A
Depression: Medicare Population	3	3	3	3	1.5		1.5	2.5	High	N/A
People 65+ Living Alone	3	3	2	3	1.5		2	2.47	High	N/A
Chronic Kidney Disease: Medicare Population	3	3	3	3	1.5		1	2.36	High	N/A
Hyperlipidemia: Medicare Population	3	3	2	2	1.5		2	2.31	High	N/A
Rheumatoid Arthritis or Osteoarthritis: Medicare Population	2	3	2	3	1.5		1.5	2.17	High	N/A
Age-Adjusted Death Rate due to Alzheimer's Disease	3	1.5	3	1.5	1.5		2	2.14	Medium	N/A
COPD: Medicare Population	1	2	2	3	1.5		2	1.97	High	N/A
Adult Day Care Spending-to-Income Ratio	3	2	2	1.5	1.5		1.5	1.92	Medium	N/A
Adults 65+ who Received Recommended Preventive Services: Females	2	2	1.5	3	1.5		1.5	1.92	Medium	N/A
People 65+ Living Alone (Count)	1.5	1.5	1.5	1.5	1.5		3	1.92	Low	N/A
People 65+ Living Below Poverty Level (Count)	1.5	1.5	1.5	1.5	1.5		3	1.92	Low	N
Osteoporosis: Medicare Population	2	2	1	1	1.5		2	1.64	High	N/A
Age-Adjusted Death Rate due to Falls	1	1.5	0	1.5	1.5		3	1.58	Medium	N/A
Cancer: Medicare Population	1	1	1	1	1.5		2	1.31	High	N/A
Prostate Cancer Incidence Rate	1	1	1	1	1.5		2	1.31	High	Y
Adults 65+ with Total Tooth Loss	1	1	1.5	1	1.5		1.5	1.25	Medium	N/A
People 65+ Living Below Poverty Level	1	1	0	0	1.5		3	1.25	High	Y
Alzheimer's Disease or Dementia: Medicare Population	2	1	1	1	1.5		1	1.19	High	N/A
Atrial Fibrillation: Medicare Population	0	1	1	1	1.5		2	1.14	High	N/A
Hypertension: Medicare Population	0	1	1	1	1.5		2	1.14	High	N/A
Adults 65+ who Received Recommended Preventive Services: Males	0	1	1.5	1	1.5		1.5	1.08	Medium	N/A
Mammography Screening: Medicare Population	1	1	1	1	1.5		1	1.03	High	N/A
Stroke: Medicare Population	0	1	1	0	1.5		2	0.97	High	N/A
Median Household Income: Householders 65+	1	1	1	2	1.5		0	0.92	High	N/A
Diabetes: Medicare Population	0	1	1	1	1.5		1	0.86	High	N/A
Heart Failure: Medicare Population	0	1	1	1	1.5		1	0.86	High	N/A
Ischemic Heart Disease: Medicare Population	0	1	1	1	1.5		1	0.86	High	N/A

Healthy Communities Institute  
Data Scoring Tool

Scoring Results by Topic

County: Summit  
Cuyahoga (Northeast Ohio)  
Total Indicators: 209  
Thursday 2nd of May 2024 06:09:06 AM

Topic Selection: Education  
Topic Score: 3.5 \*\*\*\*\*

Education in Summit County

Indicator	County Distribution		Value		Target		Trend	Score	Precision	Disparity Exists
	State	US	State	US	HP2030	Local				
Student-to-Teacher Ratio	2	3	2	3	1.5		1.5	2.17	High	N/A
College Tuition Spending-to-Income Ratio	3	3	2	1.5	1.5		1.5	2.08	Medium	N/A
Day Care Center and Preschool Spending-to-Income Ratio	3	3	2	1.5	1.5		1.5	2.08	Medium	N/A
8th Grade Students Proficient in Math	3	1.5	2	1.5	1.5		2	1.97	Medium	N/A
4th Grade Students Proficient in Math	3	1.5	2	1.5	1.5		1.5	1.83	Medium	N/A
Student Loan Spending-to-Income Ratio	2	1	2	1.5	1.5		1.5	1.58	Medium	N/A
Vocational, Technical, and Other School Tuition Spending-to-Income Ratio	2	1	2	1.5	1.5		1.5	1.58	Medium	N/A
8th Grade Students Proficient in English/Language Arts	2	1.5	2	1.5	1.5		1	1.53	Medium	N/A
4th Grade Students Proficient in English/Language Arts	2	1.5	1	1.5	1.5		1	1.36	Medium	N/A
High School Graduation	2	1.5	1	1.5	1		1	1.33	Medium	N/A
Home Child Care Spending-to-Income Ratio	1	1	1	1.5	1.5		1.5	1.25	Medium	N/A
Child Care Centers	1	1.5	1	0	1.5		1.5	1.08	Medium	N/A
People 25+ with a High School Diploma or Higher	1	0	1	1	1.5		1	0.86	High	Y
People 25+ with a Bachelor's Degree or Higher	0	0	0	1	1.5		0	0.25	High	Y

Healthy Communities Institute  
Data Scoring Tool

Scoring Results by Topic

County: Summit  
Cuyahoga (Northeast Ohio)  
Total Indicators: 209  
Thursday 2nd of May 2024 06:09:06 AM

Topic Selection: Physical Activity \*\*\*\*\*

Physical Activity in Summit County

Indicator	County Distribution		Value		Target		Trend	Score	Precision	Disparity Exists
	State	US	State	US	HP2030	Local				
Workers who Walk to Work	3	2	3	3	1.5		2	2.47	High	Y
Adults 20+ Who Are Obese	2	3	1.5	1.5	2		3	2.28	Medium	N
Adults 20+ who are Sedentary	1	2	1.5	1.5	1.5		1	1.36	Medium	N
Access to Parks	0	1.5	2	1.5	1.5		1.5	1.33	Low	N/A
Adults who Follow a Regular Exercise Routine	0	1.5	1	1	1.5		1.5	1.08	Medium	N/A
Access to Exercise Opportunities	0	0	0	0	1.5		1.5	0.5	Medium	N/A